

Journal of Clinical Pathology

British Medical Association, Tavistock Square, London WC1H 9JR

Contents Vol. 26, No. 5, May 1973

A proposal for a standardized system of reporting human lymph node morphology in relation to immunological function

H. COTTIER, J. TURK, AND L. SOBIN *page 317*

Infectious mononucleosis complicated by acute haemolytic anaemia with a positive Donath-Landsteiner reaction

M. M. WISHART AND M. G. DAVEY *page 332*

Australia antigen and primary biliary cirrhosis

R. N. M. MACSWEEN, A. A. C. YEUNG LAIWAH, A. A. BUSUTTIL, MAIR A. THOMAS, SHEILA K. ROSS, G. WATKINSON, I. MILLMAN, AND B. S. BLUMBERG *page 335*

Mallory's ('alcoholic') hyaline in primary biliary cirrhosis

RODERICK N. M. MACSWEEN *page 340*

An automated passive haemagglutination technique suitable for the detection of hepatitis B virus antigen and antibody in blood donors

MARGARET NELSON, ELIZABETH J. PHIPPS, PAMELA G. WATSON, JACQUELINE R. WATTS, AND

ROMAN ZWOLENSKI *page 343*

The fibrinolytic enzyme system in hypertension

B. BENNETT, D. OGSTON, G. P. M. CRAWFORD, AND A. S. DOUGLAS *page 351*

Effect of intravenous prostaglandin E₂ on platelet function, coagulation, and fibrinolysis

P. W. HOWIE, A. A. CALDER, C. D. FORBES, AND C. R. M. PRENTICE *page 354*

Renovascular hypertension in three children from one family

P. M. BLOM VAN ASSENDELFT, C. J. KOOIKER, E. J. DORHOUT MEES, AND A. J. HAMELEERS *page 359*

Venous infarction of the myocardium in a newborn child: An unusual effect of disseminated intravascular coagulation

M. MCCORMACK *page 364*

Association of white cell and red cell antibodies in human sera

JILL M. ROSS AND D. C. O. JAMES *page 367*

Food antibodies in oral disease: A study of serum antibodies to food proteins in aphthous ulceration and other oral diseases

H. C. THOMAS, ANNE FERGUSON, J. G. MCLENNAN, AND D. K. MASON *page 371*

Clinical trial of a chemical test for bacteriuria

LINDSAY PATERSON AND A. W. F. MILLER *page 375*

The production and testing of staphylococci with clumping factor activity for use in the assay of fibrinogen degradation products

G. RICHARDSON *page 377*

Technical methods

A device for stoppering bottles and ampoules under vacuum or dry nitrogen conditions

R. KEITH FARRELL AND S. D. JOHNSTON *page 381*

A combined moist chamber and tray

E. EVEREST *page 382*

Letters to the Editor *page 383*

Book reviews *page 385*

The Association of Clinical Pathologists: 90th general meeting *page 386*