Letters

L26 (CD20) staining of Bouin fixed bone marrow biopsies

L26 (CD20) is one of the most useful markers in the diagnosis of lymphoid neoplasms, but when Gala *et al* tested a large panel of antibodies for use in Bouin fixed bone marrow, L26 was one of the few antibodies which failed to stain.¹ Vassallo and Pinto² now suggest that if Zenker solution is used instead of Bouin solution, satisfactory L26 staining may be obtained. However, Zenker has its own technical and safety disadvantages and we note that, in contrast to the findings of Gala *et al*, successful immunostaining of Bouin fixed material for L26 has previously been noted³ and we get consistent, strong immunostaining for L26. We have fixed marrow biopsies in Bouin fluid for many years because of its excellent morphology in haematoxylin and eosin (H&E) staining and for its ease of use. (Following three to six hours of fixation in Bouin, biopsies are decalcified overnight in 10% formic acid. A short daytime processing cycle allows H&E sections to be reviewed late on the day following biopsy.) For immunohistochemistry we use antigen retrieval in antigen unmasking solution (Vector Laboratories) with pressure cooking for two minutes before applying L26 (Dako) followed by the avidin-biotin complex (ABC) technique. In addition to staining B cells, we note that L26 may give weak to moderate staining of megakaryocytes, a finding we have also seen with B5 fixed material. Nucleolar staining, described in epithelial and other cells types⁴ and regarded as non-specific, may be seen in some marrow blast cells. Figure 1 shows L26 staining of an infiltrate of hairy cell leukaemia in a Bouin fixed marrow biopsy. Gala *et al* indicate that there is limited information on the range of antibodies which stain in Bouin fixed marrow¹ so we have reviewed all the immunostains on our bone marrow biopsies for the past year. In addition to the antibodies described by Gala we have found successful staining for L26, leucocyte common anti-

Figure 1 Immunoperoxidase staining of L26 (CD20) in Bouin fixed bone marrow infiltrated by hairy cell leukaemia. The hairy cells show strong membrane staining and contrast with the unstained marrow trilineage.

body, CD79a, CD34, CD68 (PGM1), epithelial membrane antigen, glycophorin A and C, S-100, and tryptase.

D S O'BRIAIN
C MURPHY

Histopathology Department, St James's Hospital and
Trinity College Medical School, James's Street,
Dublin 8, Republic of Ireland

- 1 Gala JL, Chenut F, Hong KB, *et al*. A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies. *J Clin Pathol* 1997;50:521-4.
- 2 Vassallo J, Pinto GA. Antibody panel in diagnosis of lymphoid neoplasms. *J Clin Pathol* 1998; 51:638-9.
- 3 Labouyrie E, Marit G, Lacombe F, *et al*. Intrasinusoidal bone marrow involvement by splenic lymphoma with villous lymphocytes: a helpful immunohistologic feature. *Mod Pathol* 1997; 10:1015-20.
- 4 Chang KL, Arber DA, Weiss LM. CD20, a review. *Appl Immunohistochem* 1996;4:1-15.

Authors' reply:

In a previous issue of this journal,¹ we presented a list of antibodies suitable for immunostaining of Bouin's fixed, paraffin embedded bone marrow trephine biopsies. Very few data indeed report the reactivity of currently available antibodies on Bouin's fixed bone marrow. Some of the antibodies assessed were inconsistently reactive (4KB5/CD45RA, Ki-B3/CD45RA, DBA-44, VS38) or unreactive (CD 20/L26, LN-1/CDw75, Bcl-1/PRAD1, DO-7, rabbit-Ki-67). In a letter to the editor, Vassallo and Pinto commented on lack of reactivity of our L26 staining with Bouin's fixed material.² They pointed out the usefulness of L26 staining for differential diagnosis of reactive and neoplastic small cell lymphoid aggregates in bone marrow specimens, and stressed the satisfactory results that were obtained with their Zenker fixed marrow. As pinpointed in our reply,³ it is of note that the major difference between their method and several previous discrepant reports of unsuccessful staining with L26 on Zenker's fixed material,⁴⁻⁷ was the use of a microwave retrieval procedure.

In this issue, O'Brian and Murphy also stress the value of L26 for diagnosis of lymphoid neoplasms, and point out that they, and another team, have consistent L26 (CD20) immunostaining on Bouin's fixed and decalcified material.⁸ O'Brian and Murphy used three to six hours of fixation, decalcification overnight in 10% formic acid, followed by antigen unmasking solution with pressure cooking for two minutes. The other team reported successful L26 staining on Bouin's fixed bone marrow with a very similar procedure, including Bouin's fixation for 12 hours, decalcification in EDTA for two hours, and retrieval step by pressure cooking. This is highly comparable with our procedure (less than 24 hours of fixation, decalcification for six hours in 7.5% in nitric acid). In agreement with others, however, we experienced a lack of reactivity of L26 on Bouin's fixed material.¹⁻⁷ Here again, the major difference between successful and unsuccessful L26 staining appeared to be the use of an adequate antigen retrieval procedure. While the reactivity of our panel of antibodies was compared with and without microwave heating on archival bone marrow biopsies, our evaluation with microwave retrieval was unfortunately hampered by the frequent unsticking and destruction of part or whole of the bone marrow core biopsy sample. Moreover, the length of fixation in several Bouin's fixed samples, delivered from outside institutions, was close to 24 hours and it is thought that

overfixation may damage the L26 epitope. Mounting processed bone marrow (fixation less than 12 hours) on coated slides now allows an adequate retrieval procedure. In such conditions and with microwave heating as prerequisite, our current L26 results are in full accordance with these of O'Brian and Murphy.

Regarding the statement of these investigators that L26 is one of the most useful lymphoid markers, we would like to emphasise that immunotyping of lymphoid cells on Bouin's fixed bone marrow may also be performed with surrogate B cell markers, such as LN-2/CD74 and MB2, but also by Ki-B5, a very effective antibody recognising normal and malignant B cells.^{1,9} The advantage of these antibodies, compared with L26, is that they do not require prior antigen retrieval. The use of this panel of B cell antibodies, together with bcl-2 antibody, allows easy identification and quantification of malignant B cells in bone marrow trephine biopsies.^{11,12}

The complementary list of other immunoreactive antibodies given by O'Brian and Murphy (LCA, CD79a, CD34, CD68, glycophorin A and C, S-100, and tryptase) is very useful for laboratories testing Bouin's fixed material, and we thank these workers for providing this valuable information. Like them, we previously reported and illustrated the strong reactivity of mast cells with antibody antitryptase (AA1).³ CD79a also appears immunoreactive in our hands after microwave heating. In the light of these new data, we would like to upgrade the current list of antibodies suitable for the immunostaining of Bouin's fixed bone marrow trephine biopsies; this includes antibodies for immunotyping haematological malignancies as well as solid tumors, as follows: CD4, CD8, CD15, prostate specific antigen (PSA, prediluted), carcinoembryonic antigen (CEA, prediluted), mouse antihuman oestrogen (MAE, prediluted), and cytokeratin (clone MNF116, prediluted), all from Dakopatts, Proscan, Belgium. Preliminary results with CD5 and CD1a also seem encouraging, but require confirmation on a larger series of clinical specimens. It should be borne in mind that prior microwave heating appears necessary for all these newly tested antibodies.

JEAN-LUC GALA

Laboratory of Molecular Biology, Department of
Biochemistry, Université Catholique de Louvain,
Brussels, and Hôpital Militaire Reine Astrid, Rue
Bruyn, Brussels, Belgium

JEAN-MARIE SCHEIFF

Department of Haematology Cliniques, Université
Catholique de Louvain, Brussels, Belgium

- 1 Gala JL, Chenut F, Hong KBT, *et al*. A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies. *J Clin Pathol* 1997;50:521-24.
- 2 Vassallo J, Pinot GA. Antibody panel in diagnosis of lymphoid neoplasms. [Letter to the Editor.] *J Clin Pathol* 1998;51:638.
- 3 Gala JL, Horsmans Y. Antibody panel in diagnosis of lymphoid neoplasms. [Reply.] *J Clin Pathol* 1998;51:638-9.
- 4 Kubic VL, Brunning RD. Immunohistochemical evaluation of neoplasms in bone marrow biopsies using monoclonal antibodies reactive in paraffin-embedded tissue. *Mod Pathol* 1989;2:618-29.
- 5 Falini B, Pileri A, Flenghi L, *et al*. Selection of a panel of monoclonal antibodies for monitoring residual disease in peripheral blood and bone marrow of interferon-treated hairy cell leukaemia patients. *Br J Haematol* 1990;76:460-8.
- 6 Perkins SL, Kjeldsberg CR. Immunophenotyping of lymphomas and leukemias in paraffin-embedded tissues. *Am J Clin Pathol* 1993;99: 362-73.

- 7 Ellison DJ, Sharpe RW, Robbins BA, *et al.* Immunomorphologic analysis of bone marrow biopsies after treatment with 2-chlorodeoxyadenosine for hairy cell leukemia. *Blood* 1994;84:4310–15.
- 8 Labouyrie E, Marit G, Vial JP, *et al.* Intrasinusoidal bone marrow involvement by splenic lymphoma with villous lymphocytes: a helpful immunohistologic feature. *Mod Pathol* 1997;10: 1015–20.
- 9 Hakimian D, Tallman MS, Kiley C, *et al.* Detection of minimal residual disease by immunostaining of bone marrow biopsies after 2-chlorodeoxyadenosine for hairy cell leukemia. *Blood* 1993;6:1798–802.
- 10 Hansmann ML, Wacker HH, Gralla J, *et al.* Ki-B5: a monoclonal antibody unrelated to CD45 recognizes normal and neoplastic human B cells in routine paraffin sections. *Blood* 1991;77:809–17.
- 11 Gala JL, Delannoy A, Martiat P, *et al.* Detection of residual disease by immunostaining of bone marrow trephines after 2-chlorodeoxyadenosine in previously untreated chronic lymphocytic leukemia [abstract]. *Blood* 1995;86: 833a.
- 12 Gala JL, Guiot Y, Delannoy A, *et al.* Use of image analysis and immunostaining of bone marrow trephine biopsy specimens to quantify residual disease in patients with B-cell chronic lymphocytic leukemia. *Mod Pathol* 1999;12: 391–9.
- 2 Frappart L, Boudeulle M, Boumendil J, *et al.* Structure and composition of microcalcifications in benign and malignant lesions of the breast. *Hum Pathol* 1984;15:880–9.

Figure 1 Weddellite crystals within high grade ductal carcinoma in situ, photographed under partially polarised light. Haematoxylin and eosin stain.

Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ

Following our short report of a rare example of calcium oxalate (Weddellite) crystals within papillary pattern ductal carcinoma in situ¹ we have encountered a further case. A 54 year old woman had microcalcifications detected in her right breast on routine breast screening. Core biopsies taken under x ray guidance showed ductal carcinoma in situ, but the only calcifications seen in the biopsies after examination of multiple tissue sections were of calcium oxalate (Weddellite) crystals in the lumen of a duct involved by high grade solid pattern ductal carcinoma in situ. A subsequent x ray guided wide excision of the microcalcifications revealed extensive high grade solid and comedo pattern ductal carcinoma, associated with (predominantly) ordinary-type microcalcifications, but also with luminal Weddellite crystals. This contrasted with our previously reported case in which the ductal carcinoma in situ was of papillary type.¹

As previously discussed,¹ Weddellite-type microcalcifications are usually associated with benign breast disease—particularly with apocrine microcysts.² Interestingly, the wide excision specimen in this case also contained apocrine microcysts with Weddellite crystals, which were immediately adjacent to the Weddellite containing ductal carcinoma in situ (fig 1).

Ductal carcinoma in situ associated with Weddellite-type microcalcifications remains a rare finding. The coexistence of Weddellite crystals in apocrine microcysts (not present within our previously reported case¹) and adjacent ductal carcinoma in situ in this case lends further support to the “bystander” theory for this phenomenon; that is, that ductal carcinoma in situ may involve a previously benign breast duct containing Weddellite crystals associated with pre-existing benign changes.

HILARY M MARTIN
ADRIAN C BATEMAN
JEFFREY M THEAKER

Department of Histopathology, Southampton General Hospital, Southampton SO16 6YD, UK

- 1 Singh N, Theaker JM. Calcium oxalate crystals (Weddellite) within the secretions of ductal carcinoma in situ—a rare phenomenon. *J Clin Pathol* 1999;52:145–6.

Book reviews

Color Atlas of Normal Cytology. By A J Herzberg, D S Raso, and J F Silverman. (£165.00.) Churchill Livingstone, 1999. ISBN: 0 443 07547 6.

In this book the authors aim to provide “a single source for describing and illustrating normal cytology that may be seen in day to day practice.” Following introductory chapters covering the structure of the cell and cytological techniques, there are sections devoted to specific cell and tissue types and individual organs. There is a section on gynaecological cytology, although the majority of the book is devoted to fine needle aspiration and exfoliative cytology from other organs.

Each section is arranged in a similar fashion, covering anatomy, histology, normal cytology, and potential pitfalls. This results in a pleasing uniformity that is often missing in multi-author texts. The text, while brief, is clearly written and the sections in each chapter on potential pitfalls are particularly useful. The illustrations provide a good mix of Papanicolaou and Diff-quick stained material, together with relevant haematoxylin and eosin stained histological sections. They are of generally good quality, although some of the photomicrographs of Diff-quick stained material are a little dark, and in some sections there is quite marked variation in the photomicrograph background. These minor problems do not, however, detract from what is a high quality text.

This book would be of use to any practising cytopathologist and would also be of benefit to trainees. As such, it would be an important addition to any cytopathologist's library.

NEIL ANDERSON

Postgraduate Haematology (4th edn). Edited by A V Hoffbrand, S M Lewis, E G D Tuddenham. (£95.00.) Butterworth Heinemann, 1999. ISBN: 0 7506 0583 9.

Virginia Woolf wrote, “for the desire to read, like all the other desires which distract our unhappy souls, is capable of analysis.” You may have noticed a few unhappy trainee souls around at the time of the MRCPath examination, so will the arrival of the fourth edition of *Postgraduate Haematology* bring a little light into their lives? The question of whether any book has a role for future trainees in the age of electronic publishing is certainly worthy of analysis. Remember when videos were going to sweep aside the cinema audience? The internet is unrivalled for current information but only the most hardened of computer nerds could suggest that the internet will ultimately replace the textbook. The local trainees who have had a look at *Postgraduate Haematology* agree with my assessment that it is an excellent overview and very clearly laid out. Some of the tables will be familiar to those who have attended the Hammersmith course, but all the 41 authors are to be complimented on their presentation of tables and diagrams. The morphology slides are also particularly good.

The layout is clear with the diagrams and photomicrographs organised in the appropriate section of the text so that they can be easily referred to. I recall reading a review of the second edition which criticised a didactic style which was necessary to keep the size of the book down. The fourth edition is a much more expansive text to take in the wealth of recent developments (such as new chapters on haemopoiesis and stem cell transplantation), but it does present most sides of the major issues and the bibliography is commendably concise. I particularly enjoyed the chapters on aplasia, genetic disorders of haemoglobin, and the myeloproliferative disorders.

Inevitably there are criticisms but they really are minor issues. A textbook will find that its description of current trials (for example, CML IV) will be out of date by the time it is published. You could quibble about the balance in some areas but there is a welcome overall balance between malignant and non-malignant haematology. Do you find it a challenge to remember CD numbers? I'm almost up to double figures but true enthusiasts can test themselves on seven pages of numbers, taking them up to CD166. The female trainees were not impressed that pregnancy is considered as a systemic disease, nor by the fact that the common haematological problems in pregnancy merit only one page, while the spleen has its own chapter. One could carp over other aspects but the essential point is that the fourth edition of this standard text book succeeds extremely well in providing a readable and visually attractive general overview of haematology. Clinical haematologists like myself attending the BSH or ASH meeting show a high incidence of narcolepsy during some of the presentations. This book will give us a good cutting edge introduction so that at least we can understand the titles of the presentations next time. It can be highly recommended to everyone who works in a haematology department and particularly its target audience of postgraduate students.

J A MURRAY

Adhesion Protein Protocols. Edited by E Dejana and M Corada. (\$69.50.) Humana Press, 1999. ISBN: 0 89603 417 8.

The past years have seen an explosion of knowledge and interest in the central position of adhesion molecules and their ligands in the processes of cellular recognition, activation, and migration. More recently studies of leucocyte migration have also highlighted the critical roles played by chemokines and cytokines in recruiting specific cells to defined microenvironments in both normal and pathological physiology. Our increased understanding of this intricate molecular interplay between several classes of receptors and their ligands inevitably brings with it a buzz of excitement about potential therapeutic interventions targeted at specific interactions. With this perspective in mind, I think that scientists will welcome this excellent new book of protocols designed to characterise adhesion molecules experimentally at both structural and functional levels. The book draws together a wide spectrum of analytical strategies written by experts and is highly accessible to both the beginner and the experienced scientist. Each chapter concisely defines a single key aspect of study which scientists from many disciplines could usefully adapt to their own specific needs. Key references included with each chapter provide additional interesting and useful information. I was particularly delighted with the "notes" at the end of every chapter which highlight potential pitfalls and provide the kind of empirical wisdom which only experience brings.

LYNN MORGAN

Fatty Acids and Inflammatory Disease. Edited by J M Schröder. (DM 198.00.) Birkhäuser, 1998. ISBN: 3 7643 5847 5.

This is an exploration of the role of fatty acids in the skin, a much underexplored area. The authors concentrate on describing biosynthetic pathways for ceramides in the skin, but principally on the role of arachidonic acid, eicosanoids, and leukotrienes in diseases of the skin. Topics reviewed include the role of eicosanoids in inflammation and its modulation as produced in the dermis and by keratinocytes, and also the role of these molecules in eczema and psoriasis. Brief sections describe basic analytical techniques and the effects of fatty acid compositions and their retinoid modulators in keratinocytes. The book is aimed at investigators and scientists looking for a review of data on the role of inflammatory mediators derived from fatty acids in dermatological disease. It is a good summary of the field, clearly written to a high standard throughout, with good illustrations and diagrams. However, it offers little for clinicians or dermatologists interested not in the pathogenesis of dermatological inflammation but in its treatment in clinical practice.

ANTHONY WIERZBICKI

The Vulva. Edited by C M Ridley and S M Neill. (£150.00.) Blackwell Science, 1998. ISBN: 0632047682.

The problem for patients with vulval pathology is that they do not necessarily fall into one neat category. Thus for histopathologists, vulval biopsies may originate from dermatologists, genitourinary medicine, gynaecologists, urologists, and even general

surgeons, not all having broad experience in this rather specialised area of dermatological pathology. This well written reference text puts these specialties together to provide a comprehensive review of the problems encountered. It also provides useful links to other conditions, dermatological and non-dermatological; while the vulva has its own particular problems, it is important for the patient to take a broad view of the issues involved.

The opening chapters on embryology, congenital abnormalities, and anatomy and physiology are comprehensive and clear. The chapter on historical aspects is interesting but includes examination and investigative techniques which probably deserve a free standing chapter. The remaining chapters on specific conditions are informative with lucid and helpful illustrations from a clinical point of view.

This is a capacious text on the vulva and very useful from the clinical viewpoint in diagnosing and treating vulval disease. For histopathologists the clinical aspect is helpful, but for diagnostic pathology cross reference to other texts in colour may be necessary. Overall this book is a useful addition to the pathology library with well written and clear explanations of vulval conditions.

M M WALKER

Principles and Practice of Disinfection, Preservation and Sterilization (3rd ed). Edited by A D Russell, W B Hugo, and G A J Ayliffe. (£85.00.) Blackwell Science, 1999. ISBN: 0 632 04194 3.

This is a new edition of the standard UK text on killing microbes or preventing their growth. The first half of the book is devoted to chemical disinfection and covers all the relevant agents, how they work, what can interfere with successful disinfection, assessing activity, specific target organisms, and some applications in the wider field of health care. The rest of the book is split between preservation and sterilisation. It is the preservation section that contains the most diversity in application, from familiar ground such as medicines and food to the preservation of wood, leather, and museum specimens. The sterilisation section covers sterilisation by heat, radiation, gases and filtration, the application of heat processes to both medical items and foods (the latter including substerilisation approaches), novel and experimental sterilisation technologies, reuse of disposables, and quality assurance.

These are not fields where there have been major advances since the previous edition in 1992, but there have been shifts in perception. There is an important new chapter on the thorny topic of inactivating the agents of transmissible encephalopathies by physical and chemical methods. New space is also given to protozoa, listeria, and biofilms, and more detail on viricidal activity and rapid methods in microbicidal assessments. In all, this edition has expanded by some 200 pages.

The book is not aimed at those primarily interested in infection control in health care. Its prime use lies in its multidisciplinary approach. There is always a danger that, as disciplines evolve, they will separate from each other and follow increasingly disparate standards. Sometimes this may be a rational

decision, but sometimes it may occur through isolation from wider contexts. The prime advantage of this book is that, in having such a wide range of approaches to microbicidal applications, it enables a reader to make decisions and choose approaches within a broadly informed context.

P N HOFFMAN

Notices

The International Academy of Pathology Forthcoming meetings

Symposium on Infectious Diseases,
Antwerp, Belgium,
19–20 May 2000

Symposium on Upper GI Tract,
London,
24–25 November 2000

Further details from:
British Division of the International
Academy of Pathology (administrative
secretary, Mrs C Harris), PO Box 73,
Westbury on Trym, Bristol BS9 1RY; tel
+44 (0)117 907 7940; fax +44 (0)117
907 7941; email: bdiap@ cableinet.co.uk

Course on Pulmonary Pathology

London, 20–23 June 2000

This course is designed to provide histopathologists and cytopathologists with an opportunity to study diagnostic lung pathology in a comprehensive manner. It comprises lectures and practical microscopy sessions, the latter making up roughly half the time and consisting of individual study of a unique collection of cases.

Further details and application forms from:
Professor B Corrin, Brompton Hospital,
London SW3 6NP; fax +44 20 7351
8293; email: b.corrin@ic.ac.uk

Correction

Lam KY. Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, October issue (52:758–760).

There is an error in the legend to figure 1, which should read: "Coexisting carcinoma (arrows) noted in oesophageal leiomyoma."

The reference to the figure in the text (Results, para 6, 3 lines from the end) should be moved to the end of the next sentence: "Coexisting squamous cell carcinoma of the oesophagus was found in 12 patients (fig 1)."

Instructions for Authors

Papers for publication should be sent to the Editor, *Journal of Clinical Pathology*, BMA House, Tavistock Square, London WC1H 9JR (tel: 0171 383 6209/6154; fax: 0171 383 6668; email: ndavies@bmjgroup.com).

Receipt of manuscripts will be acknowledged by the editorial office.

Submission of a paper will be held to imply that it contains original work not being offered elsewhere or published previously. Manuscripts should be prepared in accordance with the Vancouver style.¹ The Editor retains the right to shorten the article or make changes to conform with style and to improve clarity. All authors must sign the copyright form after acceptance.

Failure to adhere to any of these instructions may result in delay in processing the manuscript and it may be returned to the authors for correction before being submitted to a referee.

General

- Authors must submit four copies of the original manuscript typed in double line spacing. The journal is now produced electronically and revised manuscripts should be submitted as printed copy and on disk. A guide to submitting an article on disk will be sent when requesting a revision or on notification of an acceptance. Authors should not submit the original paper on disk.
- The names of the authors, with initials, should be followed by the name of the institution where the work was carried out. An indication of the position held by each author should be given in an accompanying letter to the Editor, and manuscripts should bear the name of one author to whom correspondence should be addressed. If available, a fax number and an email address should be supplied.
- Identifying information should not be published in written descriptions, photographs, or pedigrees unless the information is essential for scientific purposes and the patient (or parent or guardian) gives written informed consent for publication; but patient data should never be altered or falsified in an attempt to attain anonymity. Informed consent should be obtained if there is any doubt. Masking the eyes in photographs of patients is inadequate protection of anonymity (for the full statement see the *BMJ*²).
- Authors should include the names and addresses of four experts whom the authors consider suitable to peer review their work.
- When submitting original manuscripts authors should send a copy of any of their other papers on a similar subject to assure the editors that there is no risk of duplicate publication.
- If requested, authors should produce the data upon which the manuscript is based for examination by the Editor.
- The number of authors should be kept to a minimum and should include only those who have made a contribution to the research: justification should be made for more than five authors. Acknowledgments should be limited to workers whose courtesy or assistance has extended beyond their paid work, and to supporting organisations.
- Sponsors of research must be declared.
- Authors should provide up to four keywords/phrases for the index.
- All measurements must be in SI units apart from blood pressure measurements, which should be in mm Hg, and drugs in metric units.

- Abbreviations should be used rarely and should be preceded by the words in full before the first appearance.
- In the statistical analysis of data 95% confidence intervals should be used wherever appropriate.
- Any article may be submitted to outside peer review and for statistical assessment.
- No free offprints will be provided; reprints may be ordered when the proof is returned.

Original articles

- Papers should be no more than 2000 words long and should report original research of relevance to the understanding and practice of clinical pathology. They should be written in the standard form: abstract; introduction; methods; results; and discussion.
- The journal uses a structured form of abstract in the interests of clarity. This should be short (no more than 250 words) and include four headings: *Aims*—the main purpose of the study; *Methods*—what was done, and with what material; *Results*—the most important results illustrated by numerical data; and *Conclusions*—the implications and relevance of the results.

Leaders/Editorials

- Leaders and Editorials are published by editorial invitation; unsolicited reviews or commentaries are unlikely to be accepted, though the Editor is always pleased to receive suggestions.

Short reports

- Single case reports of outstanding interest or clinical relevance, short technical notes, and brief investigative studies are welcomed and usually published in the form of a Short/Technical report.
- Length must not exceed 1500 words, including a structured abstract of less than 150 words (unstructured for case reports), up to two figures or tables (or one of each) and up to 10 references. If more illustrations are required the text must be reduced accordingly.

Letters

- Letters must be typed in double line spacing, should normally be no more than 500 words, have no more than five references, and must be signed by all authors. Two copies should be provided.

Tables and illustrations

Tables should be presented separately in double line spacing without ruled lines; when presented on disk they should be in a separate file from the text.

- Letters and other marks which are to appear on the face of a photomicrograph should be made on a photocopy: they will be added in the Journal style in the editorial office when the manuscript is accepted.
- Legends for illustrations should be typed with double spacing on a separate sheet. The staining technique used should be stated. Magnifications should be given for electron micrographs but not for light micrographs except in cases where this is important.
- Photographs and photomicrographs should be on glossy paper for half tone reproduction. The printing process requires that prints are unmounted and unbacked, and of high quality, with full tonal scale. Illustrations that will not reproduce well will be returned and this may delay publication. Areas in which tissue does not appear ("background") should be as near white as possible. Three sets of prints must be supplied with each manuscript. Only salient features should be included to preserve detail.

- Colour reproduction of figures in papers is encouraged and is heavily subsidised by the Journal. Advice on costs and material to be submitted for colour work should be sought from the editorial office. The journal can accept colour images as TIFF files in the following media: zipped or unzipped files on floppy disks, compact disks, or optical disks. A hard copy of the image should be provided.
- If any tables or illustrations submitted have been published elsewhere, written consent to republication should be obtained by the author from the copyright holder (usually the publisher) and the authors. A copy of the letter giving consent must be included.

Descriptions of laboratory methods

- When a manufacturer's method is used in a study with a particular item of equipment or kit of reagents, the source of this method and reference to the scientific literature on which it was based should be given. Authors might consider it courteous to inform manufacturers that an article assessing their product has been submitted for publication.
- For quantitative methods, information on the sensitivity, precision, and accuracy in the hands of the authors should always be provided. When a well recognised method is used, these requirements could be met simply by providing the references to the methodology and discussing the performance in a recognised current quality assurance scheme. Modifications to methods that have not been previously published should be detailed in the text and supported by evidence of their efficacy.
- It is useful to indicate, either from personal observations or by reference, the working range of an assay and the normal reference range when it is used on samples from humans. When information is expressed as mean $\pm$ 2SD, the distribution of the range (normal, skew, or logarithmic) should be stated.

References

- References must be numbered in the order they appear in the text and include all information (Vancouver style; references with more than three authors should give only the first three followed by *et al*):
- 1 Fletcher CDM, McKee H. Sarcomas - a clinico-pathological guide with particular reference to cutaneous manifestations. I. Dermatofibrosarcoma protuberans, malignant fibrous histiocytoma and the epithelial sarcoma of Enzinger. *Clin Exp Dermatol* 1984;9:451-65.
 - 2 Washington JA. Conventional approaches to blood culture. In: Washington JA, ed. *The detection of septicemia*. West Palm Beach, Florida: CRP Press, 1978:41-87.
- References in the text should be identified by arabic numerals in brackets—for example, [1] [2].
 - Information from manuscripts not yet accepted, or personal communications may be cited only in the text and not included in the references. References are not checked by us; authors must verify references against the original documents before submitting the article.
- 1 International Committee of Medical Journal Editors. Uniform requirements for manuscripts submitted to biomedical journals. *BMJ* 1991;302:338-41.
 - 2 International Committee of Medical Journal Editors. Protection of patients' rights to privacy. *BMJ* 1995;311:1272.

Manuscript checklist:

- Is there an abstract?
- Are the abbreviations spelt out?
- Are the measurements in SI units?
- Are the references in Vancouver style?

Revised January 1999

Best Practice articles (formerly "Broadsheets") prepared by the Association of Clinical Pathologists

Just published

154 *Helicobacter pylori* 1999 CAM McNULTY, JI WYATT (with correction in June issue)

Recent Publications

153 The laboratory investigation of vaginal discharge 1998 KF MACSWEEN, GL RIDGWAY

152 Clinical implications of plasma homocysteine measurement in cardiovascular disease 1998
RA STILL, IFW MCDOWELL

Other Best Practice articles are still available for purchase

151 Investigation of dyslipidaemias 1997 AF WINDER,
W RICHMOND, DT VALLANCE

150 Antenatal serological testing and prevention of
haemolytic disease of the newborn 1997 JKM DUGUID

149 Serological diagnosis of gluten sensitive enteropathy
1996 DJ UNSWORTH

148 Laboratory diagnosis of malaria 1996
DC WARHURST, JE WILLIAMS

147 Mycological techniques 1996 KG DAVEY,
CK CAMPBELL, DW WARNOCK

146 Macroscopic examination of prostatic specimens
1995 P HARNDEN, MC PARKINSON

145 Investigation of patients with autoimmune haemolytic
anaemia and provision of blood for transfusion 1995
RJ SOKOL, DJ BOOKER, R STAMPS

144 The investigation of hypercalcaemia 1994
PL SELBY, PH ADAMS

143 Detection of autoantibodies to neutrophil
cytoplasmic antigens 1994 RJ LOCK

142 Measurement of carbon monoxide and cyanide in
blood 1993 RW MAYES

141 Role of endocrine biochemistry laboratories in the
investigation of infertility 1993 GH BEASTALL

140 Techniques in pulmonary cytopathology 1993
JA YOUNG

139 Post mortem techniques in the evaluation of neck
injury 1993 P VANEZIS

138 Gross examination of uterine specimens 1993
J SCURRY, K PATEL, M WELLS

137 Obtaining samples at post mortem examination for
toxicological and biochemical analyses 1993
ARW FORREST

136 Detection and importance of anticardiolipin
antibodies 1993 MA KHAMASHTA, GRV HUGHES

*Earlier Broadsheets may still be available
from the author. A full list can be obtained
from the Publications Secretary,
Association of Clinical Pathologists,
189 Dyke Road, Hove, East Sussex
BN3 1TL.*

Prices

INLAND One copy, £2.50; 2–10 copies
(of any one broadsheet or reprint),
£2.00 each; 11–100 copies (of any
one), £1.75 each; 101 plus copies (of
any one), price to be agreed; authors
(over 50 free copies), £1.25 each.
OVERSEAS One copy, \$6.75; 2–10 copies
(of any one broadsheet or reprint),
\$5.25; 11–100 copies (of any one),
\$3.75; 101 plus copies (of any one),
price to be agreed.
Authors \$2.25. Prices include postage
but air mail will be charged extra. Trade
discount 10%. All orders (and all
changes of address of regular
subscribers) should be sent to the
Publishing Manager • *Journal of Clinical
Pathology*, BMJ Publishing Group,
BMA House, Tavistock Square,
London WC1H 9JR.

List of assessors

The members of the editorial board are indebted to the following for their help with the assessment of papers during 1999.

T A Aasmundstad	I Carlstedt	W Egner	B Halliwell
S L Abbott	M W Carter	D Elder	S Halloran
A Al-Nafussi	V Castronovo	J T Ellis	P Hamilton
M C Aldridge	D Catovsky	J Ellis	P J Hamilton
D C Allen	E O Caul	W Ellis	A M Hanby
S G B Amyes	T Chambers	I O Ellis	T Hanselaar
T Anderson	J-K Chan	C W Elston	R Harach
N Anderson	H M Chapel	A M Emmerson	A Harris
C A Angel	R Chetty	C E Essed	M Harris
I D Ansell	P L Chiodini	E Estlin	T J Harrison
P Anthony	D M Chisholm	V Eusebi	I Hart
R D Arbeit	P Chowienzyk	D Evans	R A Hartskeerl
J W Arends	J C Clark	S Falk	P S Hasleton
M J Arends	B Clarke	B Farr	P Hawkey
S Arya	S Clarke	A M Farrell	R J Hay
R Ashford	C A Clelland	M Farrington	R Heimann
M Ashworth	J Cohen	P Farthing	K Henry
J C Atherton	N Coleman	I W Fellows	A Herbert
A T R Axon	J C Coleman	I Fentiman	C Herman
U Baandrup	C Collins	A Fischer	C S Herrington
T Baglin	W P Collins	J Fitzgerald	R Herriot
B Bain	P O Collinson	R Flanagan	J M Hershman
S I A Baithun	J F Colombel	P Flanagan	P S Hiemstra
M Balsitis	U V Comandini	K A Fleming	D R Higgs
S S Banerjee	M G Cook	S Fleming	F G H Hill
F Baquero	B D Cookson	C D M Fletcher	S Hillery
M Barbareschi	C Cooper	S Florquin	D Hinchcliff
K D Bardhan	K Cooper	J A Foekens	S Hoda
D M Barnes	L Corey	J Folkman	P C W Hogendoorn
H Barr	A Corfield	A R W Forrest	S Holgate
S Barrett	P Correa	C S Foster	R E Holliman
P S Bass	R Cotran	A J Fox	K Hollowood
J Bell	T L Cover	H Fox	C Holmes
J M Best	M Craanen	W D Fraser	D Hopwood
S Biebold-Berger	J E Crabtree	I M Frayling	E Horak
G Bird	G Craig	D Freedman	M Howard
C C Bird	J Crane	P N Furness	A Howatson
A G Bird	D Crawford	D Gadsdon	M Huang
A Blackwell	I A Cree	P Gallagher	S G Hübscher
C C Blackwell	P R Crocker	M J Galloway	S Humphries
K Blessing	J Crocker	M Garcia-Barcelo	T Inglis
E Bloemena	J A Crolla	D Gargot	J W Ironside
W Böcher	S S Cross	R Gärtner	W Irving
W Bogomoletz	J Crow	N Gaunt	P G Isaacson
A Bolmström	W D Cubitt	A M Geddes	T Ishihara
H L Bonkovosky	R J Cunney	R H George	S M Ismail
G R Boocock	B Currie	M Giacca	H Ito
R Bortolussi	M A Dada	W Giaretti	A Jack
F T Bosman	N Dalton	M Gill	M Jackson
D G Bostwick	D Dance	H Gille	P D James
N Bown	P J Darbyshire	S Gillespie	J M Janda
C Bradbeer	C J Darroch	J Gillmore	G Janossy
P Brandtzaeg	S Das	R Gillon	B Jasani
J Brazier	F Daschner	H M Gilmour	J R Jass
H Brenner	S Davies	S Girgis	P Jeffrey
T A Brentnall	J D Davies	L Gissmann	D J Jeffries
M Brett	D Davies	F Godlee	D Jenkins
J Breuer	M Davies	J Going	P Johnson
J Breuer	J Davies	E J Goldstein	J Johnson
N Brink	D W Day	M Gompels	P Johnson
B Brinkmann	M de Silva	R Goodlad	S Jolles
U Broome	C De Wolf-Peters	I M Gould	E L Jones
D F Brown	G Delsol	S C D Grant	D H M Joynson
R A Brown	D Denning	F Grasser	M Kadin
C L Brown	P A Dervan	J Gray	H Kahn
D Brown	V Desmet	J Gray	C J Kaupke
L J R Brown	A P Dhillon	W Gray	J W Keeling
C H Buckley	S Dische	J T Grayston	A Kelsey
H Buckley	J M Dixon	M Green	P A Kendall-Taylor
I D Buley	M F Dixon	M J Greenhall	J A Ker
M M E Burke	N Dodd	T M Gress	P Kesteven
R A Burnett	C Doglioni	M H Griffiths	G Khan
A D Burt	G Dolan	P D Griffiths	C Kibbler
A Busuttil	M H Dominiczak	K M Grigor	M Kilby
P Butcher	P Domizio	E Grishman	N Kirkham
C Byrne	P Dore	D I Grove	G Klappacher
E Calonje	A G Douglas-Jones	F Gudat	N Klein
F Campbell	F Drobniowski	T A Guise	P Kluin
R O Cannon	B Drumm	R C Hackman	J Kluytmans
A Cant	P Durrington	M R Haeney	H J Knieriem

B H Knight	G J Miller	G L Ridgway	M Totch
S M Knowles	C M Milroy	W G Robertson	G Turner
G Kocjan	N Mir	S Robinson	D Turner
J Kovacs	S Misbah	M C Robinson	G Uhlenbruck
A S Krajewski	S Mitchell	S J Robson	D J Unsworth
S Krueger	S Mitchell	J Roder	C Upton
E J Kuipers	B Modell	C Roecken	M Vadmal
S Kumararatne	E Mommers	T Rogers	J A Vale
J B Kurtz	C F Moniz	C Rogers	Th van de Kwast
T E Kute	R Montesano	P E Rose	A J C van den Brule
M F Laker	R Montironi	P E Rose	H van der Harten
S Lakhani	W J Mooi	W E Roudebush	A van de Brule
J Lang	A P Moran	D A Rouse	Y van der Tweel
P Langley	P Morgan-Capner	M C Rousselet	H J van Kruiningen
T Laskus	P P Mortimer	D Royston	A M H P van den Besselaar
I Lauder	H-K Muller-Hermelink	J S Rubin	I van der Waal
M Layton	M F Murphy	D J Ruiter	T H van der Kwast
S Leadbeatter	J A Murray	N H Russell	P A van Dam
R E Leake	B E Murray	G G Russell	P J van Diest
J Lee	S Myint	G N Rutty	P van der Valk
F D Lee	J Nash	A A Sahin	M van de Vijver
I M Leigh	R Navone	A Saib	B Van Damme
A Lennard	R Nicholson	P Saikku	J M Vanderwinden
S Y Leung	I Niedermayer	J R Salisbury	P Vanezis
P N Levett	H Niessen	C Samuel	S Variend
E L Levine	F F Nogales	J Sanderson	P Vassalli
M E Levison	S Noguchi	B Sarov	A Vergani
D A Levison	S Noguchi	P W G Saunders	P E Verweij
O Levy	G T Noordhoek	J Schachter	C F von Reyn
P Lewis	D Norfolk	A Schneider	D von Laer
H Liapis	A J Norton	J Schneider	H Wagner
J S Lilleyman	K J O'Byrne	I S Schwartz	J M M Walboomers
J Lindholm	P J O'Donnell	N Scott	M Walker
I Lindsay	J P O'Sullivan	K W M Scott	R A Walker
J Lloyd	A Obwalla	G M S Scott	S Walker
R J Lock	F Odds	J P Scurry	M G Wallis
R P H Logan	J Old	H Seitz	J Wallis
R R Love	E G J Olsen	M Sella	A L Walsh
C Loveday	B A Oppenheim	C Seymour	M Ward
D Lowe	J J Oudejans	N A Shepherd	K N Ward
G D O Lowe	R A Owen	M Shepherd	D C Warhurst
C Lowy	R J Owen	M Sheppard	D W Warnock
S B Lucas	Z I Pan	S Shousha	B F Warren
H A Ludlam	J Panagiotides	M S M Shousha	B Watt
M Luppi	M C Parkinson	M Sillis	A D B Webster
P Lydyard	D Parratt	P Simmonds	A Weetman
M Maass	M Partridge	P Sipponen	W Weichhold
D Macdonald	R B Payne	D N Slater	N Weidner
D G MacDonald	T C Pearson	J P Sloane	M P Weinstein
S J Machin	A D J Pearson	P Slootweg	S Weiss
E F D Mackenzie	S J Pedler	E T M Smyth	L M Weiss
K Macsween	S C Peh	P Snijders	R O Weller
R N M MacSween	M B Pepys	M Sobrinho-Simoes	M Wells
C R Madeley	A Peralta-Soler	H Sonobe	C A Wells
J G Magee	S L Perkins	S Spagno	P Wenham
H Maguire	P Perros	S A Spector	P Westermarck
J Main	T J Peters	R C Spencer	R A Whitley
T Mairinger	H Ph Endtz	G P Spickett	D G D Wight
A J Malcolm	S A Pileri	W Squier	M Wilcox
E Mallon	D Pillay	G Stammler	M D Wild
M M T Malone	M J Pippard	G Stamp	A Wilk
R Mansel	M A Piris	R Steenberger	B S Wilkins
N Mapstone	T L Pitt	T J Stephenson	M Wilkinson
A G D Maran	J J Platz-Christensen	W Stolz	E J Wilkinson
F I Marcus	R Playford	G Summerfield	N Wilkinson
R Marley	L Poller	M Susani	G T Williams
M Marsh	D N Poller	K Suvarna	D M Williams
T J Martin	D Porter	R Swaminathan	D Williams
D Y Mason	B C Portmann	D Swirsky	R A Williams
S Masood	R E R Pounder	K Syrjanen	H Wilms
S S Mastana	D J Pounder	S Tabaqchali	P O G Wilson
R Mayon-White	R J Prescott	D A Talan	M L Wilson
H A McAllister	F E Preston	I C Talbot	A F Winder
W G McCluggage	A B Price	P P Tamburini	R Wise
J O'D McGee	J Pringle	A M Tang	C Wolfe
T McHugh	J Pritchard	D Tarin	N A C S Wong
P H McKee	D J Prockop	A P Taylor	B Woodcock
G McKee	L Rasmussen	C R Taylor	N Woodford
W J McKenna	J G Ratcliffe	D Taylor-Robinson	M A Woodhead
J E McLaughlin	B J Rathbone	G Taylor	M Worwood
A M McNicol	R G Rawlins	A Telenti	A C Wotherspoon
N Meadows	P I Reed	C G Teo	D H Wright
G A Meijer	M M Reid	W Terpstra	N Wright
D Meikle	J T Reilly	S Thomas	T J Wu
L Michaels	D Rennie	H Thompson	J I Wyatt
R Michalides	T Reynolds	M Thornhill	A H W Wyllie
J Miell	R Richart	F B J M Thunnissen	B Young
C Migdal	P I Richman	D Thurnham	J Zakrewska
G Mikuz	R H Riddell	A Todd	A J Zuckerman
A B Millar	E Ridgeway	D S Tompkins	