
Journal of Clinical Pathology



Cover legend: HPV analysis by mass spectrometry in FFPE samples.

Contents

Review

Telomere maintenance in soft tissue sarcomas



8 N Eastley, B Ottolini, C Garrido, J A Shaw, T A McCulloch, OPEN ACCESS R U Ashford, N J Royle

Original articles

378 Benchmarking a large regional UK HER2 testing MCQs service against current practice guidelines J Thomas, J Loane, R Matthews, S Maxwell, T Ingman, M Beesley, L Ferrigan

- 383 Elevated levels of autophagy-related marker ULK1 and mitochondrion-associated autophagy inhibitor LRPPRC are associated with biochemical progression and overall survival after androgen deprivation therapy in patients with metastatic prostate cancer H-Y Zhang, Y-D Ma, Y Zhang, J Cui, Z-M Wang
- 390 Fluorescent quantitative PCR detection of Mycobacterium tuberculosis in tissue sections from granulomatous lesions retrieved using EDTA X Wang, F Xie, Q Zheng, X Qi, M Li, X Zhou, Z Zheng
- 395 Harmonisation of full blood count reports, recommendations of the French-speaking cellular haematology group (GFHC)

F Trimoreau, A-C Galoisy, F Geneviève, V Bardet, E Cornet, J-P Hurst, J-F Lesesve, V Leymarie, D Lusina, B Perez, J-Y Cahn, G Damaj, V Ugo, X Troussard, for the French-Speaking Cellular Haematology Group

Prognostic relevance of epithelial-mesenchymal transition and proliferation in surgically treated primary parotid gland cancer

> A Busch, L Bauer, E Wardelmann, C Rudack, I Grünewald, M Stenner

mTOR activity and its prognostic significance in human colorectal carcinoma depending on C1 and C2 complex-related protein expression

T Sticz, A Molnár, Á Márk, M Hajdu, N Nagy, G Végső, T Micsik, L Kopper, A Sebestyén

Detection of HPV subtypes by mass spectrometry in FFPE tissue specimens: a reliable tool for routine diagnostics

> M Kriegsmann, P Wandernoth, K Lisenko, R Casadonte, R Longuespée, N Arens, J Kriegsmann

May 2017 Volume 70 Issue 5

PIK3CA and AKT1 mutations in hidradenoma papilliferum

K Goto, D Maeda, Y Kudo-Asabe, T Hibiya, A Hayashi, M Fukayama, K Ohashi, A Goto

428 Continuous measurement of breast tumour hormone receptor expression: a comparison of two computational pathology platforms T P Ahern, A H Beck, B A Rosner, B Glass, G Frieling, L C Collins, R M Tamimi

Single-nucleotide polymorphism array (SNP-A) improves the identification of chromosomal abnormalities by metaphase cytogenetics in myelodysplastic syndrome

FB da Silva, JA Machado-Neto, VHLL Bertini, EDRP Velloso, CA Ratis, RT Calado, BP Simões, E M Rego, F Traina

Short reports

- **443** The role of lymph node size and FOXP3+ regulatory T cells in node-negative colon cancer B Märkl, B Paul, T Schaller, H Kretsinger, B Kriening, G. Schenkirsch
- Evaluation of a rapid antigen test for detection of Streptococcus pneumoniae in cerebrospinal fluid A Boulos, D Fairley, J McKenna, P Coyle
- Human polyomavirus DNA detection in keratoacanthoma and Spitz naevus: no evidence for a causal role

L Haeggblom, J Franzén, A Näsman

Viewpoint

Digital pathology in the diagnostic setting: beyond technology into best practice and service management C L Cheng, P H Tan

Correspondence

HBME1 expression in Warthin tumour: relationships to CK5/6, P63, BCL2 and WT1 expression and histogenesis

A Handra-Luca



This article has been chosen by the Editor to be of special interest or importance and is freely available online



Articles carrying the Unlocked Logo are freely available online under the BMJ Journals unlocked scheme.

See http://authors.bmj.com/open-access/



This journal is a member of and subscribes to the principles of the Committee on Publication

www.publicationethics.org





[MCQs] The online version of this article contains multiple choice questions hosted on BMJ Learning.