

Journal of Clinical Pathology

British Medical Association, Tavistock Square, London WC1H 9JR

Contents Vol. 25, No. 12, December 1972

The porphyrias: A review

G. H. ELDER, C. H. GRAY, AND D. C. NICHOLSON
page 1013

Serum enzyme changes after intramuscular bleeding in patients with haemophilia and Christmas disease

CHARLES D. FORBES, JOHN KING, COLIN R. M. PRENTICE, AND GEORGE P. MCNICHOL
page 1034

The partial thromboplastin (cephalin) time test
Part I. An assessment of the need for standardization

Part II. The preparation of a standardized cephalin' extract
L. POLLER AND JEAN M. THOMSON *page 1038*

Studies of contact activation of blood in haemodialysis

E. N. WARDLE AND D. A. PIERCY *page 1045*

Experience with microbiological assay for folate using a chloramphenicol-resistant *L. casei* strain

I. CHANARIN, RITA KYLE, AND JENNIFER STACEY
page 1050

A comparison of two methods of prognostic typing in breast cancer

D. R. TURNER AND C. L. BERRY *page 1053*

Spicular arrangement of amyloid in renal biopsy

I. D. ANSELL AND A. M. JOEKES *page 1056*

Congenital stenosis and atresia of the jejunum and ileum

D. J. desa *page 1063*

The localization of the Australia antigen in the liver by immunofluorescence

T. AKEYAMA, T. KAMADA, T. KOIZUMI, AND H. ABE *page 1071*

Measurement of DNA synthesis in leucocyte microcultures

J. H. ROBBINS *page 1075*

Latex agglutination in the diagnosis of meningococcal meningitis

W. P. J. SEVERIN *page 1079*

Hydrolysis of casein: a differential aid for the identification of *Serratia marcescens*

WILLIAM A. SALISBURY AND JOSEPH J. LIKOS
page 1083

Characteristics of some co-trimoxazole-resistant Enterobacteriaceae from infected patients

J. BARKER, D. HEALING, AND J. G. P. HUTCHISON
page 1086

Laboratory assessment of the antimycotic drug clotrimazole

R. J. HOLT AND R. L. NEWMAN *page 1089*

Technical methods

A simple, inexpensive semi-continuous or continuous culture apparatus

WILLIAM E. ZERBY, S. GRANT MULHOLLAND, AND SAMUEL J. DE COURCY, JR *page 1098*

An adjustable, semi-automatic dispenser for use with dry absorbents in protein binding techniques

K. H. OUTCH, P. M. DENNIS, AND J. CULROSS
page 1099

Letter to the Editor *page 1101*

Book Reviews *page 1101*

Index to Volume 25 *page 1103*

List of Contents, Volume 25