

- Illis, L. S., and Gostling, J. V. T. (1972). *Herpes Simplex Encephalitis*. Scientechica, Bristol.
- Juel-Jensen, B. E., and MacCallum, F. O. (1972). *Herpes Simplex, Varicella and Zoster*. Heinemann, London.
- MacCallum, F. O., Potter, J. M., and Edwards, D. H. (1964). Early diagnosis of herpes simplex encephalitis by brain biopsy. *Lancet*, **2**, 332-334.
- Miller, J. K., Hesser, F., and Tompkins, V. N. (1968). Herpes simplex encephalitis: report of 20 cases. *Annal. intern. Med.*, **64**, 92-103.
- Miller, J. D., and Ross, C. A. C. (1968). Encephalitis: a four year survey. *Lancet*, **1**, 1121-1126.
- Rappel, M., Dubois-Dalcq, M., Sprecher, S., Thiry, L., Lowenthal, A., Pelc, S., and Thys, J. P. (1971). Diagnosis and treatment of herpes encephalitis. a multidisciplinary approach. *J. neurol. Sci.*, **12**, 443-458.
- Rawls, W. E., Dyck, P. J., Klass, D. W., Greer, H. D., and Herrman, E. C. (1966). Encephalitis associated with herpes simplex virus. *Ann. intern. Med.*, **64**, 104-115.
- Sabin, A. B., and Messore, G. (1961). Fluorescent antibody technique in the study of fixed tissues from patients with encephalitis. In *Encephalitis*, edited by L. van Bogaert, J. Radermecker, J. Hozay, and A. Lowenthal, pp. 621-626. Elsevier, Amsterdam.
- Tomlinson, A. H. (1970). Demonstration of herpes simplex viral antigen by immunofluorescence. *J. clin. Path.*, **23**, 29-30.
- Tomlinson, A. H., and MacCallum, F. O. (1969). Virological diagnosis. In *Virus Diseases and the Nervous System*, edited by C. W. Whitty, J. T. Hughes, and F. O. MacCallum, pp. 21-27. Blackwell, Oxford.

Reports and Bulletins prepared by the Association of Clinical Biochemists

The following reports and bulletins are published by the Association of Clinical Biochemists. They may be obtained from The Publishing Department, British Medical Journal (ACB Technical Bulletins) B.M.A. House, Tavistock Square, London WC1H 9JR. Overseas readers should remit by British Postal or Money Order.

SCIENTIFIC REPORTS (price £1.00/\$2.00 each)

3 Automatic Dispensing Pipettes: an assessment of 35 commercial instruments September 1967 P. M. G. BROUGHTON, A. H. GOWENLOCK, G. M. WIDDOWSON, and K. A. AHLQUIST

4 An Evaluation of five Commercial Flame Photometers suitable for the Simultaneous Determination of Sodium and Potassium March 1970 P. M. G. BROUGHTON and J. B. DAWSON

SCIENTIFIC REVIEWS (price £1.00/\$2.00 each)

1 The Assessment of Thyroid Function March 1971 F. V. FLYNN and J. R. HOBBS

2 Renal Function Tests Suitable for Clinical Practice January 1972 F. L. MITCHELL, N. VEALL, and R. W. E. WATTS

TECHNICAL BULLETINS (price £1.00/\$2.00 each)

9 Determination of Urea by AutoAnalyzer November 1966 RUTH M. HASLAM

11 Determination of Serum Albumin by AutoAnalyzer using Bromocresol Green October 1967 B. E. NORTHAM and G. M. WIDDOWSON

13 An Assessment of the Technicon Type II Sampler Unit March 1968 B. C. GRAY and G. K. MCGOWAN

14 Atomic Absorption Spectroscopy: an outline of its principles and a guide to the selection of instruments May 1968 J. B. DAWSON and P. M. G. BROUGHTON

15 A Guide to Automatic Pipettes (2nd edition) June 1968 P. M. G. BROUGHTON

16 A Guide to Automation in Clinical Chemistry May 1969 P. M. G. BROUGHTON

17 Flame Photometers: a comparative list of 17 instruments readily available in Britain August 1969 P. WILDING

19 Spectrophotometers: a comparative list of low-priced instruments readily available in Britain May 1970 C. E. WILDE and P. SEWELL

20 Quantities and Units in Clinical Biochemistry June 1970 P. M. G. BROUGHTON

21 Filter Fluorimeters: A comparative list of 18 instruments September 1970 H. BRAUNSBURG and S. S. BROWN

22 Bilirubin Standards and the Determination of Bilirubin by Manual and Technicon AutoAnalyzer Methods January 1971 BARBARA BILLING, RUTH HASLAM, and N. WALD

23 Interchangeable Cells for Spectrophotometers and Fluorimeters September 1971 S. S. BROWN and A. H. GOWENLOCK

24 Simple Tests to Detect Poisons March 1972 B. W. MEADE *et al.*

25 Blood Gas Analysers May 1972 K. DIXON

26 Kits for Enzyme Activity Determination September 1972 S. B. ROSALKI and D. TARLOW

27 Assessment of Pumps Suitable for Incorporation into Existing Continuous Flow Analytical Systems November 1972 A. FLECK *et al.*

28 Routine Clinical Measurements of Transferrin in Human Serum September 1973 K. DIXON

29 Control Materials for Clinical Biochemistry (5th edition) September 1973 J. F. STEVENS

30 Notes on the Quality of Performance of Serum Cholesterol Assays September 1973 S. S. BROWN

- McCarthy, C. F., Borland, J. L., Jr., Lynch, H. J., Jr., Owen, E. E., and Tyor, M. P. (1964). Defective uptake of basic amino acids and l-cystine by intestinal mucosa of patients with cystinuria. *J. clin. Invest.*, **43**, 1518-1524.
- McMenamy, R. H., Shoemaker, W. C., Richmond, J. E., and Elwyn, D. (1962). Uptake and metabolism of amino acids by the dog liver perfused in situ. *Amer. J. Physiol.*, **202**, 407-414.
- Manchester, K. L. (1965). Oxidation of amino acids by isolated rat diaphragm and the influence of insulin. *Biochimica biophysica Acta*, **100**, 295-298.
- Milne, M. D., Asatoor, A. M., Edwards, K. D. G., and Loughridge, L. W. (1961). The intestinal absorption defect in cystinuria. *Gut*, **2**, 323-337.
- Rosenberg, L. E. (1966). Cystinuria: genetic heterogeneity and allelism. *Science*, **154**, 1341-1343.
- Silk, D. B. A., Marrs, T. C., Addison, J. M., Burston, D., Clark, M. L., and Matthews, D. M. (1973). Absorption of amino acids from an amino acid mixture simulating casein and a tryptic hydrolysate of casein in man. *Clin. Sci.*, **45**, 715-719.

The May 1974 Issue

THE MAY 1974 ISSUE CONTAINS THE FOLLOWING PAPERS

- Identity of a newly isolated human polyomavirus from a patient with progressive multifocal leucoencephalopathy ANNE M. FIELD, SYLVIA D. GARDNER, R. A. GOODBODY, AND M. A. WOODHOUSE
- Asymptomatic liver disease in hepatitis B antigen carriers I. L. WOOLF, B. E. BOYES, D. M. JONES, J. S. WHITTAKER, E. TAPP, R. N. M. MACSWEEN, P. H. RENTON, F. STRATTON, AND I. W. DYMOCK
- Increased incidence of HL-A 1 and 8 in patients showing IgG or complement coating on their red cells J. A. G. DA COSTA, A. G. WHITE, A. C. PARKER, AND G. B. GRIGOR
- The effect of ambient temperature on the anti-D assay using the AutoAnalyzer H. H. GUNSON, P. K. PHILLIPS, AND F. STRATTON
- Preparation of test cells for the antiglobulin test FRED STRATTON AND VIOLET I. RAWLINSON
- A comparative study of some commercially available tests for rheumatoid factor R. N. M. MACSWEEN, HAZEL HUGHES, CATRIONA BREEN, P. KITCHEN, BRENDA CATHCART, AND W. W. BUCHANAN
- An evaluation of absorbent granule kits for determining serum thyroxine concentration and free thyroxine index in the diagnosis of thyroid function T. K. BELL, D. A. BOYLE, D. A. D. MONTGOMERY, AND S. J. TODD
- Conventional and dual competitive binding analyses of thyroxine using the Thyopac-4 kit SATOSHI HAMADA, KANJI TORIZUKA, AND TETSUO UETE
- Comprehensive one-day renal function testing in man A. Z. GYÖRY, K. D. G. EDWARDS, J. H. STEWART, AND H. M. WHYTE
- Copies are still available and may be obtained from the PUBLISHING MANAGER, BRITISH MEDICAL ASSOCIATION, TAVISTOCK SQUARE, LONDON WC1H 9JR, price £1.05
- The nature of the serum alkaline phosphatases in liver diseases C. P. PRICE AND H. G. SAMMONS
- The nitroblue-tetrazolium test following acute myocardial infarction J. SHAFAR, G. BEHR, AND J. RUSIUS
- Fibrin degradation products in the serum and cerebrospinal fluid of patients with group A meningococcal meningitis M. J. BRUETON, P. TUGWELL, H. C. WHITTLE, AND B. M. GREENWOOD
- A one-day selective migration procedure for detecting salmonellae in faeces P. Y. CHAU AND C. T. HUANG
- Gram-positive, motile, cluster-forming cocci as a cause of urinary infection S. VIRTANEN
- The effect of the dye neutral red on a strain of *Staphylococcus aureus* in the presence of sunlight B. CHATTOPADHYAY
- Changes in the oral flora in Sjögren's syndrome T. W. MACFARLANE AND D. K. MASON
- The reliability of methicillin sensitivity tests on four culture media D. F. J. BROWN AND D. KOTHARI
- The signing of laboratory reports G. K. MCGOWAN
- Technical methods*
Antibiotic sensitivity testing: A modification of the Stokes method using a rotary plater C. H. PEARSON AND J. E. M. WHITEHEAD
- Letter to the Editor
- Book reviews