

Journal of Clinical Pathology

British Medical Association, Tavistock Square, London WC1H 9JR

Contents Vol. 30, No. 4, April 1977

Characterisation of immunofluorescent heterophile antibodies which may be confused with autoantibodies

B. R. HAWKINS, B. L. McDONALD, AND R. L. DAWKINS *pages* 299-307

Circulating immune complexes in subacute infective endocarditis and post-streptococcal glomerulonephritis

IDRIS MOHAMMED, BARBARA M. ANSELL, E. J. HOLBOROW, AND A. D. M. BRYCESON *pages* 308-311

Halothane macrophage migration inhibition factor test in halothane-associated hepatitis

C. D. PRICE, A. R. GIBBS, AND W. JONES WILLIAMS *pages* 312-316

Pathology of 'non-healing (midline) granuloma'

L. MICHAELS AND MONICA M. GREGORY *pages* 317-327

Hypophosphataemic osteomalacia associated with a malignant tumour of the tibia: report of a case

A. L. WYMAN, F. J. PARSONS, AND J. R. DALY *pages* 328-335

Centrifugation techniques and reagent strips in the assessment of microhaematuria

S. C. FRENI, G. J. HEEDERIK, AND C. HOL *pages* 336-340

Erythrocyturia, smoking, and occupation

S. C. FRENI, L. M. DALDERUP, J. J. OUDEGEEST, AND N. WENSVEEN *pages* 341-344

A comparison of the erythrocyte sedimentation rate and plasma viscosity in detecting changes in plasma proteins

R. M. HUTCHINSON AND R. D. EASTHAM *pages* 345-349

Effect of local exercise and vessel occlusion on fibrinolytic activity

J. A. N. RENNIE, B. BENNETT, AND D. OGSTON *pages* 350-352

Automated red cell indices and marrow iron reserves in geriatric patients

C. G. L. RAPER, C. ROSEN, AND M. CHOUDHURY *pages* 353-355

Maintenance and use of cumulative haematology files on a laboratory computer

M. K. ALEXANDER, M. T. CORBETT, AND R. W. REED *pages* 356-360

Evaluation of a semi-automated platelet-counting system

R. M. ROWAN, C. FRASER, J. H. GRAY, AND G. A. McDONALD *pages* 361-366

Platelet dynamics in chronic liver disease with special reference to the role of the spleen

P. J. TOGHILL, SHEILA GREEN, AND ROGER FERGUSON *pages* 367-371

A regional quality control trial of folate assays

D. W. DAWSON AND D. A. NEWSOME *pages* 372-374

Aminoglycoside-resistant enterococci

M. J. BASKER, B. SLOCOMBE, AND R. SUTHERLAND *pages* 375-380

Test reproducibility of the API (20E), Enterotube, and Pathotec systems

B. HOLMES, W. R. WILLCOX, S. P. LAPAGE, AND H. MALNICK *pages* 381-387

Detection of *Aspergillus fumigatus* precipitins: a comparison of counter immunoelectrophoresis and double diffusion

D. W. WARNOCK *pages* 388-389

Technical method

The Micro-Compu-Pet: a multi-channel diluter and dispenser

B. MELLARS *pages* 390-391

Letter to the Editor *page* 392

Book reviews *pages* 392-394

ASTM CODEN: JCPAAK 30(4) 299-394 (1977)