

Contents

Review article

Formaldehyde in pathology departments RP CLARK *page 839*

A data processing system adapted to the special needs of the emergency laboratory D NEUMEIER, H SATOR, GE RINDFLEISCH, M KNEDEL *page 847*

Computer programs in cytology reporting and record keeping KV SWETTENHAM, CD NICKOLS, CL BERRY *page 856*

The synovium and synovial fluid in multicentric reticulohistiocytosis—a light microscopic, electron microscopic and cytochemical analysis of one case AJ FREEMONT, CJP JONES, J DENTON *page 860*

Changes in the Paneth cell population of human small intestine assessed by image analysis of the secretory granule area MARGARET E ELMES, J GWYN JONES, MR STANTON *page 867*

Blood group antigens in the normal and neoplastic bladder epithelium SUSAN J THORPE, P ABEL, G SLAVIN, TEN FEIZ *page 873*

Demonstration of light chain monotypia in B cell non-Hodgkin's lymphomas using unfixed freeze-dried and formalin-fixed trypsinised paraffin sections Z NEMES, V THOMÁZY, G SZEIFERT *page 883*

Calcium pyrophosphate dihydrate (CPPD) deposition in ochronotic arthropathy J McCLURE, PS SMITH, AMANDA A GRAMP *page 894*

Use of the cryostat section in electron microscopy P NORRIS, DWR GRIFFITHS *page 903*

Increased transfer of iron to the fetus after total dose infusion of iron dextran during pregnancy D BINGHAM, MM KHANAF, G WALTERS, JT WHICHER *page 907*

Differential effect of detergents on the alkaline denaturation of haemoglobin in maternal and fetal blood, with particular reference to Triton X-100 CG DUCK-CHONG *page 910*

Analysis of the complexity of the multimeric structure of factor VIII related antigen/von Willebrand protein using a modified electrophoretic technique MS ENAYAT, FGH HILL *page 915*

Faecal carriage rate of *Aeromonas hydrophila* SALLY E MILLERSHIP, SR CURNOW, B CHATTOPADHYAY *page 920*

The value of screening blood donors for antibody to hepatitis B core antigen AC ARCHER, BJ COHEN, PP MORTIMER *page 924*

A miniaturised and simplified technique for typing and subtyping herpes simplex virus JM DARVILLE *page 929*

Growth hormone and malignancy GS ANDREWS *page 935*

Angiotensin-converting enzyme and its clinical significance – a review PR STUDDY, RUTH LAPWORTH, R BIRD *page 938*

Quality assessment of blood glucose monitors in use outside the hospital laboratory RF DRUCKER, DRR WILLIAMS, CP PRICE *page 948*

Technical method

A new bone marrow aspiration needle to overcome the sampling errors inherent in the technique of bone marrow aspiration A ISLAM *page 954*

Letters to the Editor *page 958*

Book reviews *page 960*

Some new titles *page 962*

Notice *page 962*