examined at the histopathology units in Belfast. The mean age of the patients at presentation was 27 years. The histological features of these cases were reviewed and heterotopic mucosa was identified in 29 of the diverticula. All 29 contained gastric mucosa, 17 contained both antral and body type mucosa, 11 contained antral mucosa only, and in one case alone body type mucosa was identified. Foci of mucosal ulceration were identified in eight cases, and eight other diverticula were inflamed—two acutely. In 13 cases the gastric mucosa showed essentially normal features. One of the cases which contained fundal mucosa also included a focus of pancreatic tissue. CLO were sought in those cases which contained heterotopic gastric mucosa using the Giemsa and cresyl violet techniques. CLO were not identified in any of the sections examined.

Morris *et al* reviewed 65 diverticula which contained gastric mucosa and identified CLO in only one diverticulum which had been removed from a 6 year old Samoan boy.² de Cothi *et al* found CLO in the gastric mucosa found in four diverticula, all of which showed active inflammation in the heterotopic tissue.¹ Wyatt reviewed 30 diverticula, 16 of which contained foci of gastric mucosa.³ She found mucosa associated bacteria in nine, and in three cases these had the morphological characteristics of *Campylobacter pylori*. When she applied a polyclonal rabbit anti-serum to these sections, she was unable to confirm that the bacteria were *C. pylori*.

C. pylori are resistant to the low pH common in the human stomach and they readily colonise human gastric mucosa.⁴ In some diverticula heterotopic mucosa may cover an extensive area and may result in a low pH in the adjacent ileum. *C. pylori* are much less resistant, however, than other species to bile and are found only rarely in the stomachs of patients in whom there is evidence of bile reflux.⁵

C. pylori, at best, seem to be only rarely successful in colonising the heterotopic gastric mucosa present in Meckel's diverticula. This may reflect the presence of bile, to which *C. pylori* are sensitive, in ileal contents.

MRK HEATLEY
K ARTHUR
P MAXWELL

Department of Pathology
The Queen's University of Belfast,
Institute of Pathology,
Grosvenor Road,
Belfast BT12 6BL

- 1 de Cothi GA, Newbold KM, O'Connor HJ. *Campylobacter*-like organisms and heterotopic gastric mucosa in Meckels diverticula. *J Clin Pathol* 1989;42:132-4.
- 2 Morris A, Nicholson G, Zwi J, Vanderwee M. *Campylobacter pylori* infection in a Meckel's diverticulum containing gastric mucosa. In: Megraud F, Lamouliatte H, eds. *Gastrointestinal pathology and Campylobacter pylori*. First Meeting of the European Campylobacter Pylori Study Group. Bordeaux: Gist Brocades, 1988; 149.
- 3 Wyatt JI. *Campylobacter pylori* in Meckel's diverticulum. In: Megraud F, Lamouliatte H, eds. *Gastrointestinal pathology and Campylobacter pylori*. First Meeting of the European Campylobacter Pylori Study Group. Bordeaux: 1988; Gist Brocades, p 150.
- 4 Tompkins DS, West AP. *Campylobacter pylori*, acid and bile. *J Clin Pathol* 1987;40:1387.
- 5 O'Connor HJ, Wyatt JI, Dixon MF, Axon ATR. *Campylobacter* like organisms and reflux gastritis. *J Clin Pathol* 1986;39:531-4.

Dr Newbold comments:

Despite the findings of Dr Heatley *et al*, it seems clear from the three studies quoted¹⁻³ that curved bacilli identical with *Campylobacter pylori* can, on occasions, be found in

heterotopic gastric mucosa in Meckel's diverticula. There is no firm evidence as yet that these represent *C. pylori*, although the selectivity for gastric type mucosa and association with histological gastritis would support this contention.

I would agree with Dr Heatley *et al* that the presence of bile in the small intestine may well hinder colonisation of heterotopic mucosa by *C. pylori*. Additional factors which could account for a low colonisation rate include the small size of many gastric foci and the location of the heterotopic mucosa in some instances within the submucosa of the diverticula. In these latter cases the overlying epithelium is of normal ileal type and would therefore impede or prevent colonisation by *C. pylori*.

C. pylori are at most only rare colonisers of Meckel's diverticula and almost certainly play little or no part in the pathogenesis of diverticulitis at this site. Confirmation of their presence in even a few cases, however, would show the ability of *C. pylori* to traverse the length of the bowel while remaining viable, thus making spread from person to person by the faecal-oral route feasible.

BOOK REVIEWS

A Colour Atlas of Gynaecological Cytology. OAN Husain, E Blanche Butler. (Pp 125; £40.) Wolfe Medical Publications. 1989. ISBN 0-7234-0913-7.

The histopathologist's head has been in the sand for long enough! Final MRCPPath regulations now require candidates to have spent at least three months in a diagnostic cytopathology laboratory. This, and the fact that more histopathologists are faced with cytological preparations to interpret, have renewed interest in this aspect of diagnosis. In the important and topical area of cervical disease new publications have appeared which are of considerable help.

Among them is *A Colour Atlas of Gynaecological Cytology*. This book is clinically orientated, reflecting current gynaecological use of diagnostic cytology, concentrating mainly on the appearances of cells in cervical smears. There are nine chapters and a useful reference list. Topics covered include normal cervical smears, inflammatory, reactive, and viral changes, the appearances of some contaminants, cervical intraepithelial neoplasia, and invasive cervical carcinoma. There is a useful section on endometrial cytology and a brief account of some of the appearances in samples from the vulva, vagina, and ovary.

Each of the chapters commences with a short explanatory introduction which is followed by the photomicrographs; the majority of these are clear and of adequate quality. They are accompanied by concise descriptions of the features shown. Some histological preparations are included to help explain the cytological appearances. There is an interesting final chapter entitled "problem cases" in which the authors illustrate and discuss combined lesions, discrepancies between cytological and histological material, and the presence of small abnormal cells in cervical smears.

The book is partly intended as a bench

book and I think it succeeds. The sections on normal and inflammatory appearances were the most helpful. It is a visually attractive book but suffers from a common problem of atlases: the necessarily short explanations are sometimes insufficient, especially in the chapter on CIN where grading can be difficult. For this topic, newcomers to the field (and MRCPPath candidates) may find more help from a longer text.

PI RICHMAN

Biopsy Pathology and Cytology of the Cervix. Biopsy Pathology Series. DV Coleman, DMD Evans. (Pp 396; £48.50.) Chapman & Hall. 1988. ISBN 0-412-25460-3.

The use of the colposcope and colposcopically directed biopsy has brought pathologists to recognise the wide range of appearances to be seen in the cervix. The cytological picture has been known for rather longer, but it is only recently that the two disciplines have been integrated in the study of the cervix. The combined approach is reflected in this book, which is one of Chapman and Hall's excellent *Biopsy Pathology* series. Professors Coleman and Evans take us through techniques for collecting and dealing with specimens and cover the normal and inflammatory pictures before going on to dysplasia and malignancy.

One might question the amount of space allotted to CIN, which is relatively brief. In particular, the section on diagnostic pitfalls, which includes such major sources of disagreement as atypical squamous metaplasia and papillomavirus infection, could profitably have been expanded to a chapter in its own right. Compared with the relatively brief overview of CIN the coverage of squamous carcinoma is almost too thorough.

The combined approach is seen at its best in the discussion of adenocarcinoma in situ and endocervical adenocarcinoma. These two chapters are outstanding, with authoritative text and apposite illustrations. There is a final chapter which gathers together a clutch of rarer tumours.

In summary, this is an excellent book for the pathologist faced with an unfamiliar or exotic lesion. It is of less value in the minutiae of the various grades and pitfalls of the CIN classification. This, the commonest cause of interobserver disagreement, still awaits a definitive text.

JENNY DYSON

Confidence Interval Analysis (CIA) (Full price £65; to educational establishments, research institutes, and the NHS £45.95.)

CIA is a menu driven, user friendly computer program designed to assist in the calculation of confidence intervals, and is specifically to be used in conjunction with the book *Statistics and Confidence*, which has been reviewed recently. The program has been produced to run on IBM compatible microcomputers and others using MS.DOS. There is a very detailed, somewhat repetitive manual, which used examples taken directly from the book.

The statistical content, data checks, numerical value restrictions, and warning messages within the program are all admirable, but the data entry and printing facilities are limited. In most instances the user may choose whether to enter raw data or summary

statistics. In general, the use of summary statistics obtained from other statistical packages would seem preferable except where the sample sizes are small and the calculation is a "one-off". There are no facilities in the program for inputting data from other computer software or for saving any raw data input. Thus a rerun with an additional sample, for example, would necessitate repunching all the data. The only facilities for printing entered data and results is by using the "print-screen" key.

For use in conjunction with *Statistics with Confidence* and for calculating confidence intervals, CIA is a handy program, but for medical research projects using reasonable quantities of data it inevitably must supplement a more comprehensive computer statistical package.

LINDA M ANDERSON

Anaerobic Infections in Humans. Ed SM Finegold, W Lance George. (Pp 851; \$149.) Academic Press Inc. 1989. ISBN 0-12-256745-5.

There are few authoritative texts on anaerobic infections. In 39 chapters, this book covers, virtually all aspects of the subject, from the historical aspects, through classification, laboratory diagnosis, sensitivity testing, descriptive chapters on different system infections, to therapeutic aspects, with additional chapters on such aspects as pathogenicity factors, host-defence mechanisms and the role of anaerobes as normal flora. The chapters are, in general, detailed and well written but the style varies from chapter to chapter. Some chapters have helpful summaries; others do not. The reference style, too, is inconsistent.

Much of the information, references, and techniques in this book is derived from American sources and based on American practice. For example, metronidazole is mentioned only briefly (three page references in the Index) whereas clindamycin and cefoxitin receive extensive coverage (27 and 11 references, respectively).

These are perhaps small criticisms. This is an extensive, well illustrated, and valuable reference source for all those interested in anaerobic infections.

B WATT

HIV Detection by Genetic Engineering Methods. Ed PA Luciw and KS Steimer. (Pp 312; \$119.50.) Marcel Dekker Inc. 1989. ISBN 0-8427-7900-2.

This book comprises 15 chapters written by a variety of authors from HIV research in both the academic and commercial based sectors of the USA. The scene is set by the first two chapters which give succinct accounts of the molecular biology and epidemiology of HIV infection and AIDS. In the following seven chapters the use of recombinant proteins and synthetic peptides as reagents for immunoblot and enzyme immunoassays to detect and characterise the antibody response to HIV infection are detailed. Emphasis is then switched to antigen and nucleic acid detection techniques in serum, infected cells, and tissues. The chapters include much of the practical detail needed to get these techniques working, and examples of results are shown which highlight the importance of these methodologies. The final chapter is not about HIV but briefly reviews HTLV1 and

HTLV2 viruses, perhaps misplaced in a book with this title.

Overall, the book is well illustrated and clearly written, with the chapters individually referenced, making it recommended reading for all individuals who are involved in the detection of HIV for diagnosis or research purposes.

P GRINT

Chromosomal Variation in Man. A Catalog of Chromosomal Variants and Anomalies. 5th ed. DS Borgaonkar. (Pp 803; £85) Alan R Liss Inc. 1989. ISBN 0-8451-4275-5.

This is the fifth edition of *Chromosome Variation in Man* and like its predecessors is a most welcome addition to the literature of clinical cytogenetics. The book is divided into 11 sections which clearly and concisely cover the major categories of chromosome anomalies in man. The principal part is devoted to structural abnormalities of human chromosomes. The book stands or falls on this section (which comprises three quarters of the entries) and by and large it is covered admirably. The listing is comprehensive, up to date, and there is a short summary of the more interesting cases. Many new microdeletion syndromes such as the proximal 17p deletion in Smith-Magenis syndrome and the association of proximal 15q deletions with both Prader Willi syndrome and Angelman's syndrome, have already been listed. One small criticism concerns the dearth of entries for fragile x syndrome. This condition provides numerous problems for diagnostic laboratories and would certainly justify a larger number of entries.

The remaining sections of the book complete an excellent reference work that is thoughtfully presented, comprehensive, yet up to date. The book is not cheap but should prove invaluable to anyone working in clinical cytogenetics whether in a research environment or busy diagnostic laboratory.

AM POTTER

Viral and Autoimmune Hepatitis. HP Dienes. (Pp 107; 54 fig. soft cover DM 98.) Gustav Fischer Verlag. 1989. ISBN 0-89574-280-2.

It is the custom in many continental European countries for theses to be printed and bound, and a few are published commercially. This, I suspect, is the history of this slim paperback for the text has the conventional major subdivisions into introduction, materials and methods, results, and discussion. Potential readers however, should not be misled into thinking that this is a relatively trivial publication: it is not. The author has accumulated a wealth of interesting observations on liver biopsy specimens from patients with hepatitis B, non-A non-B hepatitis, autoimmune hepatitis, and on liver samples from animals with HSV hepatitis. The book is beautifully illustrated with light micrographs, all in colour, and electron micrographs.

This book is not, I advise, for the general reader in histopathology. It is a specialist text which many liver pathologists will read with interest.

JCE UNDERWOOD

NOTICES

First ICR

International Clinical Symposium

"The Role of Clinical Measurement in the Evaluation of New Drugs"

Sheraton Hotel: Edinburgh: 8-10 May 1990

Organised by Inveresk Clinical Research

Further details from:

CEP Consultants Ltd,

26-28 Albany Street,

Edinburgh EH1 3QH, UK

(Tel: 031 557 2478;

Telefax: 031 557 5749)

Second International Conference on Small Cell Lung Cancer

May 11-12 1990

Milano Marittima, Ravenna, Italy

Organised by Augustea SRL

Further details from:

Dr Nadia Colaiuda

Augustea SRL

Via di Roma 86

48100 Ravenna, Italy

Tel: (0544 30329-30068)

Fax: (0544 34064)

Association of Clinical Pathologists

JUNIOR MEMBERSHIP

Junior Membership of the Association of Clinical Pathologists is available to trainees in all branches of pathology for up to six years or until they attain consultant status. The annual subscription is £18, which may be claimed against tax.

All Junior Members receive monthly copies of the *Journal of Clinical Pathology*. Other benefits include membership of the Junior Members' Group and a regular junior members' newsletter, the ACP Newsletter, and all the documents regularly sent to full members of the Association. These include the twice yearly summary of pathology courses included in the ACP Postgraduate Education Programme.

For Junior Membership apply to: Dr JD Davies, Education Secretary, University Department of Pathology, Bristol Royal Infirmary, Bristol BS2 8HW.

ACP Locum Bureau

The Association of Clinical Pathologists runs a locum bureau for consultant pathologists.

Applicants with the MRC Path who would like to do locums and anyone requiring a locum should contact Dr David Melcher, Histopathology Department, Sussex County Hospital, Eastern Road, Brighton BN2 5BE.