

# Subject index

- abdomen**, Comparison of fine needle aspiration cytology and needle core biopsy in the diagnosis of radiologically detected abdominal lesions, **93**
- accreditation**, Clinical pathology accreditation: standards for the medical laboratory, **729**
- acinic cell breast carcinoma**, Primary acinic cell carcinoma of the breast, **545**
- acquired immunodeficiency syndrome**, Oesophagobronchial fistula caused by varicella zoster virus in a patient with AIDS: a unique case, **397**
- acromegaly**, Skin tags and the atherogenic lipid profile, **639**
- actin specific antibodies**, Re: Whither smooth muscle antibodies in the third millennium?, **558**
- acute erythroleukaemia**, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **800**
- acute hyperlipidaemia**, A case of membranous glomerulonephritis presenting as pulmonary embolism and acute hyperlipidaemia, **538**
- acute lymphoblastic leukaemia**, Acute lymphoblastic leukaemia of the L3 subtype in adults in the Northern health region of England 1983–99, **591**
- acute phase response**, Lipoprotein (a) does not participate in the early acute phase response to training or extreme physical activity and is unlikely to enhance any associated immediate cardiovascular risk, **280**
- adenocarcinoma in situ**, Distribution of cervical glandular intraepithelial neoplasia: are hysterectomy specimens sampled appropriately?, **629**
- adenocarcinoma**, Immunohistochemistry in the distinction between malignant mesothelioma and pulmonary adenocarcinoma: a critical evaluation of new antibodies, **662**  
Metastatic rectal adenocarcinoma to the liver associated with focal nodular hyperplasia, **967**
- adults**, Sudden unexplained death in adults caused by intracranial pathology, **44**
- adventitia**, Lack of CD34 positive stromal cells within angiomyomas (vascular leiomyomas), **395**
- aetiology**, HPV infections and oesophageal cancer, **721**  
Two case reports of pituitary adenoma associated with *Toxoplasma gondii* infection, **965**
- AIDS**, Vaccination to prevent varicella and shingles, **399**
- albuminuria**, Accuracy of the urinary albumin to creatinine ratio as a predictor of albuminuria in adults with sickle cell disease, **973**
- alcohol**, Increase in alcohol related deaths: is hepatitis C a factor?, **704**
- ALK+ lymphoma**, Anaplastic lymphoma kinase (ALK) protein expressing lymphoma after liver transplantation: case report and literature review, **868**
- alloimmune thrombocytopenia**, Neonatal alloimmune thrombocytopenia in the Irish population: a discrepancy between observed and expected cases, **289**
- amyloid**, Primary amyloid tumour of the breast: a case report, **634**
- amyloidosis**, Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **800**  
Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **876**
- ancient Egypt**, Seqenenre Taa II, the violent death of a pharaoh, **232**
- androgen receptor**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **14**
- androgen receptors**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**  
Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**
- angiogenesis**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**  
Cyclo-oxygenase 2 expression is associated with angiogenesis and lymph node metastasis in human breast cancer, **429**  
Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**  
Thrombospondin 1 protein expression relates to good prognostic indices in ductal carcinoma in situ of the breast, **921**
- angiomyoma**, Lack of CD34 positive stromal cells within angiomyomas (vascular leiomyomas), **395**
- angioedema**, Sensitivity to Quorn mycoprotein (*Fusarium venenatum*) in a mould allergic patient, **876**  
Spontaneous regression of acquired C1 esterase inhibitor deficiency associated with splenic marginal zone lymphoma presenting with recurrent angio-oedema, **789**
- angiotropic lymphoma**, Angiotropic lymphoma occurring in a lacrimal sac oncocyoma, **787**
- antibiotic induced diarrhoea**, Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **240**
- antibiotic**, A survey of vaccine coverage and antibiotic prophylaxis in splenectomised patients in Scotland, **472**
- antibody deficiency**, Survey of infection in patients receiving antibody replacement treatment for immune deficiency, **577**
- anti-D immunoglobulin**, Anti-D immunoglobulin treatment for thrombocytopenia associated with primary antibody deficiency, **64**
- antigen retrieval**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **14**
- antimicrobial peptides**, Expression of antimicrobial neutrophil defensins in epithelial cells of active inflammatory bowel disease mucosa, **298**
- antineutrophil cytoplasm antibodies**, Immunofluorescent patterns produced by antineutrophil cytoplasmic antibodies (ANCA) vary depending on neutrophil substrate and conjugate, **680**
- antinuclear antibodies**, Re: Whither smooth muscle antibodies in the third millennium?, **558**
- antitrypsin**, Effect of  $\beta$  propiolactone viral inactivation on  $\alpha$ 1 antitrypsin values, **659**
- AP2**, Age related expression of Werner's syndrome protein in selected tissues and coexpression of transcription factors, **195**
- APC gene**, A case of myoepithelial carcinoma displaying biallelic inactivation of the tumour suppressor gene APC in a patient with familial adenomatous polyposis, **230**
- API20C**, Comparison of API20C with molecular identification of *Candida* spp isolated from bloodstream infections, **774**
- apoptosis**, Apoptosis in myocardial ischaemia and infarction, **801**  
Bcl-2 expression and frequency of apoptosis correlate with morphogenesis of colorectal neoplasia, **212**  
Differential expression of cell cycle and apoptosis related proteins in colorectal mucosa, primary colon tumours, and liver metastases, **206**  
Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**  
The detection of apoptosis in a human in vitro skin explant assay for graft versus host reactions, **127**  
The Fas–FasL system and colorectal tumours: *letter*, **559**  
The Fas–FasL system and colorectal tumours: *reply*, **559**
- appropriateness**, Is clinical practice variability the major reason for differences in pathology requesting patterns in general practice?, **312**
- artefactual hypoglycaemia**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate: reply by the authors, **976**
- arteries**, *Chlamydia pneumoniae* in infrequently examined blood vessels, **218**
- arteritis**, Takayasu arteritis: a review, **481**
- asymptomatic infections**, Prevalence of antibodies to *Chlamydia pneumoniae* in an Israeli population without clinical evidence of respiratory infection, **355**
- atherogenic lipid profile**, Skin tags and the atherogenic lipid profile: *letter*, **639**  
Skin tags and the atherogenic lipid profile: *reply*, **639**
- atherosclerosis**, NADPH oxidase(s): new source(s) of reactive oxygen species in the vascular system?, **561**
- atypical leiomyoma**, Atypical (bizarre) leiomyoma of the nasal cavity with prominent myxoid change, **872**
- audit**, Analysis of the sensitivity of death certificates in 440 hospital deaths: a comparison with necropsy findings, **499**  
Death certification: an audit of practice entering the 21st century, **275**
- autofluorescence**, A simple method to demonstrate duodenal gastric metaplasia, **520**
- autoimmune hepatitis**, Detection of liver kidney microsomal type 1 antibody using molecularly based immunoassays, **906**
- autoimmunity**, Cryoglobulins: *review*, **4**
- automated image analysis**, The effect of Replens® on vaginal cytology in the treatment of postmenopausal atrophy: cytomorphology versus computerised cytometry, **446**
- autopsy request practices**, Necropsy request practices in Jamaica: a study from the University Hospital of the West Indies, **608**
- B12 deficiency**, Dietary vitamin B12 deficiency in an adolescent white boy, **475**
- bacterial infection**, Imaging bacterial infection with <sup>99m</sup>Tc-ciprofloxacin (Infecton), **817**

- Barrett's oesophagus**, Routine morphometrical analysis can improve reproducibility of dysplasia grade in Barrett's oesophagus surveillance biopsies, **910**
- basal cell carcinoma**, Comparison of the expression of p53, p21, Bax and the induction of apoptosis between patients with basal cell carcinoma and normal controls in response to ultraviolet irradiation, **829**
- Bcl-2**, Bcl-2 expression and frequency of apoptosis correlate with morphogenesis of colorectal neoplasia, **212**  
p53 mutation in breast cancer. Correlation with cell kinetics and cell of origin, **461**
- best practice articles**, Electronic publishing and internet learning, **881**
- bioavailability**, The bioavailability of mupirocin in nasal secretions in vitro, **233**
- biochemical investigation**, The biochemical investigation of cases of hypoglycaemia: an assessment of the clinical effectiveness of analytical services, **503**
- biopsy**, Comparison of fine needle aspiration cytology and needle core biopsy in the diagnosis of radiologically detected abdominal lesions, **93**  
Distribution of cervical glandular intraepithelial neoplasia: are hysterectomy specimens sampled appropriately?, **629**
- bizarre cells**, Atypical (bizarre) leiomyoma of the nasal cavity with prominent myxoid change, **872**
- bladder cancer**, Changes produced in the urothelium by traditional and newer therapeutic procedures for bladder cancer, **641**
- bladder neoplasms**, Histological grading of papillary urothelial carcinoma of the bladder: prognostic value of the 1998 WHO/ISUP classification system and comparison with conventional grading systems, **900**
- blood gas analysis**, Changes in blood gas samples produced by a pneumatic tube system, **105**
- blood viscosity**, A human model of platelet-leucocyte adhesive interactions during controlled ischaemia in patients with peripheral vascular disease, **946**
- bone histomorphometry**, Bone and the Gulf War, **884**  
Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **897**
- bone marrow stromal cell differentiation**, Adipocytic proportion of bone marrow is inversely related to bone formation in osteoporosis, **693**
- bone marrow transplantation**, *Scedosporium apiospermum* in chronic granulomatous disease treated with an HLA matched bone marrow transplant, **784**
- bone marrow**, A reliable method for total RNA extraction from frozen human bone marrow samples taken at diagnosis of acute leukaemia, **865**  
Chronic neutrophilic leukaemia: 14 new cases of an uncommon myeloproliferative disease, **862**
- bone morphogenetic protein**, The expression of bone morphogenetic proteins in osteosarcoma and its relevance as a prognostic parameter, **381**
- Book reviews** Carpenter S, Karpati G. Pathology of skeletal muscle, **480**  
Farjado LF, Berthrong M, Anderson RE. Radiation pathology:, **480**  
Smoller BR, Horn TD. Dermatopathology in systemic disease, **480**
- BRCA1**, Multiple fibroadenomas harbouring carcinoma in situ in a woman with a family history of breast/ovarian cancer, **795**
- bread knife**, How should the chest wall be opened at necropsy?, **72**
- breast cancer**, Clinically useful monoclonal antibodies in treatment, **81**  
Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients, **926**  
Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **719**  
Cyclo-oxygenase 2 expression is associated with angiogenesis and lymph node metastasis in human breast cancer, **429**  
Long term prognostic value of Nottingham histological grade and its components in early (pT1N0M0) breast carcinoma, **88**  
Multiparameter flow cytometry as a tool for the detection of micrometastatic tumour cells in the sentinel lymph node procedure of patients with breast cancer, **359**  
Non-sentinel lymph node involvement in patients with breast cancer and sentinel node micrometastasis; too early to abandon axillary clearance, **932**  
The use of a standard proforma in breast cancer reporting, **719**  
Tumour histological grade may progress between primary and recurrent invasive mammary carcinoma, **293**
- breast carcinoma**, Reliability of the tissue microarray based FISH for evaluation of the HER-2 oncogene in breast carcinoma, **315**  
The effect of fixation and processing on the sensitivity of oestrogen receptor assay by immunohistochemistry in breast carcinoma, **236**
- breast mass**, Another case of mantle cell lymphoma presenting as breast masses, **640**
- breast tumours**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**  
Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**
- breast**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **14**  
Effect of margins of excision on recurrence after local excision of ductal carcinoma in situ of the breast, **581**  
Hamartoma of the breast: a clinicopathological review, **951**  
Multiple fibroadenomas harbouring carcinoma in situ in a woman with a family history of breast/ovarian cancer, **795**  
p63 staining of myoepithelial cells in breast fine needle aspirates: a study of its role in differentiating in situ from invasive ductal carcinomas of the breast, **936**  
Primary amyloid tumour of the breast: a case report, **634**  
Thrombospondin 1 protein expression relates to good prognostic indices in ductal carcinoma in situ of the breast, **921**
- bronchoalveolar lavage fluid**, Fatal disseminated toxoplasmosis in a toxoplasma seropositive liver transplant recipient, **637**
- bronchus cancer papilloma aetiology**, HPV infections and lung cancer, **885**
- Burkholderia cepacia**, Misidentification of a genomovar of *Burkholderia cepacia* by recA restriction fragment length polymorphism, **309**
- Burkitt**, Acute lymphoblastic leukaemia of the L3 subtype in adults in the Northern health region of England 1983-99, **591**
- C reactive protein**, Localisation of C reactive protein in infarcted tissue sites of multiple organs during sepsis, **152**
- C1 esterase inhibitor**, Spontaneous regression of acquired C1 esterase inhibitor deficiency associated with splenic marginal zone lymphoma presenting with recurrent angio-oedema, **789**
- C'1 inhibitor protein**, Current management of hereditary angio-oedema (C'1 esterase inhibitor deficiency), **266**
- C1 inhibitor**, A multicentre evaluation of the diagnostic efficiency of serological investigations for C1 inhibitor deficiency, **145**
- C4**, A multicentre evaluation of the diagnostic efficiency of serological investigations for C1 inhibitor deficiency, **145**
- caecal adenocarcinoma**, Colonic carcinoma with granulomatous (sarcoïd) reaction, **708**
- CAG repeats**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**  
Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **879**
- campylobacter species**, Detection of campylobacter species: a comparison of culture and polymerase chain reaction based methods, **749**
- campylobacter**, Efficient isolation of campylobacters from stools: what are we missing?, **239**
- cancer**, Cryoglobulins: review, **4**  
HPV infections and oesophageal cancer, **721**  
The use of a standard proforma in breast cancer reporting, **719**
- candida species**, Comparison of API20C with molecular identification of *Candida* spp isolated from bloodstream infections, **774**
- capsule**, High molecular weight caldesmon positive stromal cells in the capsule of thyroid follicular tumours and tumour-like lesions, **917**
- carcinoma in situ**, Multiple fibroadenomas harbouring carcinoma in situ in a woman with a family history of breast/ovarian cancer, **795**
- carcinosarcoma**, Malignant biphasic uterine tumours: carcinosarcomas or metaplastic carcinomas?, **321**
- cardiovascular disease**, Lipoprotein (a) does not participate in the early acute phase response to training or extreme physical activity and is unlikely to enhance any associated immediate cardiovascular risk, **280**
- case report**, Angiotropic lymphoma occurring in a lacrimal sac oncocytoma, **787**
- case reports**, Chronic neutrophilic leukaemia: 14 new cases of an uncommon myeloproliferative disease, **862**
- cathepsin D**, Correlation between cathepsin D expression and p53 protein nuclear accumulation in oesophageal squamous cell carcinoma, **121**
- catheter infections**, A rapid ELISA for the diagnosis of intravascular catheter related sepsis caused by coagulase negative staphylococci, **41**
- catheter**, DNA fingerprinting analysis of coagulase negative staphylococci implicated in catheter related bloodstream infections, **824**
- causality**, The causal relation between human papillomavirus and cervical cancer, **244**
- cause of death**, Segenentre Taa II, the violent death of a pharaoh, **232**
- CD10**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **391**
- CD34 positive stromal cell**, Lack of CD34 positive stromal cells within angiomyomas (vascular leiomyomas), **395**
- CD38**, New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**

- CD45**, Detection of the CD56+/CD45- immunophenotype by flow cytometry in neuroendocrine malignancies, **535**
- CD56**, Detection of the CD56+/CD45- immunophenotype by flow cytometry in neuroendocrine malignancies, **535**
- CD79b**, New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**
- CDK2A**, Epstein-Barr virus in gastric adenocarcinomas: association with ethnicity and CDKN2A promoter methylation, **669**
- cell cycle**, Cell kinetics and cell cycle regulation in lymphomas, **648**  
Differential expression of cell cycle and apoptosis related proteins in colorectal mucosa, primary colon tumours, and liver metastases, **206**
- cell kinetics**, Cell kinetics and cell cycle regulation in lymphomas, **648**  
p53 mutation in breast cancer. Correlation with cell kinetics and cell of origin, **461**
- cell morphology**, Primary acinic cell carcinoma of the breast, **545**
- cellular angiofibroma**, Recurrent cellular angiofibroma of the vulva, **477**
- cerebrospinal fluid**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *reply*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **640**  
Rationalising the use of polymerase chain reaction based tests for diagnosis of common viral infections of the central nervous system, **560**
- certificate**, Death certification: an audit of practice entering the 21st century, **275**
- certification**, Death certification: an audit of practice entering the 21st century, **275**
- cervical cancer**, Cervical cancer, **241**  
Self testing for human papillomaviruses, **408**  
The causal relation between human papillomavirus and cervical cancer, **244**
- cervical carcinoma**, Telomerase activation and human papillomavirus infection in invasive uterine cervical carcinoma in a set of Malaysian patients, **22**
- cervical cytology**, Primary screening for high risk HPV by home obtained cervicovaginal lavage is an alternative screening tool for unscreened women, **435**
- cervical dysplasia**, Primary screening for high risk HPV by home obtained cervicovaginal lavage is an alternative screening tool for unscreened women, **435**
- cervical screening**, Cervical cancer, **241**  
Self testing for human papillomaviruses, **408**
- cervicovaginal lavage**, Primary screening for high risk HPV by home obtained cervicovaginal lavage is an alternative screening tool for unscreened women, **435**
- cervix**, Detection of human papillomavirus in large cell neuroendocrine carcinoma of the uterine cervix: a study of 12 cases, **108**  
Distribution of cervical glandular intraepithelial neoplasia: are hysterectomy specimens sampled appropriately?, **629**  
The effect of phytoestrogens on the female genital tract, **401**
- chemical pathologist**, The investigation and management of severe hyponatraemia, **883**
- chemical pathology**, Total research productivity in a pathology discipline, **495**
- chemotherapy**, Changes produced in the urothelium by traditional and newer therapeutic procedures for bladder cancer, **641**  
Morphological effects of chemotherapy on ovarian carcinoma, **27**  
Primary acinic cell carcinoma of the breast, **545**
- chest**, How should the chest wall be opened at necropsy?, **72**
- childbirth**, Lamashtu, "she who erases", touched her stomach seven times to kill the child, **534**
- childhood**, Primary follicular lymphoma of the testis in childhood: an entity with peculiar clinical and molecular characteristics, **684**
- children with leukaemia**, Vaccination to prevent varicella and shingles, **399**
- chimaeric antibodies**, Clinically useful monoclonal antibodies in treatment: *review*, **81**
- Chlamydia pneumoniae antibodies**, Prevalence of antibodies to *Chlamydia pneumoniae* in an Israeli population without clinical evidence of respiratory infection, **355**
- Chlamydia pneumoniae**, *Chlamydia pneumoniae* in infrequently examined blood vessels, **218**  
Seroepidemiology of *Chlamydia pneumoniae* in Japan between 1991 and 2000, **115**
- chlorhexidine**, The bioavailability of mupirocin in nasal secretions in vitro, **233**
- cholesterol**, New criteria for the differentiation between transudates and exudates, **69**  
Specificity of the commonly used enzymatic assay for plasma cholesterol determination, **859**
- chondrosarcoma**, Intermediate grade osteosarcoma and chondrosarcoma arising in an osteochondroma. A case report of a patient with hereditary multiple exostoses, **226**
- chromogenic urinary tract infection medium**, A comparison of the performance of cystine lactose electrolyte deficient (CLED) agar with Oxoid chromogenic urinary tract infection (CUTI) medium for the isolation and presumptive identification of organisms from urine, **524**
- chronic granulomatous disease**, *Scedosporium apiospermum* in chronic granulomatous disease treated with an HLA matched bone marrow transplant, **784**
- chronic idiopathic inflammatory bowel disease**, Discriminant histological features in the diagnosis of chronic idiopathic inflammatory bowel disease: analysis of a large dataset by a novel data visualisation technique, **51**
- chronic lymphocytic leukaemia**, New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**
- chronic neutrophilic leukaemia**, Chronic neutrophilic leukaemia: 14 new cases of an uncommon myeloproliferative disease, **862**
- ciprofloxacin**, Imaging bacterial infection with <sup>99m</sup>Tc-ciprofloxacin (Infecton), **817**
- cirrhosis**, Increase in alcohol related deaths: is hepatitis C a factor?, **704**
- classification**, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **800**  
Immunohistochemical classification of T cell and NK cell neoplasms, **892**
- clinical audit**, Unnecessary repeat requesting of tests in a university teaching hospital immunology laboratory: an audit: *letter*, **78**
- clinical biochemistry**, The investigation and management of severe hyponatraemia, **883**  
Total research productivity in a pathology discipline, **495**
- clinical governance**, Clinical governance and pathology, **177**  
Is clinical practice variability the major reason for differences in pathology requesting patterns in general practice?, **312**
- clinical stage**, Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**
- clinical value**, Proactive management of histopathology workloads: analysis of the UK Royal College of Pathologists' recommendations on specimens of limited or no clinical value on the workload of a teaching hospital gastrointestinal pathology service, **850**
- Clostridium novyi**, *Clostridium novyi* causing necrotising fasciitis in an injecting drug user, **141**
- Clostridium perfringens**, Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **240**
- coagulase negative staphylococci**, A rapid ELISA for the diagnosis of intravascular catheter related sepsis caused by coagulase negative staphylococci, **41**
- coeliac disease**, A comparison of 13 guinea pig and human anti-tissue transglutaminase antibody ELISA kits, **488**  
A prospective study of the prevalence of undiagnosed coeliac disease in laboratory defined iron and folate deficiency, **754**  
Basement membrane and connective tissue proteins in intestinal mucosa of patients with coeliac disease, **440**  
Is a raised intraepithelial lymphocyte count with normal duodenal villous architecture clinically relevant?, **424**  
Quantitation of intraepithelial lymphocytes in human duodenum: what is normal?, **393**
- collision tumour**, A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**
- colonic crypts**, Cryptal lymphocytic coloproctitis: a new phenotype of lymphocytic colitis?, **138**
- colon**, How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**
- colorectal adenocarcinoma**, Conclusions from a study of venous invasion in stage IV colorectal adenocarcinoma, **17**
- colorectal cancer**, Matrix metalloproteinase 13 activity is associated with poor prognosis in colorectal cancer, **758**
- colorectal carcinoma**, The Fas-FasL system and colorectal tumours, **559**  
The Fas-FasL system and colorectal tumours, **559**  
The influence of nodal size on the staging of colorectal carcinomas, **386**
- colorectal neoplasia**, Bcl-2 expression and frequency of apoptosis correlate with morphogenesis of colorectal neoplasia, **212**
- colorectal polyps**, Offline telepathology diagnosis of colorectal polyps: a study of interobserver agreement and comparison with glass slide diagnoses, **305**
- colorectal tumours**, Differential expression of cell cycle and apoptosis related proteins in colorectal mucosa, primary colon tumours, and liver metastases, **206**
- complement activation**, Current management of hereditary angio-oedema (C1 esterase inhibitor deficiency), **266**
- complement**, Localisation of C reactive protein in infarcted tissue sites of multiple organs during sepsis, **152**
- consultant medical microbiologists**, Clinical pathology accreditation: standards for the medical laboratory, **729**  
How do microbiology consultants undertake their jobs? A survey of consultant time and tasks in South West England, **735**

- continuing professional development**, Electronic publishing and internet learning, **881**
- core biopsy**, Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **719**  
 Diagnostic difficulty arising from displaced epithelium after core biopsy in intracystic papillary lesions of the breast, **780**  
 The use of a standard proforma in breast cancer reporting, **719**
- coroner**, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **878**
- Crohn's disease**, Clinically useful monoclonal antibodies in treatment: *review*, **81**  
 Discriminant histological features in the diagnosis of chronic idiopathic inflammatory bowel disease: analysis of a large dataset by a novel data visualisation technique, **51**  
 Thromboxane synthase immunohistochemistry in inflammatory bowel disease, **367**
- crossmatch**, Laboratory investigations following an unexpectedly positive crossmatch result in a patient awaiting renal transplantation, **627**
- cryoglobulins**, Cryoglobulins: *review*, **4**
- cryptosporidium outbreak**, Increased stool sampling during a waterborne outbreak of cryptosporidiosis does not increase the detection of other faecal pathogens, **271**
- cut off points**, Clinically useful monoclonal antibodies in treatment, **81**
- cyclin D1**, Detection of cyclin D1 in B cell lymphoproliferative disorders by flow cytometry, **940**  
 New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**
- cyclo-oxygenase 2**, Cyclo-oxygenase 2 expression is associated with angiogenesis and lymph node metastasis in human breast cancer, **429**
- cystic fibrosis**, Misidentification of a genomovar of *Burkholderia cepacia* by recA restriction fragment length polymorphism, **309**
- cystine lactose electrolyte deficient agar**, A comparison of the performance of cystine lactose electrolyte deficient (CLED) agar with Oxoid chromogenic urinary tract infection (CUTI) medium for the isolation and presumptive identification of organisms from urine, **524**
- cytogenetics**, Acute lymphoblastic leukaemia of the L3 subtype in adults in the Northern health region of England 1983–99, **591**  
 Extramedullary myeloid cell tumours localised to the mediastinum. A rare clinicopathological entity with unique karyotypic features, **221**
- cytological grade**, Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**
- cytology**, Comparison of fine needle aspiration cytology and needle core biopsy in the diagnosis of radiologically detected abdominal lesions, **93**  
 Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **719**  
 The use of a standard proforma in breast cancer reporting, **719**
- cytomegalovirus infection**, Cytomegalovirus infection of the nasopharynx, **970**
- death certification**, Analysis of the sensitivity of death certificates in 440 hospital deaths: a comparison with necropsy findings, **499**  
 Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **878**
- death**, Death certification: an audit of practice entering the 21st century, **275**
- defensins**, Expression of antimicrobial neutrophil defensins in epithelial cells of active inflammatory bowel disease mucosa, **298**
- demonology**, Lamashu, "she who erases", touched her stomach seven times to kill the child, **534**
- der(13)t(13;16)(p11;p11) translocation**, Renal oncocytoma with a novel chromosomal rearrangement, der(13)t(13;16)(p11;p11), associated with a renal cell carcinoma: *letter*, **157**
- Dermatobia hominis**, A sebaceous cyst with a difference: *Dermatobia hominis*, **798**
- detection**, A comparison of the performance of cystine lactose electrolyte deficient (CLED) agar with Oxoid chromogenic urinary tract infection (CUTI) medium for the isolation and presumptive identification of organisms from urine, **524**  
 Detection of campylobacter species: a comparison of culture and polymerase chain reaction based methods, **749**
- diabetes mellitus**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate: reply by the authors, **976**
- diagnosis of viral infections**, Rationalising the use of polymerase chain reaction based tests for diagnosis of common viral infections of the central nervous system, **560**
- diagnosis**, Diagnosis of premalignant endometrial disease, **326**  
 Discriminant histological features in the diagnosis of chronic idiopathic inflammatory bowel disease: analysis of a large dataset by a novel data visualisation technique, **51**  
 How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**  
 Immunohistochemical classification of T cell and NK cell neoplasms, **892**  
 Immunohistochemistry in the distinction between malignant mesothelioma and pulmonary adenocarcinoma: a critical evaluation of new antibodies, **662**  
 Offline telepathology diagnosis of colorectal polyps: a study of interobserver agreement and comparison with glass slide diagnoses, **305**  
 Pulmonary mucinous cystic tumour of borderline malignancy: a rare variant of adenocarcinoma: *letter*, **156**
- diagnostic difficulty**, Small cell melanoma: *letter*, **78**
- diagnostic effectiveness**, The biochemical investigation of cases of hypoglycaemia: an assessment of the clinical effectiveness of analytical services, **503**
- diagnostic histopathology**, Proactive management of histopathology workloads: analysis of the UK Royal College of Pathologists' recommendations on specimens of limited or no clinical value on the workload of a teaching hospital gastrointestinal pathology service, **850**
- diagnostic support**, Routine morphometrical analysis can improve reproducibility of dysplasia grade in Barrett's oesophagus surveillance biopsies, **910**
- dideoxy fingerprinting**, Mutation analysis of the PIG-A gene in Korean patients with paroxysmal nocturnal haemoglobinuria, **410**
- dietary deficiency**, Dietary vitamin B12 deficiency in an adolescent white boy, **475**
- differential diagnosis**, Hodgkin's lymphoma: the pathologist's viewpoint, **162**
- diffuse type**,  $\alpha$  Smooth muscle actin positive stromal cells in gastric carcinoma, **741**
- digital histopathology**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- digital scanning**, Digital imaging of surgical specimens, **477**
- direct plating**, An evaluation of the performance of XLD, DCA, MLCB, and ABC agars as direct plating media for the isolation of *Salmonella enterica* from faeces, **286**
- displaced epithelium**, Diagnostic difficulty arising from displaced epithelium after core biopsy in intracystic papillary lesions of the breast, **780**
- double staining**, Multiparameter flow cytometry as a tool for the detection of micrometastatic tumour cells in the sentinel lymph node procedure of patients with breast cancer, **359**
- drug misuse**, Increase in alcohol related deaths: is hepatitis C a factor?, **704**
- duct carcinoma in situ**, Effect of margins of excision on recurrence after local excision of ductal carcinoma in situ of the breast, **581**
- duct carcinoma of breast**, Effect of margins of excision on recurrence after local excision of ductal carcinoma in situ of the breast, **581**
- ductal carcinoma in situ of the breast**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**
- ductal carcinoma in situ**, Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors, **14**  
 Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors: *letter*, **879**  
 Androgen receptor expression in ductal carcinoma in situ of the breast: relation to oestrogen and progesterone receptors: *reply*, **879**  
 Ductal carcinoma in situ arising in mammary hamartoma, **541**  
 p53 mutation in breast cancer. Correlation with cell kinetics and cell of origin, **461**  
 Thrombospondin 1 protein expression relates to good prognostic indices in ductal carcinoma in situ of the breast, **921**
- ductal carcinoma**, p63 staining of myoepithelial cells in breast fine needle aspirates: a study of its role in differentiating in situ from invasive ductal carcinomas of the breast, **936**
- duodenal biopsies**, Quantitation of intraepithelial lymphocytes in human duodenum: what is normal?, **393**
- duodenum**, A simple method to demonstrate duodenal gastric metaplasia, **520**  
 Is a raised intraepithelial lymphocyte count with normal duodenal villous architecture clinically relevant?, **424**
- dysplasia**, Routine morphometrical analysis can improve reproducibility of dysplasia grade in Barrett's oesophagus surveillance biopsies, **910**
- editorial changes**, *Journal of Clinical Pathology* on the move, **161**
- education**, Grand Round Presentation, **487**
- electron microscopy**, Mediastinal mixed dendritic cell sarcoma with hybrid features, **791**  
 Progression of metastatic neuroendocrine carcinoma from a recurrent prolactinoma: a case report, **148**  
 Recurrent cellular angiofibroma of the vulva, **477**

- electronic publishing**, Electronic publishing and internet learning, **881**
- electronic submission**, *Journal of Clinical Pathology* on the move, **161**
- endometrial cyst**, Endometrial cyst of the liver: a case report and review of the literature, **715**
- endometrial intraepithelial neoplasia**, Diagnosis of premalignant endometrial disease, **326**
- endometriosis**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **391**  
Endometrial cyst of the liver: a case report and review of the literature, **715**
- endometrium**, Diagnosis of premalignant endometrial disease, **326**  
The effects of tamoxifen on proliferation and steroid receptor expression in postmenopausal endometrium, **514**
- enhanced surveillance**, Increased stool sampling during a waterborne outbreak of cryptosporidiosis does not increase the detection of other faecal pathogens, **271**
- enteric pathogens**, Increased stool sampling during a waterborne outbreak of cryptosporidiosis does not increase the detection of other faecal pathogens, **271**
- enteritis**, Efficient isolation of campylobacters from stools: what are we missing?, **239**
- environmental oestrogens**, The effect of phytoestrogens on the female genital tract, **401**
- enzymatic assay**, Specificity of the commonly used enzymatic assay for plasma cholesterol determination, **859**
- enzyme linked immunosorbent assay**, A rapid ELISA for the diagnosis of intravascular catheter related sepsis caused by coagulase negative staphylococci, **41**  
Detection of liver kidney microsomal type 1 antibody using molecularly based immunoassays, **906**
- epidemic**, Seroepidemiology of *Chlamydia pneumoniae* in Japan between 1991 and 2000, **115**
- epidemiology**, Pancreatic cancer after remote peptic ulcer surgery, **340**
- epithelioid granulomata**, Colonic carcinoma with granulomatous (sarcoid) reaction, **708**
- Epstein Barr virus**, Primary T cell lymphoma of salivary gland: a report of a case and review of the literature, **61**
- Epstein-Barr virus nuclear antigen 2**, Epstein-Barr virus (EBV) subtype in EBV related oral squamous cell carcinoma in Okinawa, a subtropical island in southern Japan, compared with Kitakyushu and Kumamoto in mainland Japan, **414**
- Epstein-Barr virus subtypes**, Epstein-Barr virus (EBV) subtype in EBV related oral squamous cell carcinoma in Okinawa, a subtropical island in southern Japan, compared with Kitakyushu and Kumamoto in mainland Japan, **414**
- Epstein-Barr virus**, Cytomegalovirus infection of the nasopharynx, **970**  
Epstein-Barr virus in gastric adenocarcinomas: association with ethnicity and CDKN2A promoter methylation, **669**  
Hodgkin's lymphoma: the pathologist's viewpoint, **162**
- eradication**, *Helicobacter pylori* associated gastric diseases and lymphoid tissue hyperplasia in gastric antral mucosa, **133**
- evidence based medicine**, How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**  
Proactive management of histopathology workloads: analysis of the UK Royal College of Pathologists' recommendations on specimens of limited or no clinical value on the workload of a teaching hospital gastrointestinal pathology service, **850**
- Extramedullary myeloid cell tumour**, Extramedullary myeloid cell tumours localised to the mediastinum. A rare clinicopathological entity with unique karyotypic features, **221**
- extranodal marginal zone B cell lymphoma**, Extranodal marginal zone B cell lymphoma of MALT type involving the mucosa of both the urinary bladder and stomach, **554**
- exudates**, New criteria for the differentiation between transudates and exudates, **69**
- familial adenomatous polyposis**, A case of myoepithelial carcinoma displaying biallelic inactivation of the tumour suppressor gene APC in a patient with familial adenomatous polyposis, **230**
- Fas ligand**, The Fas–FasL system and colorectal tumours: *letter*, **559**  
The Fas–FasL system and colorectal tumours: *reply*, **559**
- Fas**, The Fas–FasL system and colorectal tumours: *letter*, **559**  
The Fas–FasL system and colorectal tumours: *reply*, **559**
- fast and slow myosin**, Validation of a simple, rapid, and economical technique for distinguishing type 1 and 2 fibres in fixed and frozen skeletal muscle, **375**
- fibrate treatment**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **718**
- fibroadenoma**, Ductal carcinoma in situ arising in mammary hamartoma, **541**  
Multiple fibroadenomas harbouring carcinoma in situ in a woman with a family history of breast/ovarian cancer, **795**
- fibronectin**, Basement membrane and connective tissue proteins in intestinal mucosa of patients with coeliac disease, **440**
- fine needle aspiration cytology**, Primary amyloid tumour of the breast: a case report, **634**  
The role and histological classification of needle core biopsy in conjunction with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **639**
- fine needle aspiration**, Comparison of fine needle aspiration cytology and needle core biopsy in the diagnosis of radiologically detected abdominal lesions, **93**  
Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **719**  
The use of a standard proforma in breast cancer reporting, **719**
- flow cytometry**, Detection of cyclin D1 in B cell lymphoproliferative disorders by flow cytometry, **940**  
Detection of the CD56+/CD45– immunophenotype by flow cytometry in neuroendocrine malignancies, **535**  
Multiparameter flow cytometry as a tool for the detection of micrometastatic tumour cells in the sentinel lymph node procedure of patients with breast cancer, **359**
- fluorescence in situ hybridisation**, Reliability of the tissue microarray based FISH for evaluation of the HER-2 oncogene in breast carcinoma, **315**
- focal nodular hyperplasia**, Metastatic rectal adenocarcinoma to the liver associated with focal nodular hyperplasia, **967**
- folate deficiency**, A prospective study of the prevalence of undiagnosed coeliac disease in laboratory defined iron and folate deficiency, **754**
- follicular dendritic cell sarcoma**, Mediastinal mixed dendritic cell sarcoma with hybrid features, **791**
- follicular lymphoma**, Primary follicular lymphoma of the testis in childhood: an entity with peculiar clinical and molecular characteristics, **684**
- follicular tumour and tumour-like lesion**, High molecular weight caldesmon positive stromal cells in the capsule of thyroid follicular tumours and tumour-like lesions, **917**
- forensic pathology**, Sequenre Taa II, the violent death of a pharaoh, **232**
- foveolar hyperplasia**, Foveolar hyperplasia at the gastric cardia: prevalence and associations, **352**
- frozen tissue**, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy: *letter*, **639**  
Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy: *reply*, **639**
- furuncular myiasis**, A sebaceous cyst with a difference: *Dermatobia hominis*, **798**
- fusarium**, Sensitivity to Quorn mycoprotein (*Fusarium venenatum*) in a mould allergic patient, **876**
- α smooth muscle actin** α Smooth muscle actin positive stromal cells in gastric carcinoma, **741**
- gastric adenoma**, Features of gastritis predisposing to gastric adenoma and early gastric cancer, **770**
- gastric cancer**, Features of gastritis predisposing to gastric adenoma and early gastric cancer, **770**
- gastric carcinoma**, α Smooth muscle actin positive stromal cells in gastric carcinoma, **741**
- gastric cardia**, Immunohistochemical study of neuroendocrine cells at the gastric cardia mucosa, **767**  
Site distribution of oesophagogastric cancer, **191**
- gastric carditis** ("junctitis"), Foveolar hyperplasia at the gastric cardia: prevalence and associations, **352**
- gastric lymphoma**, The natural history of a gastric low grade B cell MALT lymphoma followed during 11 years without treatment, **548**
- gastric ulcer**, The culture of lactobacilli species in gastric carcinoma, **477**  
The culture of lactobacilli species in gastric carcinoma, **477**
- gastric**, A simple method to demonstrate duodenal gastric metaplasia, **520**
- gastritis**, Features of gastritis predisposing to gastric adenoma and early gastric cancer, **770**
- gastro-oesophageal reflux disease**, Foveolar hyperplasia at the gastric cardia: prevalence and associations, **352**
- gene therapy**, Changes produced in the urothelium by traditional and newer therapeutic procedures for bladder cancer, **641**
- Genomovar**, Misidentification of a genomovar of *Burkholderia cepacia* by recA restriction fragment length polymorphism, **309**
- germ cell tumours**, HER-2/neu expression in germ cell tumours, **656**
- glycated haemoglobin**, Silent haemoglobin variants and determination of HbA<sub>1c</sub> using the HPLC Bio-Rad Variant II, **699**
- glycosylphosphatidylinositol anchor**, Mutation analysis of the PIG-A gene in Korean patients with paroxysmal nocturnal haemoglobinuria, **410**
- grading**, Long term prognostic value of Nottingham histological grade and its components in early (pT1N0M0) breast carcinoma, **88**
- graft versus host disease**, The detection of apoptosis in a human in vitro skin explant assay for graft versus host reactions, **127**

- Gram negative organisms**, A comparison of the performance of cystine lactose electrolyte deficient (CLED) agar with Oxoid chromogenic urinary tract infection (CUTI) medium for the isolation and presumptive identification of organisms from urine, **524**
- grand round presentation**, Grand Round Presentation, **487**
- gross images**, Digital imaging of surgical specimens, **477**
- growth hormone**, Skin tags and the atherogenic lipid profile: *letter*, **639**  
Skin tags and the atherogenic lipid profile: *reply*, **639**
- guidelines**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *reply*, **479**
- guinea pig liver**, A comparison of 13 guinea pig and human anti-tissue transglutaminase antibody ELISA kits, **488**
- Gulf war syndrome**, Bone and the Gulf War, **884**
- Gulf War syndrome**, Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **897**
- Gulf war veterans**, Bone and the Gulf War, **884**
- Gulf War veterans**, Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **897**
- haemoglobin variants**, Silent haemoglobin variants and determination of HbA<sub>1c</sub> with the HPLC Bio-Rad Variant II, **699**
- haemolysin**, The origin of hydrogen sulfide in a newborn with sulfhaemoglobin induced cyanosis, **631**
- haemorrhage**, A case of rapidly enlarging unilocular thymic cyst, **636**
- hamartoma, breast**, Microinvasive lobular carcinoma associated with intraductal spread arising in a mammary hamartoma, **76**
- hamartoma**, Ductal carcinoma in situ arising in mammary hamartoma, **541**  
Hamartoma of the breast: a clinicopathological review, **951**
- hand saw**, How should the chest wall be opened at necropsy?, **72**
- HbA<sub>1c</sub>**, Silent haemoglobin variants and determination of HbA<sub>1c</sub> with the HPLC Bio-Rad Variant II, **699**
- head and neck**, Clinicopathological significance of p16 gene expression in the surgical treatment of head and neck squamous cell carcinomas, **58**
- heat inactivation**, The efficacy of the heat killing of *Mycobacterium tuberculosis*, **778**
- Helicobacter pylori associated gastroduodenal diseases**, *Helicobacter pylori* associated gastric diseases and lymphoid tissue hyperplasia in gastric antral mucosa, **133**
- Helicobacter pylori**, Features of gastritis predisposing to gastric adenoma and early gastric cancer, **770**
- Hep2 cells**, Re: Whether smooth muscle antibodies in the third millennium?, **558**
- hepatitis C virus**, Cryoglobulins: *review*, **4**
- hepatitis C**, Increase in alcohol related deaths: is hepatitis C a factor?, **704**
- hepatotoxicity**, Hepatic veno-occlusive disease as a result of a traditional remedy: confirmation of toxic pyrrolizidine alkaloids as the cause, using an in vitro technique, **676**
- HER-2**, Reliability of the tissue microarray based FISH for evaluation of the HER-2 oncogene in breast carcinoma, **315**
- HER-2/neu**, HER-2/neu expression in germ cell tumours, **656**
- Her-2/neu**, Her-2/neu oncogene amplification in clinically localised prostate cancer, **118**
- hereditary angio-oedema**, A multicentre evaluation of the diagnostic efficiency of serological investigations for C1 inhibitor deficiency, **145**  
Current management of hereditary angio-oedema (C1 esterase inhibitor deficiency), **266**
- hereditary disease**, The origin of hydrogen sulfide in a newborn with sulfhaemoglobin induced cyanosis, **631**
- hereditary multiple exostoses**, Intermediate grade osteosarcoma and chondrosarcoma arising in an osteochondroma. A case report of a patient with hereditary multiple exostoses, **226**
- hereditary spherocytosis**, The clinical relevance of an isolated increase in the number of circulating hyperchromic red blood cells, **841**
- herpes simplex virus**, Rationalising the use of polymerase chain reaction based tests for diagnosis of common viral infections of the central nervous system, **560**
- high density lipoprotein-cholesterol**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **718**
- high grade intraepithelial lesions**, Self testing for human papillomaviruses, **408**
- high molecular weight caldesmon**,  $\alpha$  Smooth muscle actin positive stromal cells in gastric carcinoma, **741**  
High molecular weight caldesmon positive stromal cells in the capsule of thyroid follicular tumours and tumour-like lesions, **917**
- high performance liquid chromatography**, Silent haemoglobin variants and determination of HbA<sub>1c</sub> with the HPLC Bio-Rad Variant II, **699**
- Hindus**, Dietary vitamin B12 deficiency in an adolescent white boy, **475**
- histogenesis**, Malignant biphasic uterine tumours: carcinosarcomas or metaplastic carcinomas?, **321**
- histological diagnosis**, Quantitation of intraepithelial lymphocytes in human duodenum: what is normal?, **393**
- histological grade**, Tumour histological grade may progress between primary and recurrent invasive mammary carcinoma, **293**
- histomorphometry**, Adipocytic proportion of bone marrow is inversely related to bone formation in osteoporosis, **693**
- histopathological features**, Discriminant histological features in the diagnosis of chronic idiopathic inflammatory bowel disease: analysis of a large dataset by a novel data visualisation technique, **51**
- histopathology**, Effects of complete androgen blockade for 12 and 24 weeks on the pathological stage and resection margin status of prostate cancer, **508**
- Hodgkin's lymphoma**, Hodgkin's lymphoma: the pathologist's viewpoint, **162**
- Hodgkins's disease**, Sternal osteomyelitis caused by *Aspergillus fumigatus* in a patient with previously treated Hodgkin's disease, **616**
- hormonal treatment**, Effects of complete androgen blockade for 12 and 24 weeks on the pathological stage and resection margin status of prostate cancer, **508**
- hospital**, Death certification: an audit of practice entering the 21st century, **275**
- human herpesvirus 8**, Detection of HHV-8 in reactive lymphoid tissue of patients from São Paulo state, Brazil: *letter*, **78**  
Human herpesvirus 8 (HHV-8) detected in two patients with Kaposi's sarcoma-like pyogenic granuloma, **619**
- human immunodeficiency virus 1**, Detection of HHV-8 in reactive lymphoid tissue of patients from São Paulo state, Brazil: *letter*, **78**
- human papilloma virus**, Human papillomavirus associated with oesophageal cancer, **587**
- human papillomavirus**, Cervical cancer, **241**  
Detection of human papillomavirus in large cell neuroendocrine carcinoma of the uterine cervix: a study of 12 cases, **108**  
HPV infections and lung cancer, **885**  
HPV infections and oesophageal cancer, **721**  
Primary screening for high risk HPV by home obtained cervicovaginal lavage is an alternative screening tool for unscreened women, **435**  
Self testing for human papillomaviruses, **408**  
Telomerase activation and human papillomavirus infection in invasive uterine cervical carcinoma in a set of Malaysian patients, **22**  
The causal relation between human papillomavirus and cervical cancer, **244**
- human**, A comparison of 13 guinea pig and human anti-tissue transglutaminase antibody ELISA kits, **488**
- humans**, Efficient isolation of campylobacters from stools: what are we missing?, **239**
- hypercalcaemia**, Hypercalcaemia in association with trisomy 21 (Down's syndrome), **543**  
Incidence and prognostic significance of hypercalcaemia in B-cell non-Hodgkin's lymphoma, **637**
- hyperchromic red blood cells**, The clinical relevance of an isolated increase in the number of circulating hyperchromic red blood cells, **841**
- hyperlipidaemia**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **718**
- hyperplasia**, Diagnosis of premalignant endometrial disease, **326**
- hyperplastic polyps**, Foveolar hyperplasia at the gastric cardia: prevalence and associations, **352**
- hypogammaglobulinaemia**, Survey of infection in patients receiving antibody replacement treatment for immune deficiency, **577**
- hypoglycaemia**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate: *reply* by the authors, **976**  
The biochemical investigation of cases of hypoglycaemia: an assessment of the clinical effectiveness of analytical services, **503**
- hyponatraemia**, Severe hyponatraemia: investigation and management in a district general hospital, **893**  
The investigation and management of severe hyponatraemia, **883**
- hysterectomy**, Is microscopic assessment of macroscopically normal hysterectomy specimens necessary?, **67**
- identification**, A comparison of the performance of cystine lactose electrolyte deficient (CLED) agar with Oxoid chromogenic urinary tract infection (CUTI) medium for the isolation and presumptive identification of organisms from urine, **524**  
Comparison of API20C with molecular identification of *Candida* spp isolated from bloodstream infections, **774**
- immune thrombocytopenia**, Anti-D immunoglobulin treatment for thrombocytopenia associated with primary antibody deficiency, **64**

- immunocytochemistry**, p63 staining of myoepithelial cells in breast fine needle aspirates: a study of its role in differentiating in situ from invasive ductal carcinomas of the breast, **936**
- immunodeficiency**, Vaccination to prevent varicella and shingles: *letter*, **399**  
Vaccination to prevent varicella and shingles: *reply*, **399**
- immunohistochemistry**, A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**  
Anaplastic lymphoma kinase (ALK) protein expressing lymphoma after liver transplantation: case report and literature review, **868**  
Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**  
Angiotropic lymphoma occurring in a lacrimal sac oncocyoma, **787**  
CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **391**  
Comparison of Ki-67 equivalent antibodies, **467**  
Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients, **926**  
Correlation between cathepsin D expression and p53 protein nuclear accumulation in oesophageal squamous cell carcinoma, **121**  
Detection of HHV-8 in reactive lymphoid tissue of patients from São Paulo state, Brazil: *letter*, **78**  
Frequent expression of smooth muscle markers in malignant fibrous histiocytoma of bone, **853**  
Immunohistochemical classification of T cell and NK cell neoplasms, **892**  
Immunohistochemical study of neuroendocrine cells at the gastric cardia mucosa, **767**  
Immunohistochemistry in the distinction between malignant mesothelioma and pulmonary adenocarcinoma: a critical evaluation of new antibodies, **662**  
Mediastinal mixed dendritic cell sarcoma with hybrid features, **791**  
Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**  
Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**  
Primary follicular lymphoma of the testis in childhood: an entity with peculiar clinical and molecular characteristics, **684**  
Recurrent cellular angiofibroma of the vulva, **477**  
The effect of fixation and processing on the sensitivity of oestrogen receptor assay by immunohistochemistry in breast carcinoma, **236**  
The expression of bone morphogenetic proteins in osteosarcoma and its relevance as a prognostic parameter, **381**  
Tissue microarrays: a new approach for quality control in immunohistochemistry, **613**  
Validation of a simple, rapid, and economical technique for distinguishing type 1 and 2 fibres in fixed and frozen skeletal muscle, **375**
- immunology tests**, Unnecessary repeat requesting of tests in a university teaching hospital immunology laboratory: an audit: *letter*, **78**
- immunotherapy**, Changes produced in the urothelium by traditional and newer therapeutic procedures for bladder cancer, **641**
- impalpable breast lesions**, The role and histological classification of needle core biopsy in conjunction with fine needle aspiration cytology in the preoperative assessment of palpable breast lesions, **639**
- in situ hybridisation**, Her-2/neu oncogene amplification in clinically localised prostate cancer, **118**
- in vitro skin explant assay**, The detection of apoptosis in a human in vitro skin explant assay for graft versus host reactions, **127**
- incidental findings**, Incidental findings in pelvic lymph nodes at radical prostatectomy, **623**
- indirect immunofluorescence**, Detection of liver kidney microsomal type 1 antibody using molecularly based immunoassays, **906**  
Immunofluorescent patterns produced by antineutrophil cytoplasmic antibodies (ANCA) vary depending on neutrophil substrate and conjugate, **680**
- infarcted tissue**, Localisation of C reactive protein in infarcted tissue sites of multiple organs during sepsis, **152**
- infection control**, Clinical pathology accreditation: standards for the medical laboratory, **729**  
How do microbiology consultants undertake their jobs? A survey of consultant time and tasks in South West England, **735**  
Misidentification of a genomovar of *Burkholderia cepacia* by recA restriction fragment length polymorphism, **309**
- infection**, DNA fingerprinting analysis of coagulase negative staphylococci implicated in catheter related bloodstream infections, **824**  
*Scedosporium apiospermum* in chronic granulomatous disease treated with an HLA matched bone marrow transplant, **784**  
Survey of infection in patients receiving antibody replacement treatment for immune deficiency, **577**
- Infecton**, Imaging bacterial infection with <sup>99m</sup>Tc-ciprofloxacin (Infecton), **817**
- infiltrating ductal carcinoma**, p53 mutation in breast cancer. Correlation with cell kinetics and cell of origin, **461**
- inflammation**, A case of rapidly enlarging unilocular thymic cyst, **636**
- inflammatory bowel disease**, How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**
- ING1**, Loss of nuclear expression of the p33<sup>ING1b</sup> inhibitor of growth protein in childhood acute lymphoblastic leukaemia, **596**
- injecting drug user**, *Clostridium novyi* causing necrotising fasciitis in an injecting drug user, **141**
- innate immunity**, Expression of antimicrobial neutrophil defensins in epithelial cells of active inflammatory bowel disease mucosa, **298**
- interdigitating dendritic cell sarcoma**, Mediastinal mixed dendritic cell sarcoma with hybrid features, **791**
- internet**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- interobserver agreement**, Offline telepathology diagnosis of colorectal polyps: a study of interobserver agreement and comparison with glass slide diagnoses, **305**
- intestinal duplication cyst**, Reduplication cyst of appendix with mucinous carcinoma and Müllerian metaplasia: a case report, **551**
- intestinal pseudo-obstruction**, Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **800**  
Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **876**
- intestinal type**,  $\alpha$  Smooth muscle actin positive stromal cells in gastric carcinoma, **741**
- intestines**, The origin of hydrogen sulfide in a newborn with sulfhaemoglobin induced cyanosis, **631**
- intracranial lesions**, Sudden unexplained death in adults caused by intracranial pathology, **44**
- intraductal spread**, Microinvasive lobular carcinoma associated with intraductal spread arising in a mammary hamartoma, **76**
- intraepithelial lymphocytes**, Cryptal lymphocytic coloproctitis: a new phenotype of lymphocytic colitis?, **138**  
Is a raised intraepithelial lymphocyte count with normal duodenal villous architecture clinically relevant?, **424**  
Quantitation of intraepithelial lymphocytes in human duodenum: what is normal?, **393**  
The Fas–FasL system and colorectal tumours: *letter*, **559**  
The Fas–FasL system and colorectal tumours: *reply*, **559**
- intravascular**, DNA fingerprinting analysis of coagulase negative staphylococci implicated in catheter related bloodstream infections, **824**
- invasive bacterium**, The origin of hydrogen sulfide in a newborn with sulfhaemoglobin induced cyanosis, **631**
- investigations**, Severe hyponatraemia: investigation and management in a district general hospital, **893**
- iodine contamination**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage, **640**
- Ireland**, Neonatal alloimmune thrombocytopenia in the Irish population: a discrepancy between observed and expected cases, **289**
- iron deficiency**, A prospective study of the prevalence of undiagnosed coeliac disease in laboratory defined iron and folate deficiency, **754**
- isolation**, Efficient isolation of campylobacters from stools: what are we missing?, **239**
- Aspergillus fumigatus** Sternal osteomyelitis caused by *Aspergillus fumigatus* in a patient with previously treated Hodgkin's disease, **616**
- Clostridium difficile** Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **240**
- Haemophilus influenzae** Clinical and microbiological features of *Haemophilus influenzae* vulvovaginitis in young girls, **961**
- Helicobacter pylori infection** The natural history of a gastric low grade B cell MALT lymphoma followed during 11 years without treatment, **548**
- Neisseria meningitidis serogroups A, C, Y, W135** Ultrasound enhanced detection of individual meningococcal serogroups by latex immunoassay, **37**
- Neisseria meningitidis** Laboratory confirmation of meningococcal disease in Scotland, 1993–9, **32**
- recA** Misidentification of a genomovar of *Burkholderia cepacia* by recA restriction fragment length polymorphism, **309**
- Jamaica**, Necropsy request practices in Jamaica: a study from the University Hospital of the West Indies, **608**
- journal design**, *Journal of Clinical Pathology* on the move, **161**
- Kaposi's sarcoma**, Human herpesvirus 8 (HHV-8) detected in two patients with Kaposi's sarcoma-like pyogenic granuloma, **619**
- Kaposi's sarcoma-like pyogenic granuloma**, Human herpesvirus 8 (HHV-8) detected in two patients with Kaposi's sarcoma-like pyogenic granuloma, **619**
- Ki-67**, Comparison of Ki-67 equivalent antibodies, **467**

- Ki67**, Loss of p21<sup>WAF1</sup> compartmentalisation in sebaceous carcinoma compared with sebaceous hyperplasia and sebaceous adenoma, **763**
- K-ras codon 12**, Pancreatic cancer after remote peptic ulcer surgery, **340**
- L3**, Acute lymphoblastic leukaemia of the L3 subtype in adults in the Northern health region of England 1983–99, **591**
- laboratory diagnosis**, Detection of methicillin and mupirocin resistance in *Staphylococcus aureus* isolates using conventional and molecular methods: a descriptive study from a burns unit with high prevalence of MRSA, **745**
- laboratory workload**, Unnecessary repeat requesting of tests in a university teaching hospital immunology laboratory: an audit: *letter*, **78**
- laboratory**, British Andrology Society guidelines for the assessment of post vasectomy semen samples (2002), **812**  
Clinical pathology accreditation: standards for the medical laboratory, **729**
- lacrimal sac oncocytoma**, Angiotropic lymphoma occurring in a lacrimal sac oncocytoma, **787**
- lactate dehydrogenase**, New criteria for the differentiation between transudates and exudates, **69**
- lactobacilli**, The culture of lactobacilli species in gastric carcinoma, **477**
- laminin**, Basement membrane and connective tissue proteins in intestinal mucosa of patients with coeliac disease, **440**
- Langerhans cell**, Paul Langerhans, **243**
- large cell neuroendocrine carcinoma**, Detection of human papillomavirus in large cell neuroendocrine carcinoma of the uterine cervix: a study of 12 cases, **108**
- latent membrane protein 1**, Epstein-Barr virus (EBV) subtype in EBV related oral squamous cell carcinoma in Okinawa, a subtropical island in southern Japan, compared with Kitakyushu and Kumamoto in mainland Japan, **414**
- latex immunoagglutination**, Ultrasound enhanced detection of individual meningococcal serogroups by latex immunoassay, **37**
- leucocytes**, A human model of platelet–leucocyte adhesive interactions during controlled ischaemia in patients with peripheral vascular disease, **946**
- leukaemia**, A reliable method for total RNA extraction from frozen human bone marrow samples taken at diagnosis of acute leukaemia, **865**  
Loss of nuclear expression of the p33<sup>ING1b</sup> inhibitor of growth protein in childhood acute lymphoblastic leukaemia, **596**
- lipoprotein(a)**, Lipoprotein (a) does not participate in the early acute phase response to training or extreme physical activity and is unlikely to enhance any associated immediate cardiovascular risk, **280**
- liver biopsy**, Non-alcoholic steatohepatitis: a common cause of progressive chronic liver injury?, **689**
- liver kidney microsomal antibody**, Detection of liver kidney microsomal type 1 antibody using molecularly based immunoassays, **906**
- liver neoplasms**, Metastatic rectal adenocarcinoma to the liver associated with focal nodular hyperplasia, **967**
- liver transplantation**, Anaplastic lymphoma kinase (ALK) protein expressing lymphoma after liver transplantation: case report and literature review, **868**  
Fatal disseminated toxoplasmosis in a toxoplasma seropositive liver transplant recipient, **637**
- liver**, Endometrial cyst of the liver: a case report and review of the literature, **715**
- lobular carcinoma**, Microinvasive lobular carcinoma associated with intraductal spread arising in a mammary hamartoma, **76**
- loss of heterozygosity**, A case of myoepithelial carcinoma displaying biallelic inactivation of the tumour suppressor gene APC in a patient with familial adenomatous polyposis, **230**  
A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**
- lung**, Multidrug resistance related molecules in human and murine lung, **332**
- lymph node retrieval**, The influence of nodal size on the staging of colorectal carcinomas, **386**
- lymphadenectomy**, Incidental findings in pelvic lymph nodes at radical prostatectomy, **623**
- lymphoepithelial lesion**, The natural history of a gastric low grade B cell MALT lymphoma followed during 11 years without treatment, **548**
- lymphoid aggregates**, *Helicobacter pylori* associated gastric diseases and lymphoid tissue hyperplasia in gastric antral mucosa, **133**
- lymphoid follicles**, *Helicobacter pylori* associated gastric diseases and lymphoid tissue hyperplasia in gastric antral mucosa, **133**
- lymphoma**, A clinicopathological study of 152 surgically treated primary gastric lymphomas with survival analysis of 109 high grade tumours, **346**  
Cryoglobulins: *review*, **4**  
Immunohistochemical classification of T cell and NK cell neoplasms, **892**
- lysozyme**, Expression of antimicrobial neutrophil defensins in epithelial cells of active inflammatory bowel disease mucosa, **298**
- macrophages**, Paul Langerhans, **243**
- magnetic resonance imaging**, Metastatic rectal adenocarcinoma to the liver associated with focal nodular hyperplasia, **967**
- Malaysian**, Telomerase activation and human papillomavirus infection in invasive uterine cervical carcinoma in a set of Malaysian patients, **22**
- male**, British Andrology Society guidelines for the assessment of post vasectomy semen samples (2002), **812**
- malignant fibrous histiocytoma of bone**, Frequent expression of smooth muscle markers in malignant fibrous histiocytoma of bone, **853**
- malignant lymphomas**, Cell kinetics and cell cycle regulation in lymphomas, **648**
- malignant transformation**, Telomerase activity detected in oral lichen planus by RNA in situ hybridisation: not a marker for malignant transformation, **602**
- mammary gland**, Distinct expression patterns of ER $\alpha$  and ER $\beta$  in normal human mammary gland, **371**
- mantle cell lymphoma**, Another case of mantle cell lymphoma presenting as breast masses, **640**  
Detection of cyclin D1 in B cell lymphoproliferative disorders by flow cytometry, **940**
- marginal zone lymphoma**, Spontaneous regression of acquired C1 esterase inhibitor deficiency associated with splenic marginal zone lymphoma presenting with recurrent angio-oedema, **789**
- matrix assisted laser desorption time of flight mass spectrometer**, The bioavailability of mupirocin in nasal secretions in vitro, **233**
- matrix metalloproteinase**, Matrix metalloproteinase 13 activity is associated with poor prognosis in colorectal cancer, **758**
- maturation index**, The effect of Replens<sup>®</sup> on vaginal cytology in the treatment of postmenopausal atrophy: cytomorphology versus computerised cytometry, **446**
- mecA gene**, Detection of methicillin and mupirocin resistance in *Staphylococcus aureus* isolates using conventional and molecular methods: a descriptive study from a burns unit with high prevalence of MRSA, **745**
- media**, An evaluation of the performance of XLD, DCA, MLCB, and ABC agars as direct plating media for the isolation of *Salmonella enterica* from faeces, **286**
- mediastinal cyst**, A case of rapidly enlarging unilocular thymic cyst, **636**
- medical microbiology**, Workload and stress in consultant medical microbiologists and virologists: a questionnaire survey, **200**
- melanoma**, A primary tumour of the oesophagus with both melanocytic and schwannian differentiation. Melanocytic schwannoma or malignant melanoma?, **318**
- membranous glomerulonephritis**, A case of membranous glomerulonephritis presenting as pulmonary embolism and acute hyperlipidaemia, **538**
- memorial**, An organ donor memorial: *review*, **1**
- meningococcal disease**, Laboratory confirmation of meningococcal disease in Scotland, 1993–9, **32**  
Ultrasound enhanced detection of individual meningococcal serogroups by latex immunoassay, **37**
- mesothelioma**, Immunohistochemistry in the distinction between malignant mesothelioma and pulmonary adenocarcinoma: a critical evaluation of new antibodies, **662**
- metaplasia**, A simple method to demonstrate duodenal gastric metaplasia, **520**
- metaplastic carcinoma**, Malignant biphasic uterine tumours: carcinosarcomas or metaplastic carcinomas?, **321**
- metastasis, proliferating index**, Progression on metastatic neuroendocrine carcinoma from a recurrent prolactinoma: a case report, **148**
- methylation**, Epstein-Barr virus in gastric adenocarcinomas: association with ethnicity and CDKN2A promoter methylation, **669**
- microimmunofluorescence assay**, Prevalence of antibodies to *Chlamydia pneumoniae* in an Israeli population without clinical evidence of respiratory infection, **355**
- micrometastasis**, Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients, **926**  
Non-sentinel lymph node involvement in patients with breast cancer and sentinel node micrometastasis; too early to abandon axillary clearance, **932**
- minimum data set**, The use of a standard proforma in breast cancer reporting, **719**
- mitotic index**, Clinically useful monoclonal antibodies in treatment, **81**  
Long term prognostic value of Nottingham histological grade and its components in early (pT1N0M0) breast carcinoma, **88**
- mixed cryoglobulinaemia**, Cryoglobulins: *review*, **4**

- Müllerian metaplasia**, Reduplication cyst of appendix with mucinous carcinoma and Müllerian metaplasia: a case report, **551**
- nm23-H1**, Increased nm23 immunoreactivity is associated with selective inhibition of systemic tumour cell dissemination, **184**
- molecular biology**, Primary follicular lymphoma of the testis in childhood: an entity with peculiar clinical and molecular characteristics, **684**
- molecular techniques**, Comparison of API20C with molecular identification of *Candida* spp isolated from bloodstream infections, **774**
- monoclonal antibodies**, Clinically useful monoclonal antibodies in treatment: *review*, **81**
- Multidrug resistance related molecules in human and murine lung, **332**
- New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**
- morphogenesis**, Bcl-2 expression and frequency of apoptosis correlate with morphogenesis of colorectal neoplasia, **212**
- morphology**, Morphological effects of chemotherapy on ovarian carcinoma, **27**
- morphometry**, Routine morphometrical analysis can improve reproducibility of dysplasia grade in Barrett's oesophagus surveillance biopsies, **910**
- mortality**, Increase in alcohol related deaths: is hepatitis C a factor?, **704**
- Severe hyponatraemia: investigation and management in a district general hospital, **893**
- MRSA**, Detection of methicillin and mupirocin resistance in *Staphylococcus aureus* isolates using conventional and molecular methods: a descriptive study from a burns unit with high prevalence of MRSA, **745**
- mucinous carcinoma**, Reduplication cyst of appendix with mucinous carcinoma and Müllerian metaplasia: a case report, **551**
- mucosa associated lymphoid tissue**, A clinicopathological study of 152 surgically treated primary gastric lymphomas with survival analysis of 109 high grade tumours, **346**
- Extranodal marginal zone B cell lymphoma of MALT type involving the mucosa of both the urinary bladder and stomach, **554**
- multidrug resistance transporter molecules**, Multidrug resistance related molecules in human and murine lung, **332**
- multiple myeloma**, Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**
- mupirocin**, Detection of methicillin and mupirocin resistance in *Staphylococcus aureus* isolates using conventional and molecular methods: a descriptive study from a burns unit with high prevalence of MRSA, **745**
- The bioavailability of mupirocin in nasal secretions in vitro, **233**
- muscle pathology**, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**
- Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**
- muscular dystrophy**, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**
- Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**
- mutation**, Mutation analysis of the PIG-A gene in Korean patients with paroxysmal nocturnal haemoglobinuria, **410**
- multidisciplinary article**, Grand Round Presentation, **487**
- Mycobacterium tuberculosis**, The efficacy of the heat killing of *Mycobacterium tuberculosis*, **778**
- myeloid leukaemia**, Extramedullary myeloid cell tumours localised to the mediastinum. A rare clinicopathological entity with unique karyotypic features, **221**
- myocardial infarction**, Apoptosis in myocardial ischaemia and infarction, **801**
- myocardial ischaemia**, Apoptosis in myocardial ischaemia and infarction, **801**
- myoepithelial carcinoma hepatoblastoma**, A case of myoepithelial carcinoma displaying biallelic inactivation of the tumour suppressor gene APC in a patient with familial adenomatous polyposis, **230**
- myoepithelial cells**, p63 staining of myoepithelial cells in breast fine needle aspirates: a study of its role in differentiating in situ from invasive ductal carcinomas of the breast, **936**
- myofibrillar ATPase**, Validation of a simple, rapid, and economical technique for distinguishing type 1 and 2 fibres in fixed and frozen skeletal muscle, **375**
- myxoid change**, Atypical (bizarre) leiomyoma of the nasal cavity with prominent myxoid change, **872**
- NADPH oxidase**, NADPH oxidase(s): new source(s) of reactive oxygen species in the vascular system?, **561**
- nasal secretions**, The bioavailability of mupirocin in nasal secretions in vitro, **233**
- nasopharynx**, Cytomegalovirus infection of the nasopharynx, **970**
- nasopharyngeal carcinoma**, Cytomegalovirus infection of the nasopharynx, **970**
- natural history**, Non-alcoholic steatohepatitis: a common cause of progressive chronic liver injury?, **689**
- necropsy rates**, Necropsy request practices in Jamaica: a study from the University Hospital of the West Indies, **608**
- necropsy request rates**, Necropsy request practices in Jamaica: a study from the University Hospital of the West Indies, **608**
- necropsy**, Analysis of the sensitivity of death certificates in 440 hospital deaths: a comparison with necropsy findings, **499**
- Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **878**
- How should the chest wall be opened at necropsy?, **72**
- necrotising fasciitis**, *Clostridium novyi* causing necrotising fasciitis in an injecting drug user, **141**
- needle core biopsy**, The role and histological classification of needle core biopsy in conjunction with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **639**
- neonatal**, Neonatal alloimmune thrombocytopenia in the Irish population: a discrepancy between observed and expected cases, **289**
- nephropathy**, Accuracy of the urinary albumin to creatinine ratio as a predictor of albuminuria in adults with sickle cell disease, **973**
- nephrotic syndrome**, A case of membranous glomerulonephritis presenting as pulmonary embolism and acute hyperlipidaemia, **538**
- neuroendocrine carcinoma**, A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**
- neuroendocrine cells**, Immunohistochemical study of neuroendocrine cells at the gastric cardia mucosa, **767**
- neuroendocrine**, Detection of the CD56+/CD45- immunophenotype by flow cytometry in neuroendocrine malignancies, **535**
- nodal staging**, The influence of nodal size on the staging of colorectal carcinomas, **386**
- non-alcoholic steatohepatitis**, Non-alcoholic steatohepatitis: a common cause of progressive chronic liver injury?, **689**
- non-anticoagulated tubes**, Paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate: reply by the authors, **976**
- non-cholesterol sterols**, Specificity of the commonly used enzymatic assay for plasma cholesterol determination, **859**
- non-culture diagnosis**, Laboratory confirmation of meningococcal disease in Scotland, 1993-9, **32**
- non-Hodgkin's lymphoma**, Incidence and prognostic significance of hypercalcaemia in B-cell non-Hodgkin's lymphoma, **637**
- non-small cell lung cancer**, Increased nm23 immunoreactivity is associated with selective inhibition of systemic tumour cell dissemination, **184**
- normal mucosa**, Differential expression of cell cycle and apoptosis related proteins in colorectal mucosa, primary colon tumours, and liver metastases, **206**
- Nottingham prognostic index**, Clinically useful monoclonal antibodies in treatment, **81**
- observer variation**, How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**
- oesophageal adenocarcinoma**, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **718**
- oesophageal cancer**, Human papillomavirus associated with oesophageal cancer, **587**
- oesophageal neoplasms**, A primary tumour of the oesophagus with both melanocytic and schwannian differentiation. Melanocytic schwannoma or malignant melanoma?, **318**
- oesophageal squamous cell carcinoma**, Correlation between cathepsin D expression and p53 protein nuclear accumulation in oesophageal squamous cell carcinoma, **121**
- oesophagobronchial fistula**, Oesophagobronchial fistula caused by varicella zoster virus in a patient with AIDS: a unique case, **397**
- oesophagogastric cancer**, Site distribution of oesophagogastric cancer, **191**
- oesophagus**, HPV infections and oesophageal cancer, **721**
- oestrogen receptor**, The effect of fixation and processing on the sensitivity of oestrogen receptor assay by immunohistochemistry in breast carcinoma, **236**
- The effects of tamoxifen on proliferation and steroid receptor expression in postmenopausal endometrium, **514**
- oestrogen receptors**, Distinct expression patterns of ER $\alpha$  and ER $\beta$  in normal human mammary gland, **371**
- Oka live varicella vaccination**, Vaccination to prevent varicella and shingles, **399**
- Vaccination to prevent varicella and shingles, **399**
- oral anticoagulation**, A randomised controlled trial of patient self management of oral anticoagulation treatment compared with primary care management, **845**
- oral carcinoma**, Specific p53 immunostaining patterns are associated with smoking habits in patients with oral squamous cell carcinomas, **834**

- oral lichen planus**, Telomerase activity detected in oral lichen planus by RNA in situ hybridisation: not a marker for malignant transformation, **602**
- oral squamous cell carcinomas**, Epstein-Barr virus (EBV) subtype in EBV related oral squamous cell carcinoma in Okinawa, a subtropical island in southern Japan, compared with Kitakyushu and Kumamoto in mainland Japan, **414**
- organ donation**, An organ donor memorial: *review*, **1**
- organophosphates**, Bone and the Gulf War, **884**  
Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **897**
- oscillating saw**, How should the chest wall be opened at necropsy?, **72**
- osseous metaplasia**, Primary amyloid tumour of the breast: a case report, **634**
- osteochondroma**, Intermediate grade osteosarcoma and chondrosarcoma arising in an osteochondroma. A case report of a patient with hereditary multiple exostoses, **226**
- osteoporosis**, Adipocytic proportion of bone marrow is inversely related to bone formation in osteoporosis, **693**
- osteosarcoma**, Intermediate grade osteosarcoma and chondrosarcoma arising in an osteochondroma. A case report of a patient with hereditary multiple exostoses, **226**  
The expression of bone morphogenetic proteins in osteosarcoma and its relevance as a prognostic parameter, **381**
- ovarian carcinoma**, Morphological effects of chemotherapy on ovarian carcinoma, **27**
- ovaries**, The effect of phytoestrogens on the female genital tract, **401**
- oxygen pressure**, Changes in blood gas samples produced by a pneumatic tube system, **105**
- oxyhaemoglobin**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *reply*, **479**
- p16**, Clinicopathological significance of p16 gene expression in the surgical treatment of head and neck squamous cell carcinomas, **58**
- p21**, Loss of p21<sup>WAF1</sup> compartmentalisation in sebaceous carcinoma compared with sebaceous hyperplasia and sebaceous adenoma, **763**
- p33<sup>ING1b</sup>**, Loss of nuclear expression of the p33<sup>ING1b</sup> inhibitor of growth protein in childhood acute lymphoblastic leukaemia, **596**
- p53 pathway**, Comparison of the expression of p53, p21, Bax and the induction of apoptosis between patients with basal cell carcinoma and normal controls in response to ultraviolet irradiation, **829**
- p53 protein accumulation**, Correlation between cathepsin D expression and p53 protein nuclear accumulation in oesophageal squamous cell carcinoma, **121**
- p53 staining pattern**, Specific p53 immunostaining patterns are associated with smoking habits in patients with oral squamous cell carcinomas, **834**
- p53**, Loss of nuclear expression of the p33<sup>ING1b</sup> inhibitor of growth protein in childhood acute lymphoblastic leukaemia, **596**  
New additions to antibody panels in the characterisation of chronic lymphoproliferative disorders, **180**  
p53 mutation in breast cancer. Correlation with cell kinetics and cell of origin, **461**  
Suprabasal p53 immunorexpression is strongly associated with high grade dysplasia and risk for malignant transformation in potentially malignant oral lesions from Northern Ireland, **98**
- p63**, p63 staining of myoepithelial cells in breast fine needle aspirates: a study of its role in differentiating in situ from invasive ductal carcinomas of the breast, **936**
- paediatrics**, The clinical relevance of an isolated increase in the number of circulating hyperchromic red blood cells, **841**
- pancreas**, Paul Langerhans, **243**
- pancreatic cancer**, Pancreatic cancer after remote peptic ulcer surgery, **340**
- papillary carcinoma of breast**, Diagnostic difficulty arising from displaced epithelium after core biopsy in intracystic papillary lesions of the breast, **780**
- papillary serous carcinoma**, A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**
- paraffin wax embedded sections**, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**  
Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **639**
- paroxysmal nocturnal haemoglobinuria**, Mutation analysis of the PIG-A gene in Korean patients with paroxysmal nocturnal haemoglobinuria, **410**
- pathogenesis**, Takayasu arteritis: a review, **481**
- pathological staging**, Non-sentinel lymph node involvement in patients with breast cancer and sentinel node micrometastasis; too early to abandon axillary clearance, **932**
- pathology**, Clinical governance and pathology, **177**  
Clinical pathology accreditation: standards for the medical laboratory, **729**  
Hamartoma of the breast: a clinicopathological review, **951**  
How could pathologists improve the initial diagnosis of colitis? Evidence from an international workshop, **955**  
Total research productivity in a pathology discipline, **495**
- patient demographics**, Is clinical practice variability the major reason for differences in pathology requesting patterns in general practice?, **312**
- patient self management**, A randomised controlled trial of patient self management of oral anticoagulation treatment compared with primary care management, **845**
- Paul Langerhans**, Paul Langerhans, **243**
- pelvic lymph nodes**, Incidental findings in pelvic lymph nodes at radical prostatectomy, **623**
- penicilliosis, salmonella, human immunodeficiency virus**, Massive hepatosplenomegaly caused by *Penicillium marneffei* associated with human immunodeficiency virus infection in a Thai patient, **143**
- peptic ulcer**, Pancreatic cancer after remote peptic ulcer surgery, **340**
- perforation**, Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **800**  
Rare presentation of intestinal amyloidosis with acute intestinal pseudo-obstruction and perforation, **876**
- peritoneum**, A tumour with a neuroendocrine and papillary serous component: two or a pair?, **710**
- personal computer**, Digital imaging of surgical specimens, **477**
- phagocytes**, NADPH oxidase(s): new source(s) of reactive oxygen species in the vascular system?, **561**
- pharaoh's mummy**, Seqenenre Taa II, the violent death of a pharaoh, **232**
- pH**, Effect of  $\beta$  propiolactone viral inactivation on  $\alpha 1$  antitrypsin values, **659**
- phosphatidylinositol glycan class A (PIG-A) gene**, Mutation analysis of the PIG-A gene in Korean patients with paroxysmal nocturnal haemoglobinuria, **410**
- physician**, Total research productivity in a pathology discipline, **495**
- pituitary adenoma**, Two case reports of pituitary adenoma associated with *Toxoplasma gondii* infection, **965**
- pituitary carcinoma**, Progression on metastatic neuroendocrine carcinoma from a recurrent prolactinoma: a case report, **148**
- platelets**, A human model of platelet-leucocyte adhesive interactions during controlled ischaemia in patients with peripheral vascular disease, **946**
- pneumatic tube system**, Changes in blood gas samples produced by a pneumatic tube system, **105**
- poisoning**, Hepatic veno-occlusive disease as a result of a traditional remedy: confirmation of toxic pyrrolizidine alkaloids as the cause, using an in vitro technique, **676**
- polymerase chain reaction based methods**, Detection of campylobacter species: a comparison of culture and polymerase chain reaction based methods, **749**
- polymerase chain reaction**, Detection of HHV-8 in reactive lymphoid tissue of patients from São Paulo state, Brazil: *letter*, **78**  
Extranodal marginal zone B cell lymphoma of MALT type involving the mucosa of both the urinary bladder and stomach, **554**  
Human herpesvirus 8 (HHV-8) detected in two patients with Kaposi's sarcoma-like pyogenic granuloma, **619**  
Human papillomavirus associated with oesophageal cancer, **587**  
*Chlamydia pneumoniae* in infrequently examined blood vessels, **218**  
Rationalising the use of polymerase chain reaction based tests for diagnosis of common viral infections of the central nervous system, **560**
- postgastroctomy**, Pancreatic cancer after remote peptic ulcer surgery, **340**
- potentially malignant oral lesion**, Suprabasal p53 immunorexpression is strongly associated with high grade dysplasia and risk for malignant transformation in potentially malignant oral lesions from Northern Ireland, **98**
- postmenopausal atrophy**, The effect of Replens<sup>®</sup> on vaginal cytology in the treatment of postmenopausal atrophy: cytomorphology versus computerised cytometry, **446**
- precancer**, Diagnosis of premalignant endometrial disease, **326**  
HPV infections and oesophageal cancer, **721**
- pre-eclampsia**, Lamashtu, "she who erases", touched her stomach seven times to kill the child, **534**
- preoperative chemoradiotherapy**, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **718**
- prepubertal**, Clinical and microbiological features of *Haemophilus influenzae* vulvovaginitis in young girls, **961**
- pressurised container**, Changes in blood gas samples produced by a pneumatic tube system, **105**
- prevalence**, A prospective study of the prevalence of undiagnosed coeliac disease in laboratory defined iron and folate deficiency, **754**
- primary antibody deficiency**, Anti-D immunoglobulin treatment for thrombocytopenia associated with primary antibody deficiency, **64**

- primary care**, A randomised controlled trial of patient self management of oral anticoagulation treatment compared with primary care management, **845**
- prioritisation**, Clinical pathology accreditation: standards for the medical laboratory, **729**  
How do microbiology consultants undertake their jobs? A survey of consultant time and tasks in South West England, **735**
- progesterone receptor**, The effects of tamoxifen on proliferation and steroid receptor expression in postmenopausal endometrium, **514**
- prognosis**, Histological grading of papillary urothelial carcinoma of the bladder: prognostic value of the 1998 WHO/ISUP classification system and comparison with conventional grading systems, **900**  
Incidence and prognostic significance of hypercalcaemia in B-cell non-Hodgkin's lymphoma, **637**  
Long term prognostic value of Nottingham histological grade and its components in early (pT1N0M0) breast carcinoma, **88**  
Primary acinic cell carcinoma of the breast, **545**  
Pulmonary mucinous cystic tumour of borderline malignancy: a rare variant of adenocarcinoma: *letter*, **156**  
Suprabasal p53 immunorexpression is strongly associated with high grade dysplasia and risk for malignant transformation in potentially malignant oral lesions from Northern Ireland, **98**  
The expression of bone morphogenetic proteins in osteosarcoma and its relevance as a prognostic parameter, **381**
- prognostication**, Clinically useful monoclonal antibodies in treatment, **81**
- progression**, Histological grading of papillary urothelial carcinoma of the bladder: prognostic value of the 1998 WHO/ISUP classification system and comparison with conventional grading systems, **900**
- prolactinoma**, Progression on metastatic neuroendocrine carcinoma from a recurrent prolactinoma: a case report, **148**
- proliferation**, Proliferation, apoptosis, and intratumoral vascularity in multiple myeloma: correlation with the clinical stage and cytological grade, **530**  
The effects of tamoxifen on proliferation and steroid receptor expression in postmenopausal endometrium, **514**
- proliferative activity**, Comparison of Ki-67 equivalent antibodies, **467**
- propiolactone**, Effect of  $\beta$  propiolactone viral inactivation on  $\alpha 1$  antitrypsin values, **659**
- prostate cancer**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- prostate, carcinoma**, Her-2/neu oncogene amplification in clinically localised prostate cancer, **118**
- prostate neoplasm**, Effects of complete androgen blockade for 12 and 24 weeks on the pathological stage and resection margin status of prostate cancer, **508**
- prostate**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- prostatic intraepithelial neoplasia**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- protocols**, British Andrology Society guidelines for the assessment of post vasectomy semen samples (2002), **812**
- pseudoinvasion**, Diagnostic difficulty arising from displaced epithelium after core biopsy in intracystic papillary lesions of the breast, **780**
- pseudoxanthochromia**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage, **640**
- pulmonary embolism**, A case of membranous glomerulonephritis presenting as pulmonary embolism and acute hyperlipidaemia, **538**
- Pulmonary mucinous cystic tumours of low or borderline malignant potential**, Pulmonary mucinous cystic tumour of borderline malignancy: a rare variant of adenocarcinoma: *letter*, **156**
- pyrrolizidine alkaloids**, Hepatic veno-occlusive disease as a result of a traditional remedy: confirmation of toxic pyrrolizidine alkaloids as the cause, using an in vitro technique, **676**
- quality control**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**  
Tissue microarrays: a new approach for quality control in immunohistochemistry, **613**
- Quorn**, Sensitivity to Quorn mycoprotein (*Fusarium venenatum*) in a mould allergic patient, **876**
- radical prostatectomy**, Effects of complete androgen blockade for 12 and 24 weeks on the pathological stage and resection margin status of prostate cancer, **508**  
Incidental findings in pelvic lymph nodes at radical prostatectomy, **623**
- radioimaging**, Imaging bacterial infection with  $^{99m}\text{Tc}$ -ciprofloxacin (Infecton), **817**
- radiotherapy**, Changes produced in the urothelium by traditional and newer therapeutic procedures for bladder cancer, **641**
- RANKL**, Tumour cells produce receptor activator of NF- $\kappa$ B ligand (RANKL) in skeletal metastases, **877**
- reactive oxygen species**, NADPH oxidase(s): new source(s) of reactive oxygen species in the vascular system?, **561**
- recombinant technology**, Clinically useful monoclonal antibodies in treatment: *review*, **81**
- rectal neoplasm**, Metastatic rectal adenocarcinoma to the liver associated with focal nodular hyperplasia, **967**
- recurrence**, Histological grading of papillary urothelial carcinoma of the bladder: prognostic value of the 1998 WHO/ISUP classification system and comparison with conventional grading systems, **900**
- recurrent cancer**, Tumour histological grade may progress between primary and recurrent invasive mammary carcinoma, **293**
- reduced bone formation**, Bone and the Gulf War, **884**  
Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **897**
- renal cell carcinoma**, Renal oncocytoma with a novel chromosomal rearrangement, der(13)t(13;16)(p11;p11), associated with a renal cell carcinoma: *letter*, **157**
- renal oncocytoma**, Renal oncocytoma with a novel chromosomal rearrangement, der(13)t(13;16)(p11;p11), associated with a renal cell carcinoma: *letter*, **157**
- renal transplantation**, Laboratory investigations following an unexpectedly positive crossmatch result in a patient awaiting renal transplantation, **627**
- repeat testing**, Unnecessary repeat requesting of tests in a university teaching hospital immunology laboratory: an audit: *letter*, **78**
- reproducibility**, Routine morphometrical analysis can improve reproducibility of dysplasia grade in Barrett's oesophagus surveillance biopsies, **910**
- research assessment**, Total research productivity in a pathology discipline, **495**
- reticulocytes**, The clinical relevance of an isolated increase in the number of circulating hyperchromic red blood cells, **841**
- reverse transcription polymerase chain reaction analysis**, Frequent expression of smooth muscle markers in malignant fibrous histiocytoma of bone, **853**
- review**, Apoptosis in myocardial ischaemia and infarction, **801**  
The causal relation between human papillomavirus and cervical cancer, **244**
- rheumatoid arthritis**, Clinically useful monoclonal antibodies in treatment: *review*, **81**
- RNA extraction**, A reliable method for total RNA extraction from frozen human bone marrow samples taken at diagnosis of acute leukaemia, **865**
- RNA in situ hybridisation**, Telomerase activity detected in oral lichen planus by RNA in situ hybridisation: not a marker for malignant transformation, **602**
- RNA yield**, A reliable method for total RNA extraction from frozen human bone marrow samples taken at diagnosis of acute leukaemia, **865**
- salivary gland**, Primary T cell lymphoma of salivary gland: a report of a case and review of the literature, **61**
- salmonella**, An evaluation of the performance of XLD, DCA, MLCB, and ABC agars as direct plating media for the isolation of *Salmonella enterica* from faeces, **286**
- Scedosporium apiospermum**, *Scedosporium apiospermum* in chronic granulomatous disease treated with an HLA matched bone marrow transplant, **784**
- schwannoma**, A primary tumour of the oesophagus with both melanocytic and schwannian differentiation. Melanocytic schwannoma or malignant melanoma?, **318**
- scientist**, Total research productivity in a pathology discipline, **495**
- sebaceous tumours**, Loss of p21<sup>WAF1</sup> compartmentalisation in sebaceous carcinoma compared with sebaceous hyperplasia and sebaceous adenoma, **763**
- self sampling**, Primary screening for high risk HPV by home obtained cervicovaginal lavage is an alternative screening tool for unscreened women, **435**
- sensitivity and specificity**, A multicentre evaluation of the diagnostic efficiency of serological investigations for C1 inhibitor deficiency, **145**
- sensitivity**, Sensitivity to Quorn mycoprotein (*Fusarium venenatum*) in a mould allergic patient, **876**
- sentinel lymph nodes**, Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients, **926**
- sentinel node**, Multiparameter flow cytometry as a tool for the detection of micrometastatic tumour cells in the sentinel lymph node procedure of patients with breast cancer, **359**  
Non-sentinel lymph node involvement in patients with breast cancer and sentinel node micrometastasis; too early to abandon axillary clearance, **932**
- sepsis**, Localisation of C reactive protein in infarcted tissue sites of multiple organs during sepsis, **152**

- seroepidemiology**, Seroepidemiology of *Chlamydia pneumoniae* in Japan between 1991 and 2000, **115**
- seroprevalence**, Detection of HHV-8 in reactive lymphoid tissue of patients from São Paulo state, Brazil: *letter*, **78**
- serum screening**, Laboratory investigations following an unexpectedly positive crossmatch result in a patient awaiting renal transplantation, **627**
- sickle cell disease**, Accuracy of the urinary albumin to creatinine ratio as a predictor of albuminuria in adults with sickle cell disease, **973**
- sinonasal cavity**, Atypical (bizarre) leiomyoma of the nasal cavity with prominent myxoid change, **872**
- skeletal metastases**, Tumour cells produce receptor activator of NF- $\kappa$ B ligand (RANKL) in skeletal metastases, **877**
- skeletal muscle fibre types**, Validation of a simple, rapid, and economical technique for distinguishing type 1 and 2 fibres in fixed and frozen skeletal muscle, **375**
- skin tags**, Skin tags and the atherogenic lipid profile, **639**  
Skin tags and the atherogenic lipid profile, **639**
- small cell melanoma**, Small cell melanoma: *letter*, **78**
- smooth muscle antibodies**, Re: Whether smooth muscle antibodies in the third millennium?, **558**
- smooth muscle cell**, High molecular weight caldesmon positive stromal cells in the capsule of thyroid follicular tumours and tumour-like lesions, **917**
- smooth muscle markers**, Frequent expression of smooth muscle markers in malignant fibrous histiocytoma of bone, **853**
- solar simulated radiation**, Comparison of the expression of p53, p21, Bax and the induction of apoptosis between patients with basal cell carcinoma and normal controls in response to ultraviolet irradiation, **829**
- SP1**, Age related expression of Werner's syndrome protein in selected tissues and coexpression of transcription factors, **195**
- spermatozoa**, British Andrology Society guidelines for the assessment of post vasectomy semen samples (2002), **812**
- Spitz's naevus**, Small cell melanoma: *letter*, **78**
- splenectomy**, A survey of vaccine coverage and antibiotic prophylaxis in splenectomised patients in Scotland, **472**  
Anti-D immunoglobulin treatment for thrombocytopenia associated with primary antibody deficiency, **64**
- squamous cell carcinoma**, Clinicopathological significance of p16 gene expression in the surgical treatment of head and neck squamous cell carcinomas, **58**
- staphylococcal**, DNA fingerprinting analysis of coagulase negative staphylococci implicated in catheter related bloodstream infections, **824**
- step sectioning**, Complete sectioning of axillary sentinel nodes in patients with breast cancer. Analysis of two different step sectioning and immunohistochemistry protocols in 246 patients, **926**
- sterilisation**, British Andrology Society guidelines for the assessment of post vasectomy semen samples (2002), **812**
- sternal osteomyelitis**, Sternal osteomyelitis caused by *Aspergillus fumigatus* in a patient with previously treated Hodgkin's disease, **616**
- stomach**, A clinicopathological study of 152 surgically treated primary gastric lymphomas with survival analysis of 109 high grade tumours, **346**
- stools**, Efficient isolation of campylobacters from stools: what are we missing?, **239**
- stress**, Workload and stress in consultant medical microbiologists and virologists: a questionnaire survey, **200**
- stromal cell**,  $\alpha$  Smooth muscle actin positive stromal cells in gastric carcinoma, **741**
- subarachnoid haemorrhage**, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *reply*, **479**  
CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *letter*, **640**
- subtypes**, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **800**  
Hodgkin's lymphoma: the pathologist's viewpoint, **162**
- sudden unexplained death**, Sudden unexplained death in adults caused by intracranial pathology, **44**
- surgical specimens**, Digital imaging of surgical specimens, **477**
- survival**, A clinicopathological study of 152 surgically treated primary gastric lymphomas with survival analysis of 109 high grade tumours, **346**
- synchronous distant metastases**, Conclusions from a study of venous invasion in stage IV colorectal adenocarcinoma, **17**
- syndrome of inappropriate secretion of antidiuretic hormone**, Severe hyponatraemia: investigation and management in a district general hospital, **893**  
The investigation and management of severe hyponatraemia, **883**
- T cell lymphoma**, Immunohistochemical classification of T cell and NK cell neoplasms, **892**  
Primary T cell lymphoma of salivary gland: a report of a case and review of the literature, **61**
- Takayasu**, Takayasu arteritis: a review, **481**
- tamoxifen**, The effects of tamoxifen on proliferation and steroid receptor expression in postmenopausal endometrium, **514**
- target age group**, Changes in age related seroprevalence of antibody to varicella zoster virus: impact on vaccine strategy, **154**
- teleconsultation**, Transcontinental communication and quantitative digital histopathology via the Internet; with special reference to prostate neoplasia, **452**
- telepathology**, Offline telepathology diagnosis of colorectal polyps: a study of interobserver agreement and comparison with glass slide diagnoses, **305**
- telomerase**, Telomerase activation and human papillomavirus infection in invasive uterine cervical carcinoma in a set of Malaysian patients, **22**  
Telomerase activity detected in oral lichen planus by RNA in situ hybridisation: not a marker for malignant transformation, **602**
- terminal deoxynucleotidyl transferase dUTP nick end labelling**, The detection of apoptosis in a human in vitro skin explant assay for graft versus host reactions, **127**
- terminology**, Diagnosis of premalignant endometrial disease, **326**
- testis**, Primary follicular lymphoma of the testis in childhood: an entity with peculiar clinical and molecular characteristics, **684**
- thrombospondin**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**  
Thrombospondin 1 protein expression relates to good prognostic indices in ductal carcinoma in situ of the breast, **921**
- thromboxane synthase**, Thromboxane synthase immunohistochemistry in inflammatory bowel disease, **367**
- thromboxane**, Thromboxane synthase immunohistochemistry in inflammatory bowel disease, **367**
- thymic cyst**, A case of rapidly enlarging unilocular thymic cyst, **636**
- thyroid**, High molecular weight caldesmon positive stromal cells in the capsule of thyroid follicular tumours and tumour-like lesions, **917**
- time management**, Clinical pathology accreditation: standards for the medical laboratory, **729**  
How do microbiology consultants undertake their jobs? A survey of consultant time and tasks in South West England, **735**
- tissue microarray**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**  
Reliability of the tissue microarray based FISH for evaluation of the HER-2 oncogene in breast carcinoma, **315**  
Tissue microarrays: a new approach for quality control in immunohistochemistry, **613**
- tissue processing**, Distribution of cervical glandular intraepithelial neoplasia: are hysterectomy specimens sampled appropriately?, **629**
- tissue transglutaminase**, A comparison of 13 guinea pig and human anti-tissue transglutaminase antibody ELISA kits, **488**
- tobacco smoking**, Specific p53 immunostaining patterns are associated with smoking habits in patients with oral squamous cell carcinomas, **834**
- total protein**, New criteria for the differentiation between transudates and exudates, **69**
- Townsend score**, Is clinical practice variability the major reason for differences in pathology requesting patterns in general practice?, **312**
- Toxoplasma gondii**, Two case reports of pituitary adenoma associated with *Toxoplasma gondii* infection, **965**
- toxoplasmosis**, Fatal disseminated toxoplasmosis in a toxoplasma seropositive liver transplant recipient, **637**
- TP53 mutation**, Specific p53 immunostaining patterns are associated with smoking habits in patients with oral squamous cell carcinomas, **834**
- traditional remedy**, Hepatic veno-occlusive disease as a result of a traditional remedy: confirmation of toxic pyrrolizidine alkaloids as the cause, using an in vitro technique, **676**
- trainee pathologists**, Grand Round Presentation, **487**
- transudates**, New criteria for the differentiation between transudates and exudates, **69**
- treatment**, Current management of hereditary angio-oedema (C1 esterase inhibitor deficiency), **266**  
Takayasu arteritis: a review, **481**
- trisomy 21**, Hypercalcaemia in association with trisomy 21 (Down's syndrome), **543**
- tumour bank**, A reliable method for total RNA extraction from frozen human bone marrow samples taken at diagnosis of acute leukaemia, **865**
- tumour border**, Lack of CD34 positive stromal cells within angiomyomas (vascular leiomyomas), **395**
- tumour cell dissemination**, Increased nm23 immunoreactivity is associated with selective inhibition of systemic tumour cell dissemination, **184**
- tumour classification**, Site distribution of oesophagogastric cancer, **191**
- tumour invasion**, Matrix metalloproteinase 13 activity is associated with poor prognosis in colorectal cancer, **758**
- tumour necrosis factor  $\alpha$** , Clinically useful monoclonal antibodies in treatment: *review*, **81**

- tumour progression**, Tumour histological grade may progress between primary and recurrent invasive mammary carcinoma, **293**
- tumour regression**, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **718**
- tumour site**, Site distribution of oesophagogastric cancer, **191**
- tumour**, Primary amyloid tumour of the breast: a case report, **634**
- type 1 autoimmune hepatitis**, Re: Whither smooth muscle antibodies in the third millennium?, **558**
- type IV collagen**, Basement membrane and connective tissue proteins in intestinal mucosa of patients with coeliac disease, **440**
- ulcerative colitis**, Discriminant histological features in the diagnosis of chronic idiopathic inflammatory bowel disease: analysis of a large dataset by a novel data visualisation technique, **51**  
Thromboxane synthase immunohistochemistry in inflammatory bowel disease, **367**
- ultrasound**, Ultrasound enhanced detection of individual meningococcal serogroups by latex immunoassay, **37**
- unmodified rib shears**, How should the chest wall be opened at necropsy?, **72**
- urinary albumin to creatinine ratio**, Accuracy of the urinary albumin to creatinine ratio as a predictor of albuminuria in adults with sickle cell disease, **973**
- urinary bladder**, Extranodal marginal zone B cell lymphoma of MALT type involving the mucosa of both the urinary bladder and stomach, **554**
- uterus**, Malignant biphasic uterine tumours: carcinosarcomas or metaplastic carcinomas?, **321**  
The effect of phytoestrogens on the female genital tract, **401**
- vaccination**, Cervical cancer, **241**  
Changes in age related seroprevalence of antibody to varicella zoster virus: impact on vaccine strategy, **154**
- vaccines, prophylaxis**, A survey of vaccine coverage and antibiotic prophylaxis in splenectomised patients in Scotland, **472**
- vaginal maturation**, The effect of Replens<sup>®</sup> on vaginal cytology in the treatment of postmenopausal atrophy: cytomorphology versus computerised cytometry, **446**
- varicella zoster virus**, Changes in age related seroprevalence of antibody to varicella zoster virus: impact on vaccine strategy, **154**
- varicella zoster**, Oesophagobronchial fistula caused by varicella zoster virus in a patient with AIDS: a unique case, **397**  
Vaccination to prevent varicella and shingles: *letter*, **399**  
Vaccination to prevent varicella and shingles: *reply*, **399**
- vascular endothelial growth factor**, Angiogenesis, thrombospondin, and ductal carcinoma in situ of the breast, **569**
- vasculitis**, Cryoglobulins: *review*, **4**
- Immunofluorescent patterns produced by antineutrophil cytoplasmic antibodies (ANCA) vary depending on neutrophil substrate and conjugate, **680**
- vegans**, Dietary vitamin B12 deficiency in an adolescent white boy, **475**
- veins**, *Chlamydia pneumoniae* in infrequently examined blood vessels, **218**
- venous invasion**, Conclusions from a study of venous invasion in stage IV colorectal adenocarcinoma, **17**
- view and grant system**, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **878**
- villous architecture**, Is a raised intraepithelial lymphocyte count with normal duodenal villous architecture clinically relevant?, **424**
- viral inactivation**, Effect of  $\beta$  propiolactone viral inactivation on  $\alpha 1$  antitrypsin values, **659**
- virology**, Workload and stress in consultant medical microbiologists and virologists: a questionnaire survey, **200**
- vulva**, Recurrent cellular angiofibroma of the vulva, **477**
- vulvovaginitis**, Clinical and microbiological features of *Haemophilus influenzae* vulvovaginitis in young girls, **961**
- Wegener's granulomatosis**, Immunofluorescent patterns produced by antineutrophil cytoplasmic antibodies (ANCA) vary depending on neutrophil substrate and conjugate, **680**
- Werner's syndrome protein**, Age related expression of Werner's syndrome protein in selected tissues and coexpression of transcription factors, **195**
- Werner's syndrome**, Age related expression of Werner's syndrome protein in selected tissues and coexpression of transcription factors, **195**
- workforce planning**, Workload and stress in consultant medical microbiologists and virologists: a questionnaire survey, **200**
- workload**, Is microscopic assessment of macroscopically normal hysterectomy specimens necessary?, **67**  
Proactive management of histopathology workloads: analysis of the UK Royal College of Pathologists' recommendations on specimens of limited or no clinical value on the workload of a teaching hospital gastrointestinal pathology service, **850**  
Workload and stress in consultant medical microbiologists and virologists: a questionnaire survey, **200**
- World Health Organisation/International Society of Urologic Pathology grading system**, Histological grading of papillary urothelial carcinoma of the bladder: prognostic value of the 1998 WHO/ISUP classification system and comparison with conventional grading systems, **900**