

Subject index

- 16S rDNA**, Chronic granulomatous pleuritis caused by nocardia: PCR based diagnosis by nocardial 16S rDNA in pathological specimens, **966**
- 16S rRNA sequencing**, *Gemella* bacteraemia characterised by 16S ribosomal RNA gene sequencing, **690**
- 25-hydroxyvitamin D-1 γ -hydroxylase**, Increase in serum 1,25-dihydroxyvitamin D and hypercalcaemia in a patient with inflammatory myofibroblastic tumour, **310**
- 28 day mortality**, Mannan binding lectin in febrile adults: no correlation with microbial infection and complement activation, **956**
- ABCA1**, Postprandial hypertriglyceridaemia in patients with Tangier disease, **937**
- accuracy**, Accuracy and completeness of the documentation of blood culture results, **558**
- acid fastness**, Optimisation of acid fast smears for the direct detection of mycobacteria in clinical samples, **613**
- acinic cell carcinoma**, Salivary gland-like tumours of the breast: surgical and molecular pathology, **497**
- actin**, Inflammatory pseudotumour associated with chronic persistent *Eikenella corrodens* infection: a case report and brief review, **868**
- active caspase-3**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- acute leukaemia**, Association of acute parvovirus B19 infection with new onset of acute lymphoblastic and myeloblastic leukaemia, **873**
Pseudoplatelets: a retrospective study of their incidence and interference with platelet counting, **772**
- acute myocardial infarction**, Increased Nox2 expression in human cardiomyocytes after acute myocardial infarction, **194**
- adenocarcinoma**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
Minimal focus of adenocarcinoma on prostate biopsy: clinicopathological correlations, **230**
Mucinous adenocarcinoma with superficial stromal invasion and villous adenoma of urachal remnants: a case report, **465**
Recurrent urachal adenocarcinoma, **882**
Splenic rupture as a consequence of dual malignant pathology: a case report, **709**
Urachal adenocarcinoma in situ with pseudomyxoma peritonei: a case report, **152**
- adenocarcinoma in situ**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
- adenovirus**, Genetic characterisation of adenovirus type 8 isolated in Hiroshima city over a 15 year period, **120**
- adult**, Juxtaoral organ of Chievitz presenting clinically as a tumour, **789**
- aetiology**, HPV infections in benign and malignant sinonasal lesions, **174**
Pathogenesis of systemic lupus erythematosus, **481**
- albumin**, Measurement of serum albumin by capillary zone electrophoresis, bromocresol green, bromocresol purple, and immunoassay methods, **780**
- allele specific oligonucleotide real time quantitative polymerase chain reaction**, Development of immunoglobulin variable heavy chain gene consensus probes with conjugated 3' minor groove binder groups for monitoring minimal residual disease in childhood acute lymphoblastic leukaemia, **952**
- alveolar**, Myogenin and MyoD1 expression in paediatric rhabdomyosarcomas, **412**
- alveolitis**, Pulmonary tumour microembolism clinically mimicking alveolitis, **866**
- ambulatory pH monitoring**, Histological changes in the oesophageal squamous mucosa: correlation with ambulatory 24 hour pH monitoring, **205**
- amelanotic melanoma**, A rare case of intracranial metastatic amelanotic melanoma with cyst, **548**
- amplification refractory mutation system polymerase chain reaction diagnosis**, Hb Q-India: an uncommon variant diagnosed in three Punjabi patients with diabetes is identified by a novel DNA analysis test, **296**
- amyloid**, Micropurification techniques in the analysis of amyloid proteins, **86**
- amyloidosis**, Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amylacea in a woman with long standing primary Sjögren's syndrome, **74**
- Anaerobiospirillum**, *Anaerobiospirillum succiniciproducens* bacteraemia, **316**
- anaplastic large cell lymphoma**, Caution should be taken in using CD31 for distinguishing the vasculature of lymph nodes, **638**
How do we define Hodgkin's disease? The authors' reply, **159**
Immune escape mechanisms in ALCL, **423**
- angiogenesis**, Angiopoietin switching regulates angiogenesis and progression of human hepatocellular carcinoma, **854**
Loss of pigment epithelium derived factor expression in glioma progression, **277**
- angiopoietin**, Angiopoietin switching regulates angiogenesis and progression of human hepatocellular carcinoma, **854**
- antibiotic resistance**, National surveillance programme on susceptibility patterns of respiratory pathogens in South Africa: moxifloxacin compared with eight other antimicrobial agents, **344**
- anti-CD20**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- anticoagulation management**, External quality assessment for warfarin dosing using computerised decision support software, **605**
- anti-endomysium antibodies**, The role of antitissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study, **389**
- antimicrobial peptide**, Defensin pattern in chronic gastritis: HBD-2 is differentially expressed with respect to *Helicobacter pylori* status, **352**
- antimyeloperoxidase antibodies**, Audit of the clinical usefulness of a rapid qualitative ELISA screen for antimyeloperoxidase and antiproteinase 3 antibodies in the assessment of patients with suspected vasculitis, **775**
- antineutrophil cytoplasmic antibodies**, Audit of the clinical usefulness of a rapid qualitative ELISA screen for antimyeloperoxidase and antiproteinase 3 antibodies in the assessment of patients with suspected vasculitis, **775**
- antiproteinase 3 antibodies**, Audit of the clinical usefulness of a rapid qualitative ELISA screen for antimyeloperoxidase and antiproteinase 3 antibodies in the assessment of patients with suspected vasculitis, **775**
- antiseptics**, Prevention of catheter related bloodstream infection by silver iontophoretic central venous catheters: a randomised controlled trial, **731**
- antitissue transglutaminase antibodies**, The role of antitissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study, **389**
- aortic valve**, *Salmonella typhi* endocarditis: a case report, **801**
- APC gene**, APC mutation and tumour budding in colorectal cancer, **69**
- apoptosis**, Enhanced telomere shortening in transformed lymphoblasts from patients with X linked dyskeratosis, **583**
Immune escape mechanisms in ALCL, **423**
Increased apoptosis in gastric mucosa adjacent to intestinal metaplasia, **358**
Mitochondrial disruption and apoptosis in lymphocytes of an HIV infected patient affected by lactic acidosis after treatment with highly active antiretroviral therapy, **147**
Right ventricular dilatation after left ventricular acute myocardial infarction is predictive of extremely high peri-infarctual apoptosis at postmortem examination in humans, **672**
- apoptosis, inducible nitric oxide synthase**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- appropriateness**, Inequalities of primary care microbiology testing between hospital catchment areas, **933**
- aquaporin**, Water transport becomes uncoupled from K⁺ siphoning in brain contusion, bacterial meningitis, and brain tumours: immunohistochemical case review, **972**
- artefact**, Cartilage in bone marrow biopsy and purple granular deposits in the biopsy touch, **883**

- aspergillus**, Fungus colonisation of pulmonary rheumatoid nodule, **636**
- asphyctic death**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- aspiration pneumonia**, A tale of three aspirations: foreign bodies in the airway, **791**
- aspirin**, Dietary salicylates, **649**
- assay**, Dietary folate deficiency with normal red cell folate and circulating blasts, **313**
- Association of Clinical Pathologists**, Sidney Dyke, **323**
- atherogenesis**, Measurement of 5-hydroxy-2-aminovaleric acid as a specific marker of metal catalysed oxidation of proline and arginine residues of low density lipoprotein apolipoprotein B-100 in human atherosclerotic lesions, **622**
- atherosclerotic**, Increased incidence of cytomegalovirus but not *Chlamydia pneumoniae* in atherosclerotic lesions of arteries of lower extremities from patients with diabetes mellitus undergoing amputation, **429**
- atrophic gastritis**, Increased apoptosis in gastric mucosa adjacent to intestinal metaplasia, **358**
- atypical naevi**, Histopathological characteristics of small diameter melanocytic naevi, **459**
- autoantibody**, Pathogenesis of systemic lupus erythematosus, **481**
- autoimmune**, Pathogenesis of systemic lupus erythematosus, **481**
- autoimmune enteropathy**, Intestinal goblet cell autoantibody associated enteropathy, **629**
- autoimmunity**, HLA-G does not have a pathophysiological role in Graves' disease, **475**
- automation**, Evaluation of the IRIS 939 UDx flow microscope as a screening system for urinary tract infection, **844**
- B cell lymphoma**, Immunohistochemical classification of B cell neoplasms, **193**
- B3 category**, Will the spectrum of lesions prompting a "B3" breast core biopsy increase the benign biopsy rate?, **133**
- babA2**, *Helicobacter pylori* babA2, cagA, and s1 vacA genes work synergistically in causing intestinal metaplasia, **287**
- Bacillus anthracis**, *Bacillus anthracis*, **182**
- bacteraemia**, Gemella bacteraemia characterised by 16S ribosomal RNA gene sequencing, **690**
- Anaerobiospirillum succiniciproducens* bacteraemia, **316**
- bacteriuria**, Evaluation of the IRIS 939 UDx flow microscope as a screening system for urinary tract infection, **844**
- Barrett's oesophagus**, Detection of sulfated glycoproteins in intestinal metaplasia: a comparison of traditional mucin staining with immunohistochemistry for the sulfo-Lewis^a carbohydrate epitope, **703**
- basement membrane**, Basement membrane components, **885**
- Bax**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- bcl-2**, Bone marrow immunohistology of plasma cell neoplasms, **406**
- Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- Bcl-xl**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- BCR-ABL**, Derivative chromosome 9 deletions in chronic myeloid leukaemia: interpretation of atypical D-FISH pattern, **471**
- benign biopsies**, Will the spectrum of lesions prompting a "B3" breast core biopsy increase the benign biopsy rate?, **133**
- benign prostate hyperplasia**, Endothelin B receptor gene hypermethylation in prostate adenocarcinoma, **52**
- bilateral**, Molecular cytogenetic investigations of synchronous bilateral breast cancer, **660**
- bilirubin**, Unconjugated bilirubin in human bile: the nucleating factor in cholesterol cholelithiasis?, **596**
- biochemistry**, Concurrent vitreous disease may produce abnormal vitreous humour biochemistry and toxicology, **720**
- biological warfare**, *Bacillus anthracis*, **182**
- biopsy**, Pathologists and gastroenterologists, **241**
- Variations in the processing of prostatic needle cores in the UK; what is safe?, **341**
- bladder**, Mucinous adenocarcinoma with superficial stromal invasion and villous adenoma of urachal remnants: a case report, **465**
- bleeding risk**, Pseudoplatelets: a retrospective study of their incidence and interference with platelet counting, **772**
- blood cultures**, Accuracy and completeness of the documentation of blood culture results, **558**
- bone histomorphometry**, Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **559**
- bone marrow**, Chymase expressing bone marrow mast cells in mastocytosis and myelodysplastic syndromes: an immunohistochemical and morphometric study, **103**
- Evidence of clonality in chronic neutrophilic leukaemia, **292**
- Metastasis of solid tumours in bone marrow: a study from Kashmir, India, **803**
- bone marrow biopsy**, Cartilage in bone marrow biopsy and purple granular deposits in the biopsy touch, **883**
- brain swelling**, Water transport becomes uncoupled from K⁺ siphoning in brain contusion, bacterial meningitis, and brain tumours: immunohistochemical case review, **972**
- brain tumour**, Water transport becomes uncoupled from K⁺ siphoning in brain contusion, bacterial meningitis, and brain tumours: immunohistochemical case review, **972**
- breast**, Clear cell carcinoma of the breast with solid papillary pattern: a case report with immunohistochemical profile, **552**
- Core needle biopsy in male breast lesions, **863**
- Fine needle aspiration cytology of granulomatous mastitis, **519**
- Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amyloacea in a woman with long standing primary Sjögren's syndrome, **74**
- There is more than one kind of myofibroblast: analysis of CD34 expression in benign, in situ, and invasive breast lesions, **271**
- breast cancer**, A little bit more on the slide, **720**
- Core needle biopsy in male breast lesions, **863**
- Insulin-like growth factor system gene expression in women with type 2 diabetes and breast cancer, **599**
- Molecular cytogenetic investigations of synchronous bilateral breast cancer, **660**
- p21^{WAF1} expression in invasive breast cancer and its association with p53, AP-2, cell proliferation, and prognosis, **214**
- Type 1 growth factor receptor expression in node positive breast cancer: adverse prognostic significance of c-erbB-4, **300**
- breast cancer screening**, Measures of benefit for breast screening from the pathology database for Scotland, 1991–2001, **654**
- breast carcinomas**, Association between histology grade, expression of HsMCM2, and cyclin A in human invasive breast carcinomas, **368**
- breast disease**, P-cadherin as a marker in the differential diagnosis of breast lesions, **139**
- breast lesions**, Pathologists like a bit on the slide, **319**
- breast screening**, Will the spectrum of lesions prompting a "B3" breast core biopsy increase the benign biopsy rate?, **133**
- bromocresol green**, Measurement of serum albumin by capillary zone electrophoresis, bromocresol green, bromocresol purple, and immunoassay methods, **780**
- bromocresol purple**, Measurement of serum albumin by capillary zone electrophoresis, bromocresol green, bromocresol purple, and immunoassay methods, **780**
- bronchial obstruction**, A tale of three aspirations: foreign bodies in the airway, **791**
- bronchopleural fistula**, Fungus colonisation of pulmonary rheumatoid nodule, **636**
- budding**, APC mutation and tumour budding in colorectal cancer, **69**
- Burkitt's lymphoma**, Burkitt's lymphoma: new insights into molecular pathogenesis, **188**
- C cell**, Differential expression of galectin 3 in solid cell nests and C cells of human thyroid, **142**
- C peptide**, Clinical and laboratory investigation of adult spontaneous hypoglycaemia, **641**
- cagA**, *Helicobacter pylori* babA2, cagA, and s1 vacA genes work synergistically in causing intestinal metaplasia, **287**
- Caldicott committee**, The Caldicott report and patient confidentiality, **426**
- calpain 3**, The effect of calpain 3 deficiency on the pattern of muscle degeneration in the earliest stages of LGMD2A, **624**
- calretinin**, Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
- Campylobacter spp**, Optimal detection of *Campylobacter* spp in stools, **480**
- cancer**, APC mutation and tumour budding in colorectal cancer, **69**
- Detection of sulfated glycoproteins in intestinal metaplasia: a comparison of traditional mucin staining with immunohistochemistry for the sulfo-Lewis^a carbohydrate epitope, **703**

- Candida glabrata**, Routine use of a one minute trehalase and maltase test for the identification of *Candida glabrata* in four laboratories, **687**
- Cape Town protocol**, Optimal detection of *Campylobacter* spp in stools, **480**
- capillary zone electrophoresis**, Measurement of serum albumin by capillary zone electrophoresis, bromocresol green, bromocresol purple, and immunoassay methods, **780**
- carcinoid**, Multiple microcarcinoids in a patient with long standing ulcerative colitis, **963**
- carcinoma**, Carcinoma metastasis to unexpected synchronous lymphoproliferative disorder: report of three cases and review of literature, **970**
- carcinoma in situ**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**
- carcinosarcoma**, An early lesion of pulmonary carcinosarcoma: possible diagnostic problem in frozen section interpretation, **638**
- cardiomyocytes**, Increased Nox2 expression in human cardiomyocytes after acute myocardial infarction, **194**
- cartilage**, Cartilage in bone marrow biopsy and purple granular deposits in the biopsy touch, **883**
- Cartilaginous tumour**, Symptomatic laryngeal nodular chondrometaplasia: a clinicopathological study, **976**
- case report**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- β catenin**, Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue microarray study, **898**
- catheter related bloodstream infection**, Prevention of catheter related bloodstream infection by silver iontophoretic central venous catheters: a randomised controlled trial, **731**
- CD10**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **79**
- CD103**, The number of intraepithelial T cells decreases from ascending colon to rectum, **158**
- CD138**, Bone marrow immunohistology of plasma cell neoplasms, **406**
- CD31**, Caution should be taken in using CD31 for distinguishing the vasculature of lymph nodes, **638**
Detection of tumour lymphovascular space invasion using dual cytokeratin and CD31 immunohistochemistry, **786**
- CD34**, Caution should be taken in using CD31 for distinguishing the vasculature of lymph nodes, **638**
There is more than one kind of myofibroblast: analysis of CD34 expression in benign, in situ, and invasive breast lesions, **271**
- CD44**, Prognostic significance of CD44 expression in diffuse large B cell lymphoma of activated and germinal centre B cell-like types: a tissue microarray analysis of 90 cases, **747**
- CD68**, Inflammatory pseudotumour associated with chronic persistent *Eikenella corrodens* infection: a case report and brief review, **868**
- CD8+ cells**, Density of neoplastic lymphoid infiltrate, CD8+ T cells, and CD1a+ dendritic cells in mycosis fungoides, **453**
- cell cycle**, Burkitt's lymphoma: new insights into molecular pathogenesis, **188**
Salivary duct carcinoma: immunohistochemical profile of an aggressive salivary gland tumour, **914**
- central venous catheter**, Prevention of catheter related bloodstream infection by silver iontophoretic central venous catheters: a randomised controlled trial, **731**
- c-erbB 3**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- c-erbB-2**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- c-erbB-2**, Salivary duct carcinoma: immunohistochemical profile of an aggressive salivary gland tumour, **914**
- c-erbB-4**, Type 1 growth factor receptor expression in node positive breast cancer: adverse prognostic significance of c-erbB-4, **300**
- certified lyophilised plasmas**, European Concerted Action on Anticoagulation (ECAA). An assessment of lyophilised plasmas for ISI calibration of CoaguChek and TAS whole blood prothrombin time monitors, **114**
- cervical cancer**, Expression of folate receptors and heterogeneous nuclear ribonucleoprotein E1 in women with human papillomavirus mediated transformation of cervical tissue to cancer, **569**
- cervical cytology**, A rare presentation of a rare disease, **78**
Ki-67 immunocytochemistry in liquid based cervical cytology: useful as an adjunctive tool?, **681**
- cervical glandular intraepithelial neoplasia**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
- cervical intraepithelial neoplasia**, Outcome of women with inadequate cervical smears followed up for five years, **592**
Visualising scanning patterns of pathologists in the grading of cervical intraepithelial neoplasia, **677**
- cervical lesion**, A rare presentation of a rare disease, **78**
- cervical neoplasia**, Detection of telomerase, its components, and human papillomavirus in cervical scrapings as a tool for triage in women with cervical dysplasia, **31**
- cervix**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
- chemokine**, *Helicobacter pylori* water soluble surface proteins prime human neutrophils for enhanced production of reactive oxygen species and stimulate chemokine production, **348**
- chemotherapy**, Prognostic relevance of rosette-like features in osteosarcoma, **831**
- children**, The clinical relevance of detection of minimal residual disease in childhood acute lymphoblastic leukaemia, **249**
- Chlamydia pneumoniae**, Increased incidence of cytomegalovirus but not *Chlamydia pneumoniae* in atherosclerotic lesions of arteries of lower extremities from patients with diabetes mellitus undergoing amputation, **429**
- Chlamydia trachomatis**, Associations between *Mycoplasma genitalium*, *Chlamydia trachomatis* and pelvic inflammatory disease, **616**
- Chlamydia trachomatis antibody**, Measurement of IgG antibodies to *Chlamydia trachomatis* by commercial enzyme immunoassays and immunofluorescence in sera from pregnant women and patients with infertility, pelvic inflammatory disease, ectopic pregnancy, and laboratory diagnosed *Chlamydia psittaci/Chlamydia pneumoniae* infection, **225**
- cholesterol**, Unconjugated bilirubin in human bile: the nucleating factor in cholesterol cholelithiasis?, **596**
- chondrometaplasia**, Symptomatic laryngeal nodular chondrometaplasia: a clinicopathological study, **976**
- chorioamnionitis**, Chorioamnionitis caused by *Serratia marcescens* in a non-immunocompromised host, **871**
- chromatography**, Micropurification techniques in the analysis of amyloid proteins, **86**
- chromogenic agars**, A comparison of the performance of commercially available chromogenic agars for the isolation and presumptive identification of organisms from urine, **608**
- chromogenic media**, Evaluation of a new chromogenic medium, Uriselect 4, for the isolation and identification of urinary tract pathogens, **528**
Routine use of a one minute trehalase and maltase test for the identification of *Candida glabrata* in four laboratories, **687**
- chromosomal instability**, Comparative genomic hybridisation divides retinoblastomas into a high and a low level chromosomal instability group, **26**
- chromosome**, Comparative genomic hybridisation divides retinoblastomas into a high and a low level chromosomal instability group, **26**
- chromosome 11**, Allelic imbalance at chromosome 11 in head and neck squamous cell carcinoma in an Indian patient population, **512**
- chromosome 9 deletion**, Derivative chromosome 9 deletions in chronic myeloid leukaemia: interpretation of atypical D-FISH pattern, **471**
- chronic lymphocytic leukaemia**, A comparison of flow cytometry, bone marrow biopsy, and bone marrow aspirates in the detection of lymphoid infiltration in B cell disorders, **129**
Carcinoma metastasis to unexpected synchronous lymphoproliferative disorder: report of three cases and review of literature, **970**
- chronic myeloid leukaemia**, Derivative chromosome 9 deletions in chronic myeloid leukaemia: interpretation of atypical D-FISH pattern, **471**
- chronic neutrophilic leukaemia**, Evidence of clonality in chronic neutrophilic leukaemia, **292**
- chronic osteomyelitis**, Chronic osteomyelitis mimicking sarcoma, **237**
Pelvic sarcoma arising from chronic osteomyelitis, **558**
- chymase**, Chymase expressing bone marrow mast cells in mastocytosis and myelodysplastic syndromes: an immunohistochemical and morphometric study, **103**
- cirrhosis**, Cirrhosis with steatohepatitis following longterm stilboestrol treatment, **639**

- c-kit**, Frequent occurrence of low grade cases among metastatic gastrointestinal stromal tumours, **363**
- clinical governance**, Risk management in pathology, **161**
- clinical risk**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- clinical usage**, Hepatitis C virus genotype testing in paraffin wax embedded liver biopsies for specimen identification, **960**
- clonality**, Diagnostic role of tests for T cell receptor (TCR) genes, 1
Evidence of clonality in chronic neutrophilic leukaemia, **292**
- Clostridium difficile**, The effects of storage conditions on viability of *Clostridium difficile* vegetative cells and spores and toxin activity in human faeces, **126**
- cluster analysis**, Molecular cytogenetic investigations of synchronous bilateral breast cancer, **660**
- coeliac disease**, The role of antitissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study, **389**
- colitis**, Endoscopic biopsies, **321**
- collagen**, Serum laminin and collagen IV in inflammatory bowel disease, **817**
- collagen IV**, Basement membrane components, **885**
- collagen necrosis**, Clinical, biochemical, and immunohistochemical features of necrobiotic xanthogranulomatosis, **64**
- collagenous colitis**, Intestinal goblet cell autoantibody associated enteropathy, **629**
- collagenous enterocolitis**, Intestinal goblet cell autoantibody associated enteropathy, **629**
- colon**, APC mutation and tumour budding in colorectal cancer, **69**
The number of intraepithelial T cells decreases from ascending colon to rectum, **158**
- colorectal cancer**, Nodal staging of colorectal carcinomas and sentinel nodes, **327**
Upregulation of tumour associated antigen RCAS1 is implicated in high stages of colorectal cancer, **764**
- colorectum**, Expression of Ki-67 and cytokeratin 20 in hyperplastic polyps of the colorectum, **200**
- comparative genomic hybridisation**, Comparative genomic hybridisation as a supportive tool in diagnostic pathology, **522**
Comparative genomic hybridisation divides retinoblastomas into a high and a low level chromosomal instability group, **26**
Molecular cytogenetic investigations of synchronous bilateral breast cancer, **660**
- complement activation**, Mannan binding lectin in febrile adults: no correlation with microbial infection and complement activation, **956**
- completeness**, Accuracy and completeness of the documentation of blood culture results, **558**
- complex sclerosing lesion**, Pathology and clinical relevance of radial scars: a review, **721**
- computed tomography**, Pulmonary tumour microembolism clinically mimicking alveolitis, **866**
- computerised decision support systems**, External quality assessment for warfarin dosing using computerised decision support software, **605**
- consent**, Necropsy practice after the "organ retention scandal": requests, performance, and tissue retention, **537**
- core biopsy**, Will the spectrum of lesions prompting a "B3" breast core biopsy increase the benign biopsy rate?, **133**
- core needle biopsy**, Core needle biopsy in male breast lesions, **863**
- corpora amylacea**, Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amylacea in a woman with long standing primary Sjögren's syndrome, **74**
- corridor consultations**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- corticosteroids**, Corticosteroids as adjunctive treatment in Austrian's syndrome (pneumococcal endocarditis, meningitis, and pneumonia): report of two cases and review of the literature, **879**
- COX-2**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- criteria in parasitology**, Best practice guidelines for the examination of specimens for the diagnosis of parasitic infections in routine diagnostic laboratories, **888**
- Crohn's disease**, Basement membrane components, **885**
Serum laminin and collagen IV in inflammatory bowel disease, **817**
Endoscopic biopsies, **321**
Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
- curriculum**, Medical educators' personal attitudes towards the necropsy, **950**
- cyclin A**, Association between histology grade, expression of HsMCM2, and cyclin A in human invasive breast carcinomas, **368**
- cyclin D3**, p27^{Kip1} protein expression in Hashimoto's thyroiditis, **587**
- cyst**, A rare case of intracranial metastatic amelanotic melanoma with cyst, **548**
- cytokeratin**, Detection of tumour lymphovascular space invasion using dual cytokeratin and CD31 immunohistochemistry, **786**
Expression of Ki-67 and cytokeratin 20 in hyperplastic polyps of the colorectum, **200**
Invasive lobular carcinoma and cytokeratin immunohistochemistry: an audit, **240**
Osteosarcoma with cytokeratin expression: a clinicopathological study of six cases with an emphasis on differential diagnosis from metastatic cancer, **742**
- cytokeratin 18**, Increased apoptosis in gastric mucosa adjacent to intestinal metaplasia, **358**
- cytokine**, Association of acute parvovirus B19 infection with new onset of acute lymphoblastic and myeloblastic leukaemia, **873**
Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection, **725**
- cytology**, Fine needle aspiration cytology in the diagnosis of uncommon types of lymphoma, **821**
Sputum cytology: an unsatisfactory test?, **78**
Sputum examination for early detection of lung cancer, **805**
- cytomegalovirus**, Increased incidence of cytomegalovirus but not *Chlamydia pneumoniae* in atherosclerotic lesions of arteries of lower extremities from patients with diabetes mellitus undergoing amputation, **429**
Pneumocystis carinii, cytomegalovirus, and severe transient immunodeficiency, **718**
What is Good's syndrome? Immunological abnormalities in patients with thymoma, **12**
- cytotoxic**, Hepatosplenic T cell lymphoma with no expression of cytotoxic molecules, **631**
- cytotoxic T cell**, Immune escape mechanisms in ALCL, **423**
- death certification**, Necropsy practice after the "organ retention scandal": requests, performance, and tissue retention, **537**
- defensins**, Defensin pattern in chronic gastritis: HBD-2 is differentially expressed with respect to *Helicobacter pylori* status, **352**
- deficiency**, Dietary folate deficiency with normal red cell folate and circulating blasts, **313**
- demand management**, Pathology tests: is the time for demand management ripe at last?, **243**
- dermal dendritic cells**, Density of neoplastic lymphoid infiltrate, CD8+ T cells, and CD1a+ dendritic cells in mycosis fungoides, **453**
- detection**, An immunodiagnostic method for the detection of Shiga-like toxinogenic *Escherichia coli* in faeces, **882**
- diabetes**, Insulin-like growth factor system gene expression in women with type 2 diabetes and breast cancer, **599**
- diabetes mellitus**, Artefactually low glycosylated haemoglobin in a patient with severe hypertriglyceridaemia, **394**
Increased incidence of cytomegalovirus but not *Chlamydia pneumoniae* in atherosclerotic lesions of arteries of lower extremities from patients with diabetes mellitus undergoing amputation, **429**
- diagnosis**, A little bit more on the slide, **720**
 α -Methylacyl CoA racemase (P504S): overview and potential uses in diagnostic pathology as applied to prostate needle biopsies, **892**
Early diagnosis of typhoid fever by the detection of salivary IgA, **694**
Ewing's sarcoma: diagnostic, prognostic, and therapeutic implications of molecular abnormalities, **96**
Immunohistochemical classification of B cell neoplasms, **193**
Osteosarcoma with cytokeratin expression: a clinicopathological study of six cases with an emphasis on differential diagnosis from metastatic cancer, **742**
- diagnostic consults**, Comparative genomic hybridisation as a supportive tool in diagnostic pathology, **522**
- diagnostic decision making**, Visualising scanning patterns of pathologists in the grading of cervical intraepithelial neoplasia, **677**
- diagnostic reproducibility**, Endoscopic biopsies, **321**
- diagnostic tests**, Sputum cytology: an unsatisfactory test?, **78**
- diarrhoea**, An immunodiagnostic method for the detection of Shiga-like toxinogenic *Escherichia coli* in faeces, **882**
- diet**, Dietary salicylates, **649**

- Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- differential diagnosis**, Pelvic sarcoma arising from chronic osteomyelitis, **558**
- diffuse large B cell lymphoma**, Prognostic significance of CD44 expression in diffuse large B cell lymphoma of activated and germinal centre B cell-like types: a tissue microarray analysis of 90 cases, **747**
- diffuse-type gastric carcinoma**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- digital imaging**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- digital microscope**, Digital slide and virtual microscopy based routine and telepathology evaluation of routine gastrointestinal biopsy specimens, **433**
- digital microscopy**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- digital slide**, Digital slide and virtual microscopy based routine and telepathology evaluation of routine gastrointestinal biopsy specimens, **433**
- disorders**, Lymphoproliferative disorders in Oxford renal transplant recipients, **439**
- dissecting**, Primary venous dissecting aneurysm arising during pregnancy: a case report and review of the literature, **634**
- disseminated intravascular coagulation**, Intravascular lymphomatosis, **468**
- DNA mismatch repair proteins**, Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue microarray study, **898**
- documentation**, Accuracy and completeness of the documentation of blood culture results, **558**
- double stranded RNA virus**, Double stranded RNA virus in South African *Trichomonas vaginalis* isolates, **542**
- Down's syndrome**, Down's syndrome screening is unethical: views of today's research ethics committees, **268**
- dual colour dual fusion fluorescence in situ hybridisation**, Derivative chromosome 9 deletions in chronic myeloid leukaemia: interpretation of atypical D-FISH pattern, **471**
- ductal carcinoma in situ**, Thymidine phosphorylase expression and stromal vascularity in ductal carcinoma in situ of the breast, **919**
- dyskaryosis**, p16^{INK4A} as a marker for cervical dyskaryosis: CIN and cGIN in cervical biopsies and ThinPrep[®] smears, **56**
- dysplasia**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**
- Multiple microcarcinoids in a patient with long standing ulcerative colitis, **963**
- dysplastic naevi**, Histopathological characteristics of small diameter melanocytic naevi, **459**
- early diagnosis**, Sputum examination for early detection of lung cancer, **805**
- early lesions**, An early lesion of pulmonary carcinosarcoma: possible diagnostic problem in frozen section interpretation, **638**
- EDNRB**, Endothelin B receptor gene hypermethylation in prostate adenocarcinoma, **52**
- education**, External quality assessment schemes raise standards: evidence from the UKNEQAS parasitology subschemes, **927**
- Eikenella corrodens**, Inflammatory pseudotumour associated with chronic persistent *Eikenella corrodens* infection: a case report and brief review, **868**
- electron microscopic features**, *Anaerobiospirillum succiniciproducens* bacteraemia, **316**
- electron microscopy**, Expression of smooth muscle markers in so called malignant fibrous histiocytomas, **666**
- electrophoresis**, Micropurification techniques in the analysis of amyloid proteins, **86**
- embryonal**, Myogenin and MyoD1 expression in paediatric rhabdomyosarcomas, **412**
- endocarditis**, Corticosteroids as adjunctive treatment in Austrian's syndrome (pneumococcal endocarditis, meningitis, and pneumonia): report of two cases and review of the literature, **879**
- endocervix**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
- endometrial polyp**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **79**
- endometrial stromal sarcoma**, Late pulmonary metastasis in uterine PEComa, **627**
- endometriosis**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **79**
- endometrium**, The effects of the levonorgestrel intrauterine system (Mirena coil) on endometrial morphology, **305**
- enzyme immunoassay**, Measurement of IgG antibodies to *Chlamydia trachomatis* by commercial enzyme immunoassays and immunofluorescence in sera from pregnant women and patients with infertility, pelvic inflammatory disease, ectopic pregnancy, and laboratory diagnosed *Chlamydia psittaci/Chlamydia pneumoniae* infection, **225**
- enzyme linked immunosorbent assay**, Audit of the clinical usefulness of a rapid qualitative ELISA screen for antimyeloperoxidase and antiproteinase 3 antibodies in the assessment of patients with suspected vasculitis, **775**
- Early diagnosis of typhoid fever by the detection of salivary IgA, **694**
- Parasite detection in patients with post kala-azar dermal leishmaniasis in India: a comparison between molecular and immunological methods, **840**
- epidemiology**, The Scotland and Newcastle epidemiological study of Hodgkin's disease: impact of histopathological review and EBV status on incidence estimates, **811**
- epidermal growth factor receptor**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- epithelial membrane antigen**, Osteosarcoma with cytokeratin expression: a clinicopathological study of six cases with an emphasis on differential diagnosis from metastatic cancer, **742**
- epithelioid granulomas**, Hepatic granulomas: a 10 year single centre experience, **850**
- Epstein-Barr virus**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- Escherichia coli**, An immunodiagnostic method for the detection of Shiga-like toxicogenic *Escherichia coli* in faeces, **882**
- ethics**, Down's syndrome screening is unethical: views of today's research ethics committees, **268**
- evidence base**, Evidence based pathology: squamous carcinoma of the hypopharynx, **81**
- evidence based medicine**, Inequalities of primary care microbiology testing between hospital catchment areas, **933**
- Ewing's sarcoma**, Ewing's sarcoma: diagnostic, prognostic, and therapeutic implications of molecular abnormalities, **96**
- external quality assessment**, External quality assessment for warfarin dosing using computerised decision support software, **605**
- extramedullary haemopoiesis**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- Myelofibrosis presenting as spinal cord compression, **154**
- extraoral tumour**, Juxtaoral organ of Chievitz presenting clinically as a tumour, **789**
- eye tracking**, Visualising scanning patterns of pathologists in the grading of cervical intraepithelial neoplasia, **677**
- Fas**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- fatal**, Fatal water intoxication, **803**
- fatal outcome**, Febrile ulceronecrotic Mucha-Habermann disease: a case report and a review of the literature, **795**
- febrile ulceronecrotic Mucha-Habermann disease**, Febrile ulceronecrotic Mucha-Habermann disease: a case report and a review of the literature, **795**
- fetal adenocarcinoma**, Well differentiated fetal adenocarcinoma of the lung in a 29 year old woman, **478**
- α fetoprotein**, Genetic evolution of α fetoprotein producing gastric cancer, **942**
- F-fluorodeoxyglucose**, How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**
- fibrosis**, Serum laminin and collagen IV in inflammatory bowel disease, **817**
- fine needle aspiration cytology**, A little bit more on the slide, **720**
- Fine needle aspiration cytology in the diagnosis of uncommon types of lymphoma, **821**
- Pathologists like a bit on the slide, **319**

- flow cytometry**, A comparison of flow cytometry, bone marrow biopsy, and bone marrow aspirates in the detection of lymphoid infiltration in B cell disorders, **129**
 Diagnostic role of tests for T cell receptor (TCR) genes, **1**
 Enhanced telomere shortening in transformed lymphoblasts from patients with X linked dyskeratosis, **583**
 Fine needle aspiration cytology in the diagnosis of uncommon types of lymphoma, **821**
 Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- flow microscopy**, Evaluation of the IRIS 939 UDx flow microscope as a screening system for urinary tract infection, **844**
- Flt-1**, Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
- folate**, Dietary folate deficiency with normal red cell folate and circulating blasts, **313**
- folate receptors**, Expression of folate receptors and heterogeneous nuclear ribonucleoprotein E1 in women with human papillomavirus mediated transformation of cervical tissue to cancer, **569**
- follicular neoplasm**, Best practice in thyroid pathology, **401**
- food**, Food for thought, **158**
- foreign body aspiration**, A tale of three aspirations: foreign bodies in the airway, **791**
- founder member**, Sidney Dyke, **323**
- frozen sections**, An early lesion of pulmonary carcinosarcoma: possible diagnostic problem in frozen section interpretation, **638**
- G2D10**, Parasite detection in patients with post kala-azar dermal leishmaniasis in India: a comparison between molecular and immunological methods, **840**
- galectin 3**, Differential expression of galectin 3 in solid cell nests and C cells of human thyroid, **142**
- gallstones**, Unconjugated bilirubin in human bile: the nucleating factor in cholesterol cholelithiasis?, **596**
- gastric biopsy**, Digital slide and virtual microscopy based routine and telepathology evaluation of routine gastrointestinal biopsy specimens, **433**
- gastric cancer**, Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features, **378**
 Genetic evolution of α fetoprotein producing gastric cancer, **942**
- gastritis**, Defensin pattern in chronic gastritis: HBD-2 is differentially expressed with respect to *Helicobacter pylori* status, **352**
- gastroenterology**, Pathologists and gastroenterologists, **241**
- gastrointestinal stromal tumour**, Frequent occurrence of low grade cases among metastatic gastrointestinal stromal tumours, **363**
 Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
- gastrointestinal tract**, Chromosomal translocation t(11;18)(q21;q21) in gastrointestinal mucosa associated lymphoid tissue lymphoma, **36**
- gastro-oesophageal reflux disease**, Histological changes in the oesophageal squamous mucosa: correlation with ambulatory 24 hour pH monitoring, **205**
- Gemella**, Gemella bacteraemia characterised by 16S ribosomal RNA gene sequencing, **690**
- gene polymorphism**, Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection, **725**
- General Medical Council**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- genetic**, Pathogenesis of systemic lupus erythematosus, **481**
- genetic characterisation**, Genetic characterisation of adenovirus type 8 isolated in Hiroshima city over a 15 year period, **120**
- genetics**, Genetic evolution of α fetoprotein producing gastric cancer, **942**
 Pituitary gland pathology, **561**
- genotyping**, Hepatitis C virus genotype testing in paraffin wax embedded liver biopsies for specimen identification, **960**
- glandular dysplasia**, Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
- glioma**, Loss of pigment epithelium derived factor expression in glioma progression, **277**
- glottis oedema**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- glycated haemoglobin**, Artefactually low glycated haemoglobin in a patient with severe hypertriglyceridaemia, **394**
- glycogen rich clear cell carcinoma**, Clear cell carcinoma of the breast with solid papillary pattern: a case report with immunohistochemical profile, **552**
- goblet cell autoantibodies**, Intestinal goblet cell autoantibody associated enteropathy, **629**
- Good' syndrome**, What is Good's syndrome? Immunological abnormalities in patients with thymoma, **12**
- grading**, Frequent occurrence of low grade cases among metastatic gastrointestinal stromal tumours, **363**
- grading of nuclear atypia**, Histopathological characteristics of small diameter melanocytic naevi, **459**
- granuloma**, Fine needle aspiration cytology of granulomatous mastitis, **519**
- granulomatous mastitis**, Fine needle aspiration cytology of granulomatous mastitis, **519**
- Graves' disease**, HLA-G does not have a pathophysiological role in Graves' disease, **475**
- growth hormone**, Identification of growth hormone receptor in localised neurofibromas of patients with neurofibromatosis type 1, **758**
- growth hormone receptor**, Identification of growth hormone receptor in localised neurofibromas of patients with neurofibromatosis type 1, **758**
- guidelines**, Investigation of infertility with the emphasis on laboratory testing and with reference to radiological imaging, **261**
- Gulf War syndrome**, Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **559**
- gynaecomastia**, Core needle biopsy in male breast lesions, **863**
- haemangiopericytoma-like**, Low grade malignant peripheral nerve sheath tumour: varied cytological and histological patterns, **826**
- haematuria**, Recurrent urachal adenocarcinoma, **882**
 Splenic rupture as a consequence of dual malignant pathology: a case report, **709**
- haemoptysis**, Massive haemoptysis after living donor liver transplantation, **876**
- hamartoma**, Juxtaoral organ of Chievitz presenting clinically as a tumour, **789**
- Hashimoto's thyroiditis**, HLA-G does not have a pathophysiological role in Graves' disease, **475**
 p27^{Kip1} protein expression in Hashimoto's thyroiditis, **587**
- hazard**, Health and safety at necropsy, **254**
- Hb Q India**, Hb Q-India: an uncommon variant diagnosed in three Punjabi patients with diabetes is identified by a novel DNA analysis test, **296**
- head and neck region**, Inflammatory myofibroblastic tumour of paranasal sinuses with fatal outcome: reactive lesion or tumour?, **715**
- head and neck squamous cell carcinoma**, Allelic imbalance at chromosome 11 in head and neck squamous cell carcinoma in an Indian patient population, **512**
- head injury**, Water transport becomes uncoupled from K⁺ siphoning in brain contusion, bacterial meningitis, and brain tumours: immunohistochemical case review, **972**
- health and safety**, Health and safety at necropsy, **254**
- heart failure**, Right ventricular dilatation after left ventricular acute myocardial infarction is predictive of extremely high peri-infarctual apoptosis at postmortem examination in humans, **672**
- Helicobacter pylori**, Chromosomal translocation t(11;18)(q21;q21) in gastrointestinal mucosa associated lymphoid tissue lymphoma, **36**
 Comparison of three stool antigen tests for *Helicobacter pylori* detection, **769**
 Defensin pattern in chronic gastritis: HBD-2 is differentially expressed with respect to *Helicobacter pylori* status, **352**
Helicobacter pylori water soluble surface proteins prime human neutrophils for enhanced production of reactive oxygen species and stimulate chemokine production, **348**
- hepatic granulomatous inflammation**, The nodular form of hepatic tuberculosis: a review with five additional new cases, **835**
- hepatic tuberculoma**, The nodular form of hepatic tuberculosis: a review with five additional new cases, **835**
- hepatic tuberculosis**, The nodular form of hepatic tuberculosis: a review with five additional new cases, **835**
- hepatocellular carcinoma**, Angiopoietin switching regulates angiogenesis and progression of human hepatocellular carcinoma, **854**

- SV40 Tag DNA sequences, present in a small proportion of human hepatocellular carcinomas, are associated with reduced survival, **904**
- hepatosplenic**, Hepatosplenic T cell lymphoma with no expression of cytotoxic molecules, **631**
- hereditary haemorrhagic telangiectasia**, Massive haemoptysis after living donor liver transplantation, **876**
- heterogenous nuclear ribonucleoprotein E1**, Expression of folate receptors and heterogeneous nuclear ribonucleoprotein E1 in women with human papillomavirus mediated transformation of cervical tissue to cancer, **569**
- high performance liquid chromatography**, Hb Q-India: an uncommon variant diagnosed in three Punjabi patients with diabetes is identified by a novel DNA analysis test, **296**
- Hiroshima**, Genetic characterisation of adenovirus type 8 isolated in Hiroshima city over a 15 year period, **120**
- histology**, Chronic osteomyelitis mimicking sarcoma, **237**
Histological changes in the oesophageal squamous mucosa: correlation with ambulatory 24 hour pH monitoring, **205**
Pathologists and gastroenterologists, **241**
- histology grade**, Association between histology grade, expression of HsMCM2, and cyclin A in human invasive breast carcinomas, **368**
- histopathological review**, The Scotland and Newcastle epidemiological study of Hodgkin's disease: impact of histopathological review and EBV status on incidence estimates, **811**
- histopathology**, Guidelines for processing and reporting of prostatic needle biopsies, **336**
- historical perspectives**, Internet referencing, **399**
Molten gold was poured down his throat until his bowels burst, **399**
- history**, Molten gold was poured down his throat until his bowels burst, **157**
- HLA-DR**, Association of acute parvovirus B19 infection with new onset of acute lymphoblastic and myeloblastic leukaemia, **873**
- HLA-G**, HLA-G does not have a pathophysiological role in Graves' disease, **475**
- Hodgkin lymphoma**, The Scotland and Newcastle epidemiological study of Hodgkin's disease: impact of histopathological review and EBV status on incidence estimates, **811**
- Hodgkin's disease**, How do we define Hodgkin's disease? The authors' reply, **159**
- HsMCM2**, Association between histology grade, expression of HsMCM2, and cyclin A in human invasive breast carcinomas, **368**
- human androgen receptor gene assay**, Evidence of clonality in chronic neutrophilic leukaemia, **292**
- human herpesvirus 4**, The Scotland and Newcastle epidemiological study of Hodgkin's disease: impact of histopathological review and EBV status on incidence estimates, **811**
- human immunodeficiency virus**, Burkitt's lymphoma: new insights into molecular pathogenesis, **188**
Mitochondrial disruption and apoptosis in lymphocytes of an HIV infected patient affected by lactic acidosis after treatment with highly active antiretroviral therapy, **147**
- human papillomavirus**, A rare presentation of a rare disease, **78**
Detection of human papillomavirus DNA in oral inverted ductal papillomas, **910**
Detection of telomerase, its components, and human papillomavirus in cervical scrapings as a tool for triage in women with cervical dysplasia, **31**
Expression of folate receptors and heterogeneous nuclear ribonucleoprotein E1 in women with human papillomavirus mediated transformation of cervical tissue to cancer, **569**
HPV infections in benign and malignant sinonasal lesions, **174**
Ki-67 immunocytochemistry in liquid based cervical cytology: useful as an adjunctive tool?, **681**
- human papillomavirus 16**, Study of viral integration of HPV-16 in young patients with LSIL, **532**
- human stools**, Optimal detection of *Campylobacter* spp in stools, **480**
- human telomerase reverse transcriptase**, Detection of telomerase, its components, and human papillomavirus in cervical scrapings as a tool for triage in women with cervical dysplasia, **31**
- human telomerase RNA**, Detection of telomerase, its components, and human papillomavirus in cervical scrapings as a tool for triage in women with cervical dysplasia, **31**
- hypercalcaemia**, Increase in serum 1,25-dihydroxyvitamin D and hypercalcaemia in a patient with inflammatory myofibroblastic tumour, **310**
- hypergammaglobulinaemia**, What is Good's syndrome?
Immunological abnormalities in patients with thymoma, **12**
- hyperkalaemia**, Seasonal pseudohyperkalaemia, **385**
- hypermethylation**, Endothelin B receptor gene hypermethylation in prostate adenocarcinoma, **52**
- hyperplastic polyps**, Expression of Ki-67 and cytokeratin 20 in hyperplastic polyps of the colorectum, **200**
- hypertriglyceridaemia**, Artefactually low glycosylated haemoglobin in a patient with severe hypertriglyceridaemia, **394**
- hypoglycaemia**, Clinical and laboratory investigation of adult spontaneous hypoglycaemia, **641**
- hyponatraemia**, Results of the measurement of urine osmolality and sodium in the evaluation of severe hyponatraemia, **883**
- hypopharynx**, Evidence based pathology: squamous carcinoma of the hypopharynx, **81**
- hypoxia**, Angiopoietin switching regulates angiogenesis and progression of human hepatocellular carcinoma, **854**
- hypoxia inducible factor**, Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
- IgH monoclonality**, Consensus primers for detecting monoclonal immunoglobulin heavy chain rearrangement in B cell lymphomas, **778**
Development of immunoglobulin variable heavy chain gene consensus probes with conjugated 3' minor groove binder groups for monitoring minimal residual disease in childhood acute lymphoblastic leukaemia, **952**
- image cytometry**, Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- immune deficiency**, *Pneumocystis carinii*, cytomegalovirus, and severe transient immunodeficiency, **718**
The immunopathogenesis of meningococcal disease, **417**
- immune evasion**, Upregulation of tumour associated antigen RCAS1 is implicated in high stages of colorectal cancer, **764**
- immunoassay**, Measurement of serum albumin by capillary zone electrophoresis, bromocresol green, bromocresol purple, and immunoassay methods, **780**
The role of antitissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study, **389**
- immunocompromised**, *Anaerobiospirillum succiniciproducens* bacteraemia, **316**
- immunocytochemistry**, Pituitary gland pathology, **561**
- immunodeficiency**, What is Good's syndrome? Immunological abnormalities in patients with thymoma, **12**
- immunoglobulins**, Transverse sinus thrombosis and IVIg treatment: a case report and discussion of risk-benefit assessment for immunoglobulin treatment, **308**
- immunohistochemistry**, Association between histology grade, expression of HsMCM2, and cyclin A in human invasive breast carcinomas, **368**
Bone marrow immunohistology of plasma cell neoplasms, **406**
Clear cell carcinoma of the breast with solid papillary pattern: a case report with immunohistochemical profile, **552**
Endocervical glandular lesions: controversial aspects and ancillary techniques, **164**
Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
Expression of Ki-67 and cytokeratin 20 in hyperplastic polyps of the colorectum, **200**
Fine needle aspiration cytology in the diagnosis of uncommon types of lymphoma, **821**
Immunohistochemical classification of B cell neoplasms, **193**
Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
Increase of bone marrow lymphocytes in systemic mastocytosis: reactive lymphocytosis or malignant lymphoma?
Immunohistochemical and molecular findings on routinely processed bone marrow biopsy specimens, **575**
Increased Nox2 expression in human cardiomyocytes after acute myocardial infarction, **194**
Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
Invasive lobular carcinoma and cytokeratin immunohistochemistry: an audit, **240**

- Loss of pigment epithelium derived factor expression in glioma progression, **277**
- Low grade malignant peripheral nerve sheath tumour: varied cytological and histological patterns, **826**
- P-cadherin as a marker in the differential diagnosis of breast lesions, **139**
- Type 1 growth factor receptor expression in node positive breast cancer: adverse prognostic significance of c-erbB-4, **300**
- immunophenotype**, Density of neoplastic lymphoid infiltrate, CD8+ T cells, and CD1a+ dendritic cells in mycosis fungoides, **453**
- immunotherapy**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- in situ hybridisation**, Detection of human papillomavirus DNA in oral inverted ductal papillomas, **910**
- inadequate cervical smears**, Outcome of women with inadequate cervical smears followed up for five years, **592**
- index**, Unreliability of triglyceride measurement to predict turbidity induced interference, **861**
- infarction**, Right ventricular dilatation after left ventricular acute myocardial infarction is predictive of extremely high peri-infarctual apoptosis at postmortem examination in humans, **672**
- infective endocarditis**, *Salmonella typhi* endocarditis: a case report, **801**
- infertility**, Investigation of infertility with the emphasis on laboratory testing and with reference to radiological imaging, **261**
- inflammatory bowel disease**, Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
- inflammatory bowel diseases**, Endoscopic biopsies, **321**
- inflammatory fibrosarcoma**, Increase in serum 1,25-dihydroxyvitamin D and hypercalcaemia in a patient with inflammatory myofibroblastic tumour, **310**
- inflammatory myofibroblastic tumour**, Inflammatory myofibroblastic tumour of paranasal sinuses with fatal outcome: reactive lesion or tumour?, **715**
- Inflammatory pseudotumour associated with chronic persistent *Eikenella corrodens* infection: a case report and brief review, **868**
- inflammatory pseudotumour**, Inflammatory pseudotumour associated with chronic persistent *Eikenella corrodens* infection: a case report and brief review, **868**
- ING1**, Downregulation of nuclear expression of the p33^{ING1b} inhibitor of growth protein in invasive carcinoma of the breast, **507**
- The role of the tumour suppressor p33^{ING1b} in human neoplasia, **491**
- ING2**, The role of the tumour suppressor p33^{ING1b} in human neoplasia, **491**
- inhibin**, Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
- INR control**, A systematic review of outcome measures reported for the therapeutic effectiveness of oral anticoagulation, **48**
- insertion**, Insertion of the CCND1 gene into the IgH locus in a case of leukaemic small cell mantle lymphoma with normal chromosomes 11 and 14, **798**
- insulin-like growth factor system**, Insulin-like growth factor system gene expression in women with type 2 diabetes and breast cancer, **599**
- interaction**, Pathogenesis of systemic lupus erythematosus, **481**
- interference**, Unreliability of triglyceride measurement to predict turbidity induced interference, **861**
- international sensitivity index**, European Concerted Action on Anticoagulation (ECAAA). An assessment of lyophilised plasmas for ISI calibration of CoaguChek and TAS whole blood prothrombin time monitors, **114**
- internet references**, Internet referencing, **399**
- Molten gold was poured down his throat until his bowels burst, **399**
- interstitial pulmonary disease**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- intestinal metaplasia**, Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features, **378**
- Increased apoptosis in gastric mucosa adjacent to intestinal metaplasia, **358**
- Helicobacter pylori* babA2, cagA, and s1 vacA genes work synergistically in causing intestinal metaplasia, **287**
- intestinal-type gastric carcinoma**, Diffuse and intestinal type gastric carcinomas differ in their expression of apoptosis related proteins, **699**
- intoxication**, Fatal water intoxication, **803**
- intracranial metastasis**, A rare case of intracranial metastatic melanotic melanoma with cyst, **548**
- intraepithelial cell**, The number of intraepithelial T cells decreases from ascending colon to rectum, **158**
- intraoperative diagnosis**, Pituitary gland pathology, **561**
- intravascular lymphomatosis**, Intravascular lymphomatosis, **468**
- intrinsic ophthalmic disease**, Concurrent vitreous disease may produce abnormal vitreous humour biochemistry and toxicology, **720**
- invasion**, Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features, **378**
- Detection of tumour lymphovascular space invasion using dual cytokeratin and CD31 immunohistochemistry, **786**
- Pituitary gland pathology, **561**
- invasive breast cancer**, Downregulation of nuclear expression of the p33^{ING1b} inhibitor of growth protein in invasive carcinoma of the breast, **507**
- invasive lobular carcinoma**, Invasive lobular carcinoma and cytokeratin immunohistochemistry: an audit, **240**
- inverted ductal papilloma**, Detection of human papillomavirus DNA in oral inverted ductal papillomas, **910**
- investigation**, The investigation and management of obesity, **17**
- investigation, insulin**, Clinical and laboratory investigation of adult spontaneous hypoglycaemia, **641**
- iontophoresis**, Prevention of catheter related bloodstream infection by silver iontophoretic central venous catheters: a randomised controlled trial, **731**
- ischaemia**, Right ventricular dilatation after left ventricular acute myocardial infarction is predictive of extremely high peri-infarctual apoptosis at postmortem examination in humans, **672**
- isoelectric focusing**, Hb Q-India: an uncommon variant diagnosed in three Punjabi patients with diabetes is identified by a novel DNA analysis test, **296**
- juxtaoral organ of Chievitz**, Juxtaoral organ of Chievitz presenting clinically as a tumour, **789**
- Ki-67**, Expression of Ki-67 and cytokeratin 20 in hyperplastic polyps of the colorectum, **200**
- Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- Ki-67 immunocytochemistry in liquid based cervical cytology: useful as an adjunctive tool?, **681**
- p27^{Kip1} protein expression in Hashimoto's thyroiditis, **587**
- Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- kinase insert domain containing receptor**, Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
- koilocytosis**, Detection of human papillomavirus DNA in oral inverted ductal papillomas, **910**
- laboratory testing**, Investigation of infertility with the emphasis on laboratory testing and with reference to radiological imaging, **261**
- lactic acidosis**, Mitochondrial disruption and apoptosis in lymphocytes of an HIV infected patient affected by lactic acidosis after treatment with highly active antiretroviral therapy, **147**
- laminin**, Basement membrane components, **885**
- Serum laminin and collagen IV in inflammatory bowel disease, **817**
- Langerhans cell histiocytosis**, A rare presentation of a rare disease, **78**
- Langerhan's cells**, Density of neoplastic lymphoid infiltrate, CD8+ T cells, and CD1a+ dendritic cells in mycosis fungoides, **453**
- larynx**, Symptomatic laryngeal nodular chondrometaplasia: a clinicopathological study, **976**
- leiomyoma**, Leiomyoma of the bladder in a patient with von Recklinghausen's neurofibromatosis, **711**
- leiomyosarcoma**, Expression of smooth muscle markers in so called malignant fibrous histiocytomas, **666**
- Soft tissue, pelvic, and urinary bladder leiomyosarcoma as second neoplasm following hereditary retinoblastoma, **233**
- levels**, Variations in the processing of prostatic needle cores in the UK; what is safe?, **341**
- levonorgestrel releasing intrauterine device**, The effects of the levonorgestrel intrauterine system (Mirena coil) on endometrial morphology, **305**

- Lewis^a intestinal metaplasia**, Detection of sulfated glycoproteins in intestinal metaplasia: a comparison of traditional mucin staining with immunohistochemistry for the sulfo-Lewis^a carbohydrate epitope, **703**
- LGMD2A**, The effect of calpain 3 deficiency on the pattern of muscle degeneration in the earliest stages of LGMD2A, **624**
- limb girdle muscular dystrophy**, The effect of calpain 3 deficiency on the pattern of muscle degeneration in the earliest stages of LGMD2A, **624**
- lipaemia**, Unreliability of triglyceride measurement to predict turbidity induced interference, **861**
- lipaemic**, Unreliability of triglyceride measurement to predict turbidity induced interference, **861**
- liver**, Cirrhosis with steatohepatitis following longterm stilboestrol treatment, **639**
- liver biopsy**, Hepatic granulomas: a 10 year single centre experience, **850**
- liver metastases**, Upregulation of tumour associated antigen RCAS1 is implicated in high stages of colorectal cancer, **764**
- liver transplantation**, Massive haemoptysis after living donor liver transplantation, **876**
- loss of heterozygosity**, Allelic imbalance at chromosome 11 in head and neck squamous cell carcinoma in an Indian patient population, **512**
Genetic evolution of α fetoprotein producing gastric cancer, **942**
- low density lipoprotein**, Clinical, biochemical, and immunohistochemical features of necrobiotic xanthogranulomatosis, **64**
Measurement of 5-hydroxy-2-aminovaleric acid as a specific marker of metal catalysed oxidation of proline and arginine residues of low density lipoprotein apolipoprotein B-100 in human atherosclerotic lesions, **622**
- low dose aspirin**, Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- low grade**, Low grade malignant peripheral nerve sheath tumour: varied cytological and histological patterns, **826**
- low grade adenosquamous carcinoma**, Salivary gland-like tumours of the breast: surgical and molecular pathology, **497**
- low grade squamous intraepithelial lesion**, Study of viral integration of HPV-16 in young patients with LSIL, **532**
- low pass filtering**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- lung**, Fungus colonisation of pulmonary rheumatoid nodule, **636**
Well differentiated fetal adenocarcinoma of the lung in a 29 year old woman, **478**
- lung cancer**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
Sputum examination for early detection of lung cancer, **805**
- lymph node**, Caution should be taken in using CD31 for distinguishing the vasculature of lymph nodes, **638**
- lymph node metastases**, Upregulation of tumour associated antigen RCAS1 is implicated in high stages of colorectal cancer, **764**
- lymph node status**, Invasive lobular carcinoma and cytokeratin immunohistochemistry: an audit, **240**
- lymph nodes**, How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**
- lymphangiectasis**, A case of solitary pulmonary lymphangioma, **396**
- lymphatic**, Detection of tumour lymphovascular space invasion using dual cytokeratin and CD31 immunohistochemistry, **786**
- lymphoblastic leukaemia**, The clinical relevance of detection of minimal residual disease in childhood acute lymphoblastic leukaemia, **249**
- lymphocytes**, Increase of bone marrow lymphocytes in systemic mastocytosis: reactive lymphocytosis or malignant lymphoma? Immunohistochemical and molecular findings on routinely processed bone marrow biopsy specimens, **575**
- lymphoma**, Chromosomal translocation t(11;18)(q21;q21) in gastrointestinal mucosa associated lymphoid tissue lymphoma, **36**
Fine needle aspiration cytology in the diagnosis of uncommon types of lymphoma, **821**
Immunohistochemical classification of B cell neoplasms, **193**
- lymphomatoid granulomatosis**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- lymphoproliferative**, Lymphoproliferative disorders in Oxford renal transplant recipients, **439**
- lymphoproliferative disorder**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- major histocompatibility complex**, Immune escape mechanisms in ALCL, **423**
- male**, Core needle biopsy in male breast lesions, **863**
- malignancy associated change**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**
- malignant angioendotheliomatosis**, Intravascular lymphomatosis, **468**
- malignant fibrous histiocytoma**, Expression of smooth muscle markers in so called malignant fibrous histiocytomas, **666**
- malignant myoepithelioma**, Salivary gland-like tumours of the breast: surgical and molecular pathology, **497**
- malignant peripheral nerve sheath tumour**, Low grade malignant peripheral nerve sheath tumour: varied cytological and histological patterns, **826**
- malignant tumours**, Metastasis of solid tumours in bone marrow: a study from Kashmir, India, **803**
- mammography**, Measures of benefit for breast screening from the pathology database for Scotland, 1991–2001, **654**
- management**, The investigation and management of obesity, **17**
- mannan binding lectin**, Mannan binding lectin in febrile adults: no correlation with microbial infection and complement activation, **956**
- mantle cell leukaemia**, Insertion of the CCND1 gene into the IgH locus in a case of leukaemic small cell mantle lymphoma with normal chromosomes 11 and 14, **798**
- marginal zone B cell lymphoma**, Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amylacea in a woman with long standing primary Sjögren's syndrome, **74**
- marker**, p16^{INK4A} as a marker for cervical dyskaryosis: CIN and cGIN in cervical biopsies and ThinPrep[®] smears, **56**
- marker validation**, A simple method for the construction of small format tissue arrays, **144**
- mass**, Primary venous dissecting aneurysm arising during pregnancy: a case report and review of the literature, **634**
- mast cell**, Chymase expressing bone marrow mast cells in mastocytosis and myelodysplastic syndromes: an immunohistochemical and morphometric study, **103**
- mast cells**, Increase of bone marrow lymphocytes in systemic mastocytosis: reactive lymphocytosis or malignant lymphoma? Immunohistochemical and molecular findings on routinely processed bone marrow biopsy specimens, **575**
- mastocytosis**, Chymase expressing bone marrow mast cells in mastocytosis and myelodysplastic syndromes: an immunohistochemical and morphometric study, **103**
Increase of bone marrow lymphocytes in systemic mastocytosis: reactive lymphocytosis or malignant lymphoma? Immunohistochemical and molecular findings on routinely processed bone marrow biopsy specimens, **575**
- medical education**, Medical educators' personal attitudes towards the necropsy, **950**
- medical microbiological record**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- megaloblastic anaemia**, Dietary folate deficiency with normal red cell folate and circulating blasts, **313**
- melanoma**, A rare case of intracranial metastatic amelanotic melanoma with cyst, **548**
How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**
- meningitis**, Corticosteroids as adjunctive treatment in Austrian's syndrome (pneumococcal endocarditis, meningitis, and pneumonia): report of two cases and review of the literature, **879**
Water transport becomes uncoupled from K⁺ siphoning in brain contusion, bacterial meningitis, and brain tumours: immunohistochemical case review, **972**
- meningococcal disease**, The immunopathogenesis of meningococcal disease, **417**
- mesothelioma**, The detection of Simian virus 40 in mesotheliomas from New Zealand and England using real time FRET probe PCR protocols, **728**

- metastasis**, Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features, **378**
 Carcinoma metastasis to unexpected synchronous lymphoproliferative disorder: report of three cases and review of literature, **970**
 Late pulmonary metastasis in uterine PEComa, **627**
- metastatic deposits**, Metastasis of solid tumours in bone marrow: a study from Kashmir, India, **803**
- metastatic gastrointestinal stromal tumour**, Frequent occurrence of low grade cases among metastatic gastrointestinal stromal tumours, **363**
- methicillin resistance**, Fast, simultaneous, and sensitive detection of staphylococci, **782**
- α -Methylacyl CoA racemase**, α -Methylacyl CoA racemase (P504S): overview and potential uses in diagnostic pathology as applied to prostate needle biopsies, **892**
- methylation specific polymerase chain reaction**, Endothelin B receptor gene hypermethylation in prostate adenocarcinoma, **52**
- MIB-1**, Prognostic significance of grading (MIB-1 system) in patients with myxoid liposarcoma, **579**
- microbial infection**, Mannan binding lectin in febrile adults: no correlation with microbial infection and complement activation, **956**
- microbiology**, Inequalities of primary care microbiology testing between hospital catchment areas, **933**
- microcarcinoid**, Multiple microcarcinoids in a patient with long standing ulcerative colitis, **963**
- micrometastasis**, Nodal staging of colorectal carcinomas and sentinel nodes, **327**
- micropurification**, Micropurification techniques in the analysis of amyloid proteins, **86**
- microsatellite instability**, APC mutation and tumour budding in colorectal cancer, **69**
- microsatellite size alteration**, Allelic imbalance at chromosome 11 in head and neck squamous cell carcinoma in an Indian patient population, **512**
- microsatellites**, Molecular cytogenetic investigations of synchronous bilateral breast cancer, **660**
- microscopy**, Optimisation of acid fast smears for the direct detection of mycobacteria in clinical samples, **613**
- microvessel density**, Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
 Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
 Thymidine phosphorylase expression and stromal vascularity in ductal carcinoma in situ of the breast, **919**
- minimal residual disease**, The clinical relevance of detection of minimal residual disease in childhood acute lymphoblastic leukaemia, **249**
- minor groove binder probe**, Development of immunoglobulin variable heavy chain gene consensus probes with conjugated 3' minor groove binder groups for monitoring minimal residual disease in childhood acute lymphoblastic leukaemia, **952**
- minor salivary gland tumour**, Detection of human papillomavirus DNA in oral inverted ductal papillomas, **910**
- minute carcinoma**, Minimal focus of adenocarcinoma on prostate biopsy: clinicopathological correlations, **230**
- Mirena coil**, The effects of the levonorgestrel intrauterine system (Mirena coil) on endometrial morphology, **305**
- mitochondria**, Mitochondrial disruption and apoptosis in lymphocytes of an HIV infected patient affected by lactic acidosis after treatment with highly active antiretroviral therapy, **147**
- mixed growths**, A comparison of the performance of commercially available chromogenic agars for the isolation and presumptive identification of organisms from urine, **608**
- molecular biology**, Increase of bone marrow lymphocytes in systemic mastocytosis: reactive lymphocytosis or malignant lymphoma? Immunohistochemical and molecular findings on routinely processed bone marrow biopsy specimens, **575**
- molecular cytogenetics**, Derivative chromosome 9 deletions in chronic myeloid leukaemia: interpretation of atypical D-FISH pattern, **471**
- molecular markers**, Sputum examination for early detection of lung cancer, **805**
- molten gold**, Molten gold was poured down his throat until his bowels burst, **157**
- morphometry**, Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- mortuary**, Health and safety at necropsy, **254**
- mucin**, Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features, **378**
- mucosa associated lymphoid tissue**, Chromosomal translocation t(11;18)(q21;q21) in gastrointestinal mucosa associated lymphoid tissue lymphoma, **36**
- multiple tumours**, Comparative genomic hybridisation as a supportive tool in diagnostic pathology, **522**
- multiplex polymerase chain reaction**, Fast, simultaneous, and sensitive detection of staphylococci, **782**
- mutation**, APC mutation and tumour budding in colorectal cancer, **69**
- mycobacteria**, Optimisation of acid fast smears for the direct detection of mycobacteria in clinical samples, **613**
- Mycoplasma genitalium***, Associations between *Mycoplasma genitalium*, *Chlamydia trachomatis* and pelvic inflammatory disease, **616**
- mycosis fungoides**, Density of neoplastic lymphoid infiltrate, CD8+ T cells, and CD1a+ dendritic cells in mycosis fungoides, **453**
- myelofibrosis**, Myelofibrosis presenting as spinal cord compression, **154**
- myeloma**, Bone marrow immunohistology of plasma cell neoplasms, **406**
- MyoD1**, Myogenin and MyoD1 expression in paediatric rhabdomyosarcomas, **412**
- myoepithelial cell**, P-cadherin as a marker in the differential diagnosis of breast lesions, **139**
- myoepithelioma**, Salivary gland-like tumours of the breast: surgical and molecular pathology, **497**
- myofibroblast**, There is more than one kind of myofibroblast: analysis of CD34 expression in benign, in situ, and invasive breast lesions, **271**
- myofibroblastic differentiation**, Expression of smooth muscle markers in so called malignant fibrous histiocytomas, **666**
- myogenin**, Myogenin and MyoD1 expression in paediatric rhabdomyosarcomas, **412**
- myomelanocytic differentiation**, Late pulmonary metastasis in uterine PEComa, **627**
- myxoid liposarcoma**, Prognostic significance of grading (MIB-1 system) in patients with myxoid liposarcoma, **579**
- naevi with architectural disorder**, Histopathological characteristics of small diameter melanocytic naevi, **459**
- National Health Service Cervical Screening Programme**, Outcome of women with inadequate cervical smears followed up for five years, **592**
- necrobiotic xanthogranulomatosis**, Clinical, biochemical, and immunohistochemical features of necrobiotic xanthogranulomatosis, **64**
- necropsy**, Concurrent vitreous disease may produce abnormal vitreous humour biochemistry and toxicology, **720**
 Health and safety at necropsy, **254**
 Medical educators' personal attitudes towards the necropsy, **950**
 Necropsy practice after the "organ retention scandal": requests, performance, and tissue retention, **537**
 The quality and value of sudden infant death necropsy reporting in Ireland, **753**
- needle biopsy**, Guidelines for processing and reporting of prostatic needle biopsies, **336**
 Minimal focus of adenocarcinoma on prostate biopsy: clinicopathological correlations, **230**
- needle core biopsy**, A little bit more on the slide, **720**
 Pathologists like a bit on the slide, **319**
- nephrectomy**, Evaluation of a protocol for examining nephrectomy specimens with renal cell carcinoma, **374**
- neurofibroma**, Identification of growth hormone receptor in localised neurofibromas of patients with neurofibromatosis type 1, **758**
 Low grade malignant peripheral nerve sheath tumour: varied cytological and histological patterns, **826**
- neurofibromatosis**, Identification of growth hormone receptor in localised neurofibromas of patients with neurofibromatosis type 1, **758**
- neurofibromatosis type 1**, Leiomyoma of the bladder in a patient with von Recklinghausen's neurofibromatosis, **711**
- neutrophil**, *Helicobacter pylori* water soluble surface proteins prime human neutrophils for enhanced production of reactive oxygen species and stimulate chemokine production, **348**
- nocardiosis**, Chronic granulomatous pleuritis caused by nocardia: PCR based diagnosis by nocardial 16S rDNA in pathological specimens, **966**

- non-Hodgkin's lymphoma**, A comparison of flow cytometry, bone marrow biopsy, and bone marrow aspirates in the detection of lymphoid infiltration in B cell disorders, **129**
- Nox2**, Increased Nox2 expression in human cardiomyocytes after acute myocardial infarction, **194**
- obesity**, The investigation and management of obesity, **17**
- observer variation**, Visualising scanning patterns of pathologists in the grading of cervical intraepithelial neoplasia, **677**
- ocular tumour**, Comparative genomic hybridisation divides retinoblastomas into a high and a low level chromosomal instability group, **26**
- oesophagitis**, Histological changes in the oesophageal squamous mucosa: correlation with ambulatory 24 hour pH monitoring, **205**
- oesophagus**, Malignant rhabdoid tumour of the oesophagus: a case report, **713**
Pulmonary tumour microembolism clinically mimicking alveolitis, **866**
- oncogenesis**, The detection of Simian virus 40 in mesotheliomas from New Zealand and England using real time FRET probe PCR protocols, **728**
- operative strategy**, Pathology and operative strategy, **647**
- osteosarcoma**, Osteosarcoma with cytokeratin expression: a clinicopathological study of six cases with an emphasis on differential diagnosis from metastatic cancer, **742**
Prognostic relevance of rosette-like features in osteosarcoma, **831**
- ovarian endometrial cyst**, CD10 is useful in demonstrating endometrial stroma at ectopic sites and in confirming a diagnosis of endometriosis, **79**
- overexpression cyclin D1**, Insertion of the CCND1 gene into the IgH locus in a case of leukaemic small cell mantle lymphoma with normal chromosomes 11 and 14, **798**
- p120**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- p16**, p16^{INK4A} as a marker for cervical dyskaryosis: CIN and cGIN in cervical biopsies and ThinPrep\T smears, **56**
- p21WAF1**, p21^{WAF1} expression in invasive breast cancer and its association with p53, AP-2, cell proliferation, and prognosis, **214**
- p27Kip1**, p27^{Kip1} protein expression in Hashimoto's thyroiditis, **587**
- p33ING1b**, Downregulation of nuclear expression of the p33^{ING1b} inhibitor of growth protein in invasive carcinoma of the breast, **507**
The role of the tumour suppressor p33^{ING1b} in human neoplasia, **491**
- p53**, Downregulation of nuclear expression of the p33^{ING1b} inhibitor of growth protein in invasive carcinoma of the breast, **507**
Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue microarray study, **898**
Proliferation markers and DNA content analysis in urinary bladder Ta11 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
SV40 Tag DNA sequences, present in a small proportion of human hepatocellular carcinomas, are associated with reduced survival, **904**
The role of the tumour suppressor p33^{ING1b} in human neoplasia, **491**
- p53, bcl-2**, Immunohistochemical typing of non-small cell lung cancer on cryostat sections: correlation with clinical parameters and prognosis, **736**
- Papanicolaou smear**, Outcome of women with inadequate cervical smears followed up for five years, **592**
- papillary carcinoma**, Best practice in thyroid pathology, **401**
- paraffin wax embedded specimen**, Hepatitis C virus genotype testing in paraffin wax embedded liver biopsies for specimen identification, **960**
- paraffin wax embedded tissues**, Insulin-like growth factor system gene expression in women with type 2 diabetes and breast cancer, **599**
- paraffin wax section**, Chronic granulomatous pleuritis caused by nocardia: PCR based diagnosis by nocardial 16S rDNA in pathological specimens, **966**
- paraprotein**, Clinical, biochemical, and immunohistochemical features of necrobiotic xanthogranulomatosis, **64**
- parasitology**, External quality assessment schemes raise standards: evidence from the UKNEQAS parasitology subschemes, **927**
- parasitology best practice**, Best practice guidelines for the examination of specimens for the diagnosis of parasitic infections in routine diagnostic laboratories, **888**
- paratesticular**, Prepubertal testicular tumours in Kashmir: a histopathological report of 15 cases, **559**
- partial cystectomy**, Recurrent urachal adenocarcinoma, **882**
Splenic rupture as a consequence of dual malignant pathology: a case report, **709**
- parvovirus B19**, Association of acute parvovirus B19 infection with new onset of acute lymphoblastic and myeloblastic leukaemia, **873**
Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection, **725**
- pathogenesis**, Inflammatory myofibroblastic tumour of paranasal sinuses with fatal outcome: reactive lesion or tumour?, **715**
Pathogenesis of systemic lupus erythematosus, **481**
The immunopathogenesis of meningococcal disease, **417**
The investigation and management of obesity, **17**
- pathology**, Comparative genomic hybridisation as a supportive tool in diagnostic pathology, **522**
Evaluation of a protocol for examining nephrectomy specimens with renal cell carcinoma, **374**
Food for thought, **158**
Measures of benefit for breast screening from the pathology database for Scotland, 1991–2001, **654**
Pathologists and gastroenterologists, **241**
Pathology and clinical relevance of radial scars: a review, **721**
Pathology and operative strategy, **647**
Pathology tests: is the time for demand management ripe at last?, **243**
- patient confidentiality**, The Caldicott report and patient confidentiality, **426**
- patient safety**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- P-cadherin**, P-cadherin as a marker in the differential diagnosis of breast lesions, **139**
- pelvic inflammatory disease**, Associations between *Mycoplasma genitalium*, *Chlamydia trachomatis* and pelvic inflammatory disease, **616**
- pelvis**, Soft tissue, pelvic, and urinary bladder leiomyosarcoma as second neoplasm following hereditary retinoblastoma, **233**
- performance procedures**, Corridor consultations and the medical microbiological record: is patient safety at risk?, **43**
- peritonei**, Urachal adenocarcinoma in situ with pseudomyxoma peritonei: a case report, **152**
- perivascular epithelioid cell tumours**, Late pulmonary metastasis in uterine PEComa, **627**
- pigment epithelium derived factor**, Loss of pigment epithelium derived factor expression in glioma progression, **277**
- pituitary adenoma**, Pituitary gland pathology, **561**
- pityriasis lichenoides et varioliformis acuta**, Febrile ulceronecrotic Mucha–Habermann disease: a case report and a review of the literature, **795**
- platelet counts**, Pseudoplatelets: a retrospective study of their incidence and interference with platelet counting, **772**
- pleomorphic adenoma**, Salivary gland-like tumours of the breast: surgical and molecular pathology, **497**
- Pneumocystis carinii**, *Pneumocystis carinii*, cytomegalovirus, and severe transient immunodeficiency, **718**
- poem**, Food for thought, **158**
- point of care test monitors**, European Concerted Action on Anticoagulation (ECAA). An assessment of lyophilised plasmas for ISI calibration of CoaguChek and TAS whole blood prothrombin time monitors, **114**
- polycythaemia vera rubra**, Glottis oedema and interstitial pulmonary disease as a result of extramedullary haemopoiesis in polycythaemia vera rubra causing asphyctic death, **79**
- polymerase chain reaction**, Chronic granulomatous pleuritis caused by nocardia: PCR based diagnosis by nocardial 16S rDNA in pathological specimens, **966**
Diagnostic role of tests for T cell receptor (TCR) genes, **1**
Ki-67 immunocytochemistry in liquid based cervical cytology: useful as an adjunctive tool?, **681**
Parasite detection in patients with post kala-azar dermal leishmaniasis in India: a comparison between molecular and immunological methods, **840**
The detection of Simian virus 40 in mesotheliomas from New Zealand and England using real time FRET probe PCR protocols, **728**
The nodular form of hepatic tuberculosis: a review with five additional new cases, **835**
- positron emission tomography**, How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**

- post kala-azar dermal leishmaniasis**, Parasite detection in patients with post kala-azar dermal leishmaniasis in India: a comparison between molecular and immunological methods, **840**
- postprandial hypertriglyceridaemia**, Postprandial hypertriglyceridaemia in patients with Tangier disease, **937**
- potassium**, Seasonal pseudohyperkalaemia, **385**
- pregnancy**, Primary venous dissecting aneurysm arising during pregnancy: a case report and review of the literature, **634**
- preoperative diagnosis**, Pathology and operative strategy, **647**
- prepubertal testicular**, Prepubertal testicular tumours in Kashmir: a histopathological report of 15 cases, **559**
- presumptive identification**, A comparison of the performance of commercially available chromogenic agars for the isolation and presumptive identification of organisms from urine, **608**
- primary care**, Inequalities of primary care microbiology testing between hospital catchment areas, **933**
- prognosis**, Evidence based pathology: squamous carcinoma of the hypopharynx, **81**
Ewing's sarcoma: diagnostic, prognostic, and therapeutic implications of molecular abnormalities, **96**
Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
Inflammatory myofibroblastic tumour of paranasal sinuses with fatal outcome: reactive lesion or tumour?, **715**
p21^{WAF1} expression in invasive breast cancer and its association with p53, AP-2, cell proliferation, and prognosis, **214**
Prognostic relevance of rosette-like features in osteosarcoma, **831**
Prognostic significance of CD44 expression in diffuse large B cell lymphoma of activated and germinal centre B cell-like types: a tissue microarray analysis of 90 cases, **747**
Prognostic significance of grading (IMB-1 system) in patients with myxoid liposarcoma, **579**
SV40 Tag DNA sequences, present in a small proportion of human hepatocellular carcinomas, are associated with reduced survival, **904**
Type 1 growth factor receptor expression in node positive breast cancer: adverse prognostic significance of c-erbB-4, **300**
- prognostic indices**, Evaluation of a protocol for examining nephrectomy specimens with renal cell carcinoma, **374**
- progression**, Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- proliferation**, Downregulation of nuclear expression of the p33^{ING1b} inhibitor of growth protein in invasive carcinoma of the breast, **507**
Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- prospective**, p21^{WAF1} expression in invasive breast cancer and its association with p53, AP-2, cell proliferation, and prognosis, **214**
- prostate**, Minimal focus of adenocarcinoma on prostate biopsy: clinicopathological correlations, **230**
Variations in the processing of prostatic needle cores in the UK; what is safe?, **341**
- prostate cancer**, Endothelin B receptor gene hypermethylation in prostate adenocarcinoma, **52**
Guidelines for processing and reporting of prostatic needle biopsies, **336**
- prostate needle biopsies**, α -Methylacyl CoA racemase (P504S): overview and potential uses in diagnostic pathology as applied to prostate needle biopsies, **892**
- protease inhibitor 9**, Immune escape mechanisms in ALCL, **423**
- protein expression**, Increased Nox2 expression in human cardiomyocytes after acute myocardial infarction, **194**
- protein oxidation**, Measurement of 5-hydroxy-2-aminovaleric acid as a specific marker of metal catalysed oxidation of proline and arginine residues of low density lipoprotein apolipoprotein B-100 in human atherosclerotic lesions, **622**
- prothrombin time**, European Concerted Action on Anticoagulation (ECAA). An assessment of lyophilised plasmas for ISI calibration of CoaguChek and TAS whole blood prothrombin time monitors, **114**
- pseudomyxoma**, Urachal adenocarcinoma in situ with pseudomyxoma peritonei: a case report, **152**
- pseudoplatelets**, Pseudoplatelets: a retrospective study of their incidence and interference with platelet counting, **772**
- pseudosarcoma**, Chronic osteomyelitis mimicking sarcoma, **237**
- pulmonary**, An early lesion of pulmonary carcinosarcoma: possible diagnostic problem in frozen section interpretation, **638**
- pulmonary tumour microembolism**, Pulmonary tumour microembolism clinically mimicking alveolitis, **866**
- quality**, The quality and value of sudden infant death necropsy reporting in Ireland, **753**
- quality control**, External quality assessment for warfarin dosing using computerised decision support software, **605**
Guidelines for processing and reporting of prostatic needle biopsies, **336**
- radial scar**, Pathology and clinical relevance of radial scars: a review, **721**
- radical prostatectomy**, Minimal focus of adenocarcinoma on prostate biopsy: clinicopathological correlations, **230**
- radiology**, Pathology and clinical relevance of radial scars: a review, **721**
- rapid identification**, Routine use of a one minute trehalase and maltase test for the identification of *Candida glabrata* in four laboratories, **687**
- RCAS1**, Upregulation of tumour associated antigen RCAS1 is implicated in high stages of colorectal cancer, **764**
- reactive oxygen species**, *Helicobacter pylori* water soluble surface proteins prime human neutrophils for enhanced production of reactive oxygen species and stimulate chemokine production, **348**
- recombinant human antigen**, The role of anti-tissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study, **389**
- recommendations**, The Caldicott report and patient confidentiality, **426**
- recovery rates**, Optimal detection of *Campylobacter* spp in stools, **480**
- rectum**, APC mutation and tumour budding in colorectal cancer, **69**
- recurrence**, Thymidine phosphorylase expression and stromal vascularity in ductal carcinoma in situ of the breast, **919**
- recurrent**, Recurrent urachal adenocarcinoma, **882**
Splenic rupture as a consequence of dual malignant pathology: a case report, **709**
- red cell folate**, Red cell or serum folate? Results from the National Pathology Alliance benchmarking review, **924**
- reduced bone formation**, Reduced bone formation in UK Gulf War veterans: a bone histomorphometric study, **559**
- refractory sprue**, Intestinal goblet cell autoantibody associated enteropathy, **629**
- remodelling**, Right ventricular dilatation after left ventricular acute myocardial infarction is predictive of extremely high peri-infarctual apoptosis at postmortem examination in humans, **672**
- renal**, Lymphoproliferative disorders in Oxford renal transplant recipients, **439**
- renal angiomyolipoma**, Association of angiomyolipoma and oncocytoma of the kidney: a case report and review of the literature, **544**
- renal cell cancer**, Evaluation of a protocol for examining nephrectomy specimens with renal cell carcinoma, **374**
- renal oncocytoma**, Association of angiomyolipoma and oncocytoma of the kidney: a case report and review of the literature, **544**
- respiratory tract infection**, National surveillance programme on susceptibility patterns of respiratory pathogens in South Africa: moxifloxacin compared with eight other antimicrobial agents, **344**
- retinoblastoma**, Comparative genomic hybridisation divides retinoblastomas into a high and a low level chromosomal instability group, **26**
Soft tissue, pelvic, and urinary bladder leiomyosarcoma as second neoplasm following hereditary retinoblastoma, **233**
- retinoblastoma protein**, Salivary duct carcinoma: immunohistochemical profile of an aggressive salivary gland tumour, **914**
SV40 Tag DNA sequences, present in a small proportion of human hepatocellular carcinomas, are associated with reduced survival, **904**
- reverse transcription polymerase chain reaction**, Insulin-like growth factor system gene expression in women with type 2 diabetes and breast cancer, **599**
- review**, Clinical and laboratory investigation of adult spontaneous hypoglycaemia, **641**
Pathology and clinical relevance of radial scars: a review, **721**
- rhabdoid tumour**, Malignant rhabdoid tumour of the oesophagus: a case report, **713**

- rhabdomyosarcoma**, Myogenin and MyoD1 expression in paediatric rhabdomyosarcomas, **412**
- rheumatoid nodule**, Fungus colonisation of pulmonary rheumatoid nodule, **636**
- risk management**, Risk management in pathology, **161**
- Rituximab**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- rk39**, Parasite detection in patients with post kala-azar dermal leishmaniasis in India: a comparison between molecular and immunological methods, **840**
- RNA extraction**, Hepatitis C virus genotype testing in paraffin wax embedded liver biopsies for specimen identification, **960**
- rosette**, Prognostic relevance of rosette-like features in osteosarcoma, **831**
- Royal College of Pathologists**, Sputum cytology: an unsatisfactory test?, **78**
- salicylates**, Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- salicylic acid**, Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- salicylic acid**, Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- salivary duct carcinoma**, Salivary duct carcinoma: immunohistochemical profile of an aggressive salivary gland tumour, **914**
- salivary gland tumour**, Salivary duct carcinoma: immunohistochemical profile of an aggressive salivary gland tumour, **914**
- salivary IgA antibody**, Early diagnosis of typhoid fever by the detection of salivary IgA, **694**
- salmonella**, *Salmonella typhi* endocarditis: a case report, **801**
- sarcoma**, Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
- Pelvic sarcoma arising from chronic osteomyelitis, **558**
- sarcomatoid adult granulosa cell tumour**, Inhibin is more specific than calretinin as an immunohistochemical marker for differentiating sarcomatoid granulosa cell tumour of the ovary from other spindle cell neoplasms, **221**
- section**, Digital slide and virtual microscopy based routine and telepathology evaluation of routine gastrointestinal biopsy specimens, **433**
- sensitivity**, Measures of benefit for breast screening from the pathology database for Scotland, 1991–2001, **654**
- sentinel lymph nodes**, Nodal staging of colorectal carcinomas and sentinel nodes, **327**
- sentinel node**, How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**
- sepsis**, Chorioamnionitis caused by *Serratia marcescens* in a non-immunocompromised host, **871**
- serine protease inhibitor**, Immune escape mechanisms in ALCL, **423**
- Serratia marcescens***, Chorioamnionitis caused by *Serratia marcescens* in a non-immunocompromised host, **871**
- serum folate**, Red cell or serum folate? Results from the National Pathology Alliance benchmarking review, **924**
- sexually transmitted diseases**, Double stranded RNA virus in South African *Trichomonas vaginalis* isolates, **542**
- shading correction**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- Sidney Dyke**, Sidney Dyke, **323**
- silver ions**, Prevention of catheter related bloodstream infection by silver iontophoretic central venous catheters: a randomised controlled trial, **731**
- Simian virus 40**, SV40 Tag DNA sequences, present in a small proportion of human hepatocellular carcinomas, are associated with reduced survival, **904**
- The detection of Simian virus 40 in mesotheliomas from New Zealand and England using real time FRET probe PCR protocols, **728**
- sinonasal carcinoma**, HPV infections in benign and malignant sinonasal lesions, **174**
- sinonasal papilloma**, HPV infections in benign and malignant sinonasal lesions, **174**
- sinus**, Caution should be taken in using CD31 for distinguishing the vasculature of lymph nodes, **638**
- Sjögren's syndrome**, Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amylacea in a woman with long standing primary Sjögren's syndrome, **74**
- skin rash**, Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection, **725**
- Skp2**, p27^{Kip1} protein expression in Hashimoto's thyroiditis, **587**
- SMAD4/DPC4**, Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue microarray study, **898**
- small lymphocytic lymphoma**, Carcinoma metastasis to unexpected synchronous lymphoproliferative disorder: report of three cases and review of literature, **970**
- smooth muscle markers**, Expression of smooth muscle markers in so called malignant fibrous histiocytomas, **666**
- solid cell nest**, Differential expression of galectin 3 in solid cell nests and C cells of human thyroid, **142**
- solitary pulmonary lymphangioma**, A case of solitary pulmonary lymphangioma, **396**
- Spanish Inquisition**, Molten gold was poured down his throat until his bowels burst, **157**
- spinal cord compression**, Myelofibrosis presenting as spinal cord compression, **154**
- spontaneous**, Clinical and laboratory investigation of adult spontaneous hypoglycaemia, **641**
- sputum**, Sputum cytology: an unsatisfactory test?, **78**
- sputum samples**, Sputum examination for early detection of lung cancer, **805**
- squamous carcinoma**, Evidence based pathology: squamous carcinoma of the hypopharynx, **81**
- squamous cell carcinoma**, Pulmonary tumour microembolism clinically mimicking alveolitis, **866**
- staging**, How morphometric analysis of metastatic load predicts the (un)usefulness of PET scanning: the case of lymph node staging in melanoma, **283**
- Nodal staging of colorectal carcinomas and sentinel nodes, **327**
- standards in parasitology**, Best practice guidelines for the examination of specimens for the diagnosis of parasitic infections in routine diagnostic laboratories, **888**
- Staphylococcus aureus***, Fast, simultaneous, and sensitive detection of staphylococci, **782**
- Staphylococcus epidermitis***, Fast, simultaneous, and sensitive detection of staphylococci, **782**
- steatohepatitis**, Cirrhosis with steatohepatitis following longterm stilboestrol treatment, **639**
- stilboestrol**, Cirrhosis with steatohepatitis following longterm stilboestrol treatment, **639**
- stool antigen testing**, Comparison of three stool antigen tests for *Helicobacter pylori* detection, **769**
- storage temperature**, The effects of storage conditions on viability of *Clostridium difficile* vegetative cells and spores and toxin activity in human faeces, **126**
- Streptococcus pneumoniae***, Corticosteroids as adjunctive treatment in Austrian's syndrome (pneumococcal endocarditis, meningitis, and pneumonia): report of two cases and review of the literature, **879**
- sudden infant death**, The quality and value of sudden infant death necropsy reporting in Ireland, **753**
- sulfomucin**, Detection of sulfated glycoproteins in intestinal metaplasia: a comparison of traditional mucin staining with immunohistochemistry for the sulfo-Lewis^a carbohydrate epitope, **703**
- surrogate measure**, Measures of benefit for breast screening from the pathology database for Scotland, 1991–2001, **654**
- survey**, Variations in the processing of prostatic needle cores in the UK; what is safe?, **341**
- susceptibility**, The immunopathogenesis of meningococcal disease, **417**
- synchronous**, Carcinoma metastasis to unexpected synchronous lymphoproliferative disorder: report of three cases and review of literature, **970**
- systematic review**, A systematic review of outcome measures reported for the therapeutic effectiveness of oral anticoagulation, **48**
- T cell lymphoma**, Hepatosplenic T cell lymphoma with no expression of cytotoxic molecules, **631**
- T cell monoclonality**, Febrile ulceronecrotic Mucha–Habermann disease: a case report and a review of the literature, **795**
- T cell receptor gene rearrangement**, Diagnostic role of tests for T cell receptor (TCR) genes, **1**

- T cell receptor repertoire**, Diagnostic role of tests for T cell receptor (TCR) genes, **1**
- T cells**, Diagnostic role of tests for T cell receptor (TCR) genes, **1**
- t(11;14)(q13;q32)**, Insertion of the CCND1 gene into the IgH locus in a case of leukaemic small cell mantle lymphoma with normal chromosomes 11 and 14, **798**
- t(11;18)(q21;q21)**, Chromosomal translocation t(11;18)(q21;q21) in gastrointestinal mucosa associated lymphoid tissue lymphoma, **36**
- Tangier disease**, Postprandial hypertriglyceridaemia in patients with Tangier disease, **937**
- technical methods**, Evaluation of a protocol for examining nephrectomy specimens with renal cell carcinoma, **374**
- telepathology**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- telomerase activity**, Detection of telomerase, its components, and human papillomavirus in cervical scrapings as a tool for triage in women with cervical dysplasia, **31**
- telomere length**, Enhanced telomere shortening in transformed lymphoblasts from patients with X linked dyskeratosis, **583**
- temperature**, Seasonal pseudohyperkalaemia, **385**
- thrombosis**, Transverse sinus thrombosis and IVIg treatment: a case report and discussion of risk–benefit assessment for immunoglobulin treatment, **308**
- thymidine phosphorylase**, Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
Thymidine phosphorylase expression and stromal vascularity in ductal carcinoma in situ of the breast, **919**
- thymoma**, What is Good’s syndrome? Immunological abnormalities in patients with thymoma, **12**
- thyroid**, Best practice in thyroid pathology, **401**
Differential expression of galectin 3 in solid cell nests and C cells of human thyroid, **142**
p27^{Kip1} protein expression in Hashimoto’s thyroiditis, **587**
- thyroid follicular cell**, HLA-G does not have a pathophysiological role in Graves’ disease, **475**
- Tie2**, Angiopoietin switching regulates angiogenesis and progression of human hepatocellular carcinoma, **854**
- time resolved fluorescence immunoassay**, Measurement of IgG antibodies to *Chlamydia trachomatis* by commercial enzyme immunoassays and immunofluorescence in sera from pregnant women and patients with infertility, pelvic inflammatory disease, ectopic pregnancy, and laboratory diagnosed *Chlamydia psittaci*/*Chlamydia pneumoniae* infection, **225**
- tissue arrays**, A simple method for the construction of small format tissue arrays, **144**
- tissue microarray**, Immunohistochemical analysis of adenocarcinoma of the small intestine: a tissue microarray study, **898**
Prognostic significance of CD44 expression in diffuse large B cell lymphoma of activated and germinal centre B cell-like types: a tissue microarray analysis of 90 cases, **747**
- tissue processing**, Guidelines for processing and reporting of prostatic needle biopsies, **336**
- TNM**, Nodal staging of colorectal carcinomas and sentinel nodes, **327**
- torture**, Molten gold was poured down his throat until his bowels burst, **157**
- touch imprint**, Cartilage in bone marrow biopsy and purple granular deposits in the biopsy touch, **883**
- toxicology**, Concurrent vitreous disease may produce abnormal vitreous humour biochemistry and toxicology, **720**
- toxin**, An immunodiagnostic method for the detection of Shiga-like toxicogenic *Escherichia coli* in faeces, **882**
- toxin degradation**, The effects of storage conditions on viability of *Clostridium difficile* vegetative cells and spores and toxin activity in human faeces, **126**
- transforming growth factor β 1**, Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection, **725**
- translocations**, Ewing’s sarcoma: diagnostic, prognostic, and therapeutic implications of molecular abnormalities, **96**
- transplants**, Lymphoproliferative disorders in Oxford renal transplant recipients, **439**
- treatment**, Ewing’s sarcoma: diagnostic, prognostic, and therapeutic implications of molecular abnormalities, **96**
- trehalase**, Routine use of a one minute trehalase and maltase test for the identification of *Candida glabrata* in four laboratories, **687**
- trephine biopsy**, A comparison of flow cytometry, bone marrow biopsy, and bone marrow aspirates in the detection of lymphoid infiltration in B cell disorders, **129**
- Trichomonas vaginalis virus**, Double stranded RNA virus in South African *Trichomonas vaginalis* isolates, **542**
- triglycerides**, Postprandial hypertriglyceridaemia in patients with Tangier disease, **937**
- trisomy 21**, Down’s syndrome screening is unethical: views of today’s research ethics committees, **268**
- tryptase**, Chymase expressing bone marrow mast cells in mastocytosis and myelodysplastic syndromes: an immunohistochemical and morphometric study, **103**
- tuberculosis**, Fine needle aspiration cytology of granulomatous mastitis, **519**
- tuberosc sclerosis**, Association of angiomyolipoma and oncocytoma of the kidney: a case report and review of the literature, **544**
- tumour suppressor gene(s)**, Allelic imbalance at chromosome 11 in head and neck squamous cell carcinoma in an Indian patient population, **512**
- tumour suppressors**, The role of the tumour suppressor p33^{ING1b} in human neoplasia, **491**
- turbidity**, Unreliability of triglyceride measurement to predict turbidity induced interference, **861**
- type 1 growth factor receptors**, Type 1 growth factor receptor expression in node positive breast cancer: adverse prognostic significance of c-erbB-4, **300**
- type 8**, Genetic characterisation of adenovirus type 8 isolated in Hiroshima city over a 15 year period, **120**
- typhoid fever**, Early diagnosis of typhoid fever by the detection of salivary IgA, **694**
- ulcerative colitis**, Basement membrane components, **885**
Endoscopic biopsies, **321**
Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
Multiple microcarcinoids in a patient with long standing ulcerative colitis, **963**
Serum laminin and collagen IV in inflammatory bowel disease, **817**
- ultrasound**, Investigation of infertility with the emphasis on laboratory testing and with reference to radiological imaging, **261**
- ultrastructure**, Low grade marginal zone B cell lymphoma of the breast associated with localised amyloidosis and corpora amyloacea in a woman with long standing primary Sjögren’s syndrome, **74**
- United Kingdom National External Quality Assessment Scheme**, External quality assessment schemes raise standards: evidence from the UKNEQAS parasitology subschemes, **927**
- urachal**, Recurrent urachal adenocarcinoma, **882**
Splenic rupture as a consequence of dual malignant pathology: a case report, **709**
- urachal remnants**, Mucinous adenocarcinoma with superficial stromal invasion and villous adenoma of urachal remnants: a case report, **465**
- urachus**, Urachal adenocarcinoma in situ with pseudomyxoma peritonei: a case report, **152**
- urinary bladder**, Soft tissue, pelvic, and urinary bladder leiomyosarcoma as second neoplasm following hereditary retinoblastoma, **233**
- urinary bladder carcinoma**, Proliferation markers and DNA content analysis in urinary bladder TaT1 urothelial cell carcinomas: identification of subgroups with low and high stage progression risks, **447**
- urinary tract**, Leiomyoma of the bladder in a patient with von Recklinghausen’s neurofibromatosis, **711**
- urine analysis**, Evaluation of a new chromogenic medium, Uriselect 4, for the isolation and identification of urinary tract pathogens, **528**
- urine osmolality**, Results of the measurement of urine osmolality and sodium in the evaluation of severe hyponatraemia, **883**
- urine sodium**, Results of the measurement of urine osmolality and sodium in the evaluation of severe hyponatraemia, **883**
- urothelial hyperplasia**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**
- urothelial papillary carcinoma**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**
- urothelium**, Classification and grading of the non-invasive urothelial neoplasms: recent advances and controversies, **91**

- vacA**, *Helicobacter pylori* babA2, cagA, and s1 vacA genes work synergistically in causing intestinal metaplasia, **287**
- value**, The quality and value of sudden infant death necropsy reporting in Ireland, **753**
- vascular**, Detection of tumour lymphovascular space invasion using dual cytokeratin and CD31 immunohistochemistry, **786**
- vascular endothelial growth factor**, Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
- Hypoxia inducible factor 1 γ and 2 γ overexpression in inflammatory bowel disease, **209**
- Loss of pigment epithelium derived factor expression in glioma progression, **277**
- vasculitis**, Audit of the clinical usefulness of a rapid qualitative ELISA screen for antimyeloperoxidase and antiproteinase 3 antibodies in the assessment of patients with suspected vasculitis, **775**
- vegetables**, Dietary salicylates, **649**
- vegetarians**, Urinary excretion of salicylic and salicylic acids by non-vegetarians, vegetarians, and patients taking low dose aspirin, **651**
- venous aneurysm**, Primary venous dissecting aneurysm arising during pregnancy: a case report and review of the literature, **634**
- VH family**, Consensus primers for detecting monoclonal immunoglobulin heavy chain rearrangement in B cell lymphomas, **778**
- viability**, The effects of storage conditions on viability of *Clostridium difficile* vegetative cells and spores and toxin activity in human faeces, **126**
- video assisted thoracoscopic surgery**, A case of solitary pulmonary lymphangioma, **396**
- vignetting**, Correction of uneven illumination (vignetting) in digital microscopy images, **619**
- villous adenoma**, Mucinous adenocarcinoma with superficial stromal invasion and villous adenoma of urachal remnants: a case report, **465**
- viral genome**, Hepatitis C virus genotype testing in paraffin wax embedded liver biopsies for specimen identification, **960**
- viral integration**, Study of viral integration of HPV-16 in young patients with LSIL, **532**
- virus**, The detection of Simian virus 40 in mesotheliomas from New Zealand and England using real time FRET probe PCR protocols, **728**
- visual search**, Visualising scanning patterns of pathologists in the grading of cervical intraepithelial neoplasia, **677**
- vitamin D**, Increase in serum 1,25-dihydroxyvitamin D and hypercalcaemia in a patient with inflammatory myofibroblastic tumour, **310**
- vitreous humour**, Concurrent vitreous disease may produce abnormal vitreous humour biochemistry and toxicology, **720**
- warfarin**, A systematic review of outcome measures reported for the therapeutic effectiveness of oral anticoagulation, **48**
- External quality assessment for warfarin dosing using computerised decision support software, **605**
- water**, Fatal water intoxication, **803**
- Wilms's tumour**, Expression and prognostic relevance of vascular endothelial growth factor (VEGF) and its receptor (FLT-1) in nephroblastoma, **107**
- Wiskott-Aldrich**, Isolated EBV lymphoproliferative disease in a child with Wiskott-Aldrich syndrome manifesting as cutaneous lymphomatoid granulomatosis and responsive to anti-CD20 immunotherapy, **555**
- World Health Organisation classification**, How do we define Hodgkin's disease? The authors' reply, **159**
- X linked dyskeratosis congenita**, Enhanced telomere shortening in transformed lymphoblasts from patients with X linked dyskeratosis, **583**
- yolk sac tumour**, Prepubertal testicular tumours in Kashmir: a histopathological report of 15 cases, **559**