

Journal of Clinical Pathology



Cover legend: Individual damaged crypt characterised by normal calibre gland lined by atrophic appearing colonic epithelium in mycophenolate associated colitis. From Lee et al, see page 62

Contents

Original articles

- 1 High risk medicolegal autopsies: is a full postmortem examination necessary? *E P Fryer, Z C Traill, R E Benamore, I S D Roberts*
- 8 Pointers and pitfalls of mycophenolate-associated colitis *S Lee, W B de Boer, K Subramaniam, M P Kumarasinghe*
- 12 Peroxiredoxins and their expression in ependymomas *T Haapasalo, K Nordfors, S Järvelä, E Kok, P Sallinen, V L Kinnula, H Kalervo Haapasalo, Y Soini*
- 18 Better retrieval of lymph nodes in colorectal resection specimens by pathologists' assistants *C C H J Kuijpers, H J van Slooten, W H Schreurs, G R H M Moormann, M A Abtahi, A Slappendel, V Cliteur, P J van Diest, N M Jiwa*
- 24  Comparison of a powered bone marrow biopsy device with a manual system: results of a prospective randomised controlled trial *C M Bucher, T Lehmann, A Tichelli, A Tzankov, S Dimhofer, J Passweg, A Rovó*
- 29 Capillary zone electrophoresis for haemoglobinopathy diagnosis *N Borbely, L Phelan, R Szydło, B Bain*
- 40 DOG1 immunoreactivity in uterine leiomyosarcomas *S P Sah, W G McCluggage*

January 2013 Volume 66 Issue 1

- 44 Gastrointestinal cancers reactive for the PAb416 antibody against JCV/SV40 T-Ag lack JCV DNA sequences while showing a distinctive pathologic profile *A M Chiaravalli, E Longhi, D Vignati, F I De Stefano, S Deleonibus, C Capella, E Solcia, C Parravicini*
- 50 An evaluation of overnight fixation to facilitate neuropathological examination in Coroner's autopsies: our experience of over 200 cases *I S Scott, A W MacDonald*

Short reports

- 54 Fluorescence *in situ* hybridisation analysis of bone marrow trephine biopsy specimens; an additional tool in the diagnostic armoury *M J Neat, M T Moonim, R G Dunn, H Geoghegan, N J Foot*
- 58 Immunohistochemistry in the era of personalised medicine *C M McCourt, D Boyle, J James, M Salto-Tellez*

Best practice

- 62  Managing demand for laboratory tests: a laboratory toolkit *A A Fryer, W S A Smellie*

PostScript

- 73 Correspondence

Receive regular table of contents by email.
Register using this QR code.



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://jcp.bmj.com/site/about/guidelines.xhtml#open>

C O P E COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics
www.publicationethics.org.uk

 equator network

 recycle
When you have finished with this please recycle it