

# Disorders of Protein Metabolism

---

Symposium organized by  
The Association of Clinical Pathologists  
delivered in London on  
28 and 29 October 1974

---

Edited by  
G. K. McGowan and G. Walters

Published as a supplement to the  
Journal of Clinical Pathology by the  
British Medical Association, Tavistock Square, London WC1H 9JR  
£2.50

**COPYRIGHT © Journal of Clinical Pathology**

*The Journal of Clinical Pathology is published  
monthly by the British Medical Association, from  
BMA House, Tavistock Square, London.*

# Index

- Agammaglobulinaemia, sex-linked, 84  
Agarose gel electrophoresis in determination of specific proteins, electroimmunoassay as supplement to, 22  
Alpha-chain disease, 72  
—, clinicopathological features of, 74  
—, immunochemical diagnosis in, 73  
—, nature of protein abnormality in, 72  
—, pathogenesis of, 75  
Alpha-fetoprotein, 106  
—, chemistry of, 106  
—, clinical applications of, 107  
—, in hepatomas and liver disease, 107  
—, in malignant teratomas and other tumours, 108  
—, sources of, 107  
Amyloidosis, 'primary', and IgM paraproteins, 59  
Anaemia, haemolytic, and IgM paraproteins, 58  
—, —, complement levels in, 41  
Antibodies, IgE, against specific allergens, determination of, 35  
Antibody, IgE, in serum, 36  
—, —, radioimmunoassay of, and clinical application, 33  
— structure, 1  
Antibody-combining sites, 2  
Antigen as trigger for antibody-mediated reactions, 5  
—, carcinoembryonic. *See* Carcinoembryonic antigen  
Antigens, organ or type-specific, 110  
—, tumour-associated, 102  
—, tumour-specific, 102, 108  
 $\alpha_1$ -Antitrypsin as indicator of liver disease, 26  
Arthritis, rheumatoid, complement levels in, 41, 42  
ASKONAS, B. A.: Immunoglobulin formation in B lymphoid cells, 8  
Ataxia telangiectatica in primary immune deficiency syndrome, 88  
  
BECKER, W.: Variations of immunoglobulins in disease, 92  
Biliary cirrhosis, primary, immunoglobulins in, 98  
Biological reactions, antibody-mediated, antigen as trigger for, 5  
—, Ig-mediated, triggering of, 4  
Bone marrow transplantation in severe combined immune deficiency, 89  
Bowel disease, inflammatory, chronic, protein turnover and loss in, 19  
  
Cancer basic protein, 108  
—, —, chemistry, sources and clinical applications of, 109  
Cancer-specific antigens, 102, 108  
 $^{14}$ C-Carbonate in study of plasma protein turnover, 15  
Carcinoembryonic antigen, 103  
—, chemistry of, 103  
—, clinical application of, 104  
—, in detection of colorectal and other carcinoma, 104  
—, in monitoring of therapy, 105  
—, sources of, 103  
CARTER, P. M. *See* HOBBS, J. R., CARTER, P. M., COOKE, K. B., FOSTER, M., and OON, C. J.  
Cerebrospinal fluid, immunoglobulins in, 99  
Cirrhosis, biliary, primary, immunoglobulins in, 98  
—, micronodular and alcoholic, 98  
Clones, switch-cell, and paraproteinaemia, 58  
COHEN, S.: Antibody structure, 1  
Colorectal carcinoma, CEA in early detection of, 104  
Complement activation, classical pathway for, 38  
—, in relation to disease, 38  
—, new pathway for, 42  
—, activators, 42  
—, components, immunochemical measurements of, 39  
—, levels of, in diagnosis and prognosis, 40  
—, two-dimensional immunoelectrophoresis of, 41  
—, deficiencies, 43  
Complement-fixation test, haemolytic, 39  
Computer analysis of protein profiles derived by immune precipitation, 30  
COOKE, K. B. *See* HOBBS, J. R., CARTER, P. M., COOKE, K. B., FOSTER, M., and OON, C. J.  
Cryoglobulinaemia and IgM paraproteins, 59  
  
Disease and complement activation, 38  
—, immunoglobulin variations in, 92  
  
Electroimmunoassay in determination of specific proteins as supplement to agarose gel electrophoresis, 22  
  
Fetal tissue implantation in immune deficiency diseases, 89  
 $\alpha$ -Fetoprotein. *See* Alpha-fetoprotein  
Fibrinogen as indicator of inflammatory response, 24  
FOSTER, M. *See* HOBBS, J. R., CARTER, P. M., COOKE, K. B., FOSTER, M., and OON, C. J.  
FRANKLIN, E. C.:  $\gamma$  and  $\mu$  heavy chain diseases and related disorders, 65  
  
Gastrointestinal disease, abnormal protein loss in, 18  
—, protein loss, detection and quantitation of, 18  
Glomerulonephritis, acute, complement levels in, 40, 41  
—, membranoproliferative or mesangio-capillary, complement levels in, 40  
  
Haptoglobins as indicators of inflammatory response, 24  
Heavy chain disease,  $\gamma$ -, clinical features of, 65  
—, —,  $\mu$ -, clinical features of, 66  
—, —, proteins,  $\gamma$ -, structure and biosynthesis of, 66  
—, —,  $\mu$ -, structure and biosynthesis of, 68  
—, —, origin of, 69  
—, diseases,  $\mu$ - and  $\mu$ -, and related disorders, 65  
Hepatitis, acute, immunoglobulins in, 97  
—, chronic, immunoglobulins in, 98  
Hepatomas, alpha-fetoprotein in, 107  
HITZIG, W. H.: Immune deficiency diseases, 83  
HOBBS, J. R., CARTER, P. M., COOKE, K. B., FOSTER, M., and OON, C. J.: IgM paraproteins, 54  
—, *See also* VERSEY, J. M. B., SLATER, L., and HOBBS, J. R.  
Hypercatabolic states, 17  
Hyperimmunoglobulinaemia, polyclonal, 96  
Hypoanabolic states, 16  
Hypogammaglobulinaemia, immunoglobulins in, 95  
—, transient, of infancy, 87  
  
Immune deficiency diseases, 83  
—, —, antibody-mediated responses in, 83  
—, —, cell-mediated responses in, 83  
—, —, classification of, 83  
—, —, methods of study, 83  
—, —, therapeutic approaches in, 89  
—, —, transfer factor in, 90  
—, —, disorders, acquired and transient, 89  
—, —, syndrome, combined, severe, 86  
—, —, primary, with ataxia telangiectatica, 88  
—, —, syndromes, primary, 83  
—, —, precipitation, automated, protein profiles derived by, 27  
Immunochemical measurements of complement components, 39  
—, quantitation of immunoglobulins, 92  
Immunoelectrophoresis, two-dimensional, of complement components, 41  
Immunoglobulin A deficiency, selective, 87  
— E and IgE antibody, radioimmunoassay of, and clinical application, 33  
—, —, antibodies against specific allergens, determination of, 35  
—, —, antibody in serum, 36  
—, —, methods for quantitation of, 33  
—, —, serum levels in clinical disorders, 34  
— M monoclones, origins of, 63  
—, —, paraproteinaemia, benign, 61  
—, —, paraproteins, 54  
—, —, binding to lipids, 60  
—, —, —, to nervous tissue, 59  
—, —, clinical presentation with paraproteinaemia as chance finding, 61  
—, —, —, with symptoms due to protein, 56  
—, —, —, with symptoms due to tumour, 60  
Immunoglobulin-mediated biological reactions, triggering of, 4  
Immunoglobulin-secreting cells, conversion of small lymphocytes into, 10  
Immunoglobulins, analytical techniques for quantitation of, 92  
—, conformational change, 6  
—, cross-linkage and lattice formation, 6  
—, effector sites, 3  
—, formation in B lymphoid cells, 8  
—, in cerebrospinal fluid, 99  
—, in liver diseases, 97  
—, in perinatal infections, 96  
—, production in small B lymphocytes, 10  
—, quality control of, 93  
—, serum levels of, in disease, 95  
—, —, —, normal range of, 93  
—, standardization in analytical procedures for, 93  
—, structure of, 1  
—, synthesis by plasma cells, 8  
—, variations in disease, 92  
  
JARNUM, S.: Turnover of plasma proteins, 13  
JOHANSSON, S. G. O.: Radioimmunoassay of IgE and IgE antibody and its clinical application, 33  
  
KOHN, J.: Benign paraproteinaemias, 77  
  
LAURELL, C. B.: The use of electroimmunoassay for determining specific proteins as a supplement to agarose gel electrophoresis, 22  
LAURENCE, D. J. R. *See* NEVILLE, A. M., MACKAY, A. M., WESTWOOD, J., TURBERVILLE, C., and LAURENCE, D. J. R.  
Leukaemia, lymphatic, chronic, and IgM paraproteins, 61  
Lipids, IgM paraproteins binding to, 60  
Liver disease, alpha-fetoprotein in, 107  
—, —,  $\alpha_1$ -antitrypsin as indicator of, 26  
—, —, complement levels in, 41  
—, —, immunoglobulins in, 97  
Lupus erythematosus, systemic, complement levels in, 40, 41, 42  
Lymphatic leukaemia, chronic, and IgM paraproteins, 61

- Lymphocytes, B, small, conversion into Ig-secreting cells, 10  
 —, —, —, Ig production in, 10  
 Lymphoid cells, B, immunoglobulin formation in, 8  
 Lymphoma, malignant, and IgM paraproteins, 60
- MACKAY, A. M. *See* NEVILLE, A. M., MACKAY, A. M., WESTWOOD, J.,  
 TURBERVILLE, C., and LAURENCE, D. J. R.
- Myeloma proteins, alterations in heavy chains in, 69  
 Myelomatosis and IgM paraproteins, 61
- Nervous tissue, IgM paraproteins binding to, 59
- NEVILLE, A. M., MACKAY, A. M., WESTWOOD, J., TURBERVILLE, C., and  
 LAURENCE, D. J. R.: Human tumour-associated and tumour-  
 specific antigens: some concepts in relation to clinical oncology,  
 102
- OON, C. J. *See* HOBBS, J. R., CARTER, P. M., COOKE, K. B., FOSTER, M.,  
 and OON, C. J.
- Organ or type-specific antigens, 110  
 Orosomucoid as indicator of inflammatory response, 24
- Paraproteinaemia, biclonal, 58  
 —, IgM, benign, 61  
 Paraproteinaemias, benign, 77  
 —, —, incidence of, 77  
 —, —, management of, 80  
 —, —, natural history of, 80  
 —, —, possible future developments in, 81  
 —, —, malignancy in, criteria of, 78  
 —, —, pathogenesis and aetiology of, 80  
 Paraproteins, IgM. *See* Immunoglobulin M paraproteins  
 Perinatal infections, immunoglobulins in, 96  
 Plasma cells, Ig synthesis by, 8  
 — protein loss, gastrointestinal, detection and quantitation of, 18  
 — — turnover, 13  
 — — — and loss in chronic inflammatory bowel disease, 19  
 — — —, calculation of data for, 14  
 — — —, clinical applications of, 16  
 — — — in gastrointestinal disease, 18  
 — — — in renal disease, 17  
 — — — in skin diseases, 17  
 — — —, normal values for, 15  
 — — —, study with <sup>14</sup>C-carbonate, 15  
 — — —, — with radiiodine-labelled proteins, 13  
 Plasmacytoma, soft-tissue, and IgM paraproteins, 61  
 Polymyalgia rheumatica, complement levels in, 42
- Properdin in complement activation, 42  
 Protein abnormality in alpha-chain disease, nature of, 72  
 —, cancer basic. *See* Cancer basic protein  
 —, profiles derived by automated immune precipitation, 27  
 —, serum concentration, total, abnormal, 13  
 Proteins, heavy chain disease. *See* Heavy chain disease proteins  
 —, myeloma, alterations in heavy chains in, 69  
 —, plasma, turnover of. *See* Plasma protein turnover  
 —, specific, determination of, electroimmunoassay as supplement to  
 agarose gel electrophoresis in, 22
- Radioimmunoassay of IgE and IgE antibody and clinical application,  
 33  
 Radiiodine-labelled protein studies of plasma protein turnover, 13  
 Renal disease, abnormal protein loss in, 17  
 Rheumatoid arthritis, complement levels in, 41, 42  
 — factor activity in paraproteins, 58  
 RITCHIE, R. F.: Protein profiles derived by automated immune precipi-  
 tation, 27
- SELIGMANN, M.: Alpha-chain disease, 72  
 Septicaemia, complement levels in, 41  
 Serum immunoglobulin levels, in disease, 95  
 — — —, normal range of, 93  
 —, IgE antibody in, 36  
 —, IgE levels in clinical disorders, 34  
 — total protein concentration, abnormal, 13  
 Skin diseases, abnormal protein loss in, 17  
 SLATER, L. *See* VERSEY, J. M. B., SLATER, L., and HOBBS, J. R.  
 Soft-tissue plasmacytoma and IgM paraproteins, 61  
 Spondylitis, ankylosing, complement levels in, 41, 42
- Teratomas, malignant, alpha-fetoprotein in, 108  
 Thymic hypoplasia, 85  
 Transfer factor in immune deficiency diseases, 90  
 Tumour-associated macromolecules, 102  
 Tumour-specific antigens, 102, 108  
 Tumours, alpha-fetoprotein in, 108
- TURBERVILLE, C. *See* NEVILLE, A. M., MACKAY, A. M., WESTWOOD, J.,  
 TURBERVILLE, C., and LAURENCE, D. J. R.
- VERSEY, J. M. B., SLATER, L., and HOBBS, J. R.: Activation of complement  
 in relation to disease, 38  
 Viscosity syndrome and IgM paraproteins, 56
- WESTWOOD, J. *See* NEVILLE, A. M., MACKAY, A. M., WESTWOOD, J.,  
 TURBERVILLE, C., and LAURENCE, D. J. R.