

Supplementary Table 1. Characteristics with regards to 30-day mortality

Patient characteristics	Total patient cohort (N=135)	Survivors (N=105)	Non-Survivors (N=30)	p-value
Demographics				
Age (years) (mean, SD)	64.6 (19.5)	60.0 (18.9)	80.7 (11.6)	1.22x10 ⁻¹¹
Male gender (N, %)	70 (51.9%)	56 (53.3%)	14 (46.7%)	0.6547
Disease progression and mortality				
Non-Invasive Ventilation (N, %)	23 (17.04%)	14 (13.3%)	9 (30.0%)	0.0511
Intensive care unit admission (N, %)	31 (22.96%)	25 (23.8%)	6 (20.0%)	0.7010
Invasive Ventilation (N, %)	16 (11.85%)	12 (11.4%)	4 (13.3%)	0.6366
30-day mortality (N, %)	30 (22.22%)			
Hospital length of stay (days)(median, Q1-Q3)	8 [3 - 17]	8 [2 - 17]	11.5 [5.25 - 15.75]	0.0722
Comorbidities				
Cardiovascular disease (N, %)	75 (55.6%)	52 (49.5%)	23 (76.7%)	0.0786
Respiratory disease (N, %)	35 (25.9%)	30 (28.6%)	5 (16.7%)	0.2587
Haematological disease (N, %)	5 (3.7%)	5 (4.8%)	0 (0.0%)	0.2320
Immunodeficiency (N, %)	5 (3.7%)	5 (4.8%)	0 (0.0%)	0.2320
Diabetes (N, %)	32 (23.7%)	26 (24.8%)	6 (20.0%)	0.6366
Renal Disease (N, %)	23 (17.0%)	13 (12.4%)	10 (33.3%)	0.0142
Liver Disease (N, %)	9 (6.7%)	8 (7.6%)	1 (3.3%)	0.4227
Malignancy (N, %)	20 (14.8%)	14 (13.3%)	6 (20.0%)	0.4028
Central Nervous System Disease (N, %)	27 (20.0%)	16 (15.2%)	11 (36.7%)	0.0206
Biomarker concentrations				
CRP ¹ (mg/L) (median, Q1-Q3)	59 [17 - 143]	52 [13 - 143]	102 [43 - 148.75]	0.0301
White Cell Count (10 ⁹ /L) (median, Q1-Q3)	7.1 [5.2 - 9.65]	7.1 [5.5 - 9.7]	7.0 [4.425 - 8.675]	0.1469
Neutrophil Count (10 ⁹ /L) (median, Q1-Q3)	5.31 [3.51 - 7.66]	5.33 [3.72 - 8.0]	5.23 [3.235 - 6.8475]	0.2005
Lymphocyte Count (10 ⁹ /L) (median, Q1-Q3)	0.98 [0.70 - 1.36]	0.99 [0.74 - 1.41]	0.845 [0.5675 - 1.2675]	0.1469
PCT ² (ng/mL) (median, Q1-Q3)	0.13 [0.07 - 0.41]	0.12 [0.07 - 0.2853]	0.3595 [0.09 - 0.5575]	0.0307
MR-proADM (nmol/L) (median, Q1-Q3)	1.02 [0.71 - 1.61]	0.899 [0.6284 - 1.316]	1.842 [1.3943 - 2.6323]	<0.00001

¹ C-reactive protein² Procalcitonin